



## ***Roadlog References***

*(Includes references for all roadlogs in this volume.)*

*in:*

*Northeastern New Mexico*, Lucas, S. G.; Hunt, A. P.; [eds.], New Mexico Geological Society 38<sup>th</sup> Annual Fall Field Conference Guidebook, 354 p. <https://doi.org/10.56577/FFC-38>

---

*This is a section from the 1987 NMGS Fall Field Conference Guidebook.*

---

## **Annual NMGS Fall Field Conference Guidebooks**

Every fall since 1950, the New Mexico Geological Society (NMGS) has held an annual [Fall Field Conference](#) that explores some region of New Mexico (or surrounding states). Always well attended, these conferences provide a guidebook to participants. Besides detailed road logs, the guidebooks contain many well written, edited, and peer-reviewed geoscience papers. These books have set the national standard for geologic guidebooks and are an essential geologic reference for anyone working in or around New Mexico.

### **Free Downloads**

NMGS has decided to make peer-reviewed papers from our Fall Field Conference guidebooks available for free download. This is in keeping with our mission of promoting interest, research, and cooperation regarding geology in New Mexico. However, guidebook sales represent a significant proportion of our operating budget. Therefore, only *research papers* are available for download. *Road logs*, *mini-papers*, and other selected content are available only in print for recent guidebooks.

### **Copyright Information**

Publications of the New Mexico Geological Society, printed and electronic, are protected by the copyright laws of the United States. No material from the NMGS website, or printed and electronic publications, may be reprinted or redistributed without NMGS permission. Contact us for permission to reprint portions of any of our publications.

One printed copy of any materials from the NMGS website or our print and electronic publications may be made for individual use without our permission. Teachers and students may make unlimited copies for educational use. Any other use of these materials requires explicit permission.

*This page is intentionally left blank to maintain order of facing pages.*

## ROAD-LOG REFERENCES

- Agogino, G. A. and Rovner, I., 1964, Paleo-indian traditions: a current evaluation: *Archeology*, v. 17, pp. 237-244.
- Alexander, R. McN., 1976, Estimates of speeds of dinosaurs: *Nature*, v. 261, pp. 129-130.
- Alvarez, L. W., Alvarez, W., Asaro, F. and Michel, H. V., 1980, Extraterrestrial cause for the Cretaceous-Tertiary extinction: *Science*, v. 208, pp. 1095-1108.
- Baird, D., 1964, Dockum (Late Triassic) reptile footprints from New Mexico: *Journal of Paleontology*, v. 38, pp. 118-125.
- Baldwin, B. and Bushman, F. X., 1957, Guides for development of irrigation wells near Clayton, Union County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 46, 64 pp.
- Baldwin, B. and Muehlberger, W. R., 1959, Geological studies of Union County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 63, 171 pp.
- Baltz, E. H., Jr., 1965, Stratigraphy and history of the Raton basin and notes on San Luis basin, Colorado-New Mexico: American Association of Petroleum Geologists, Bulletin, v. 49, pp. 2041-2075.
- Broadhead, R. F., 1987, Carbon dioxide in Union and Harding Counties: New Mexico Geological Society, Guidebook 38.
- Brown, D. E., Lowe, C. H. and Pase, C., 1979, A digitized classification system for the biotic communities of North America with community and association examples for the Southwest: *Journal of Arizona-Nevada Academy of Science*, v. 14, pp. 1-16.
- Chilton, L., Chilton, K., Arargo, P. E., Dudley, J., Neary, N. and Stelzner, P., 1984, New Mexico, a new guide to the colorful state: University of New Mexico Press, Albuquerque, 640 pp.
- Cobban, W. A., 1976, Ammonite record from the Pierre Shale of northeastern New Mexico: New Mexico Geological Society, Guidebook 27, pp. 165-169.
- Collins, R. F., 1949, Volcanic rocks of northeastern New Mexico: Geological Society of America, Bulletin, v. 60, pp. 1017-1040.
- Condon, S. M. and Huffman, A. C., 1984, Stratigraphy and depositional environments of Jurassic rocks, San Juan Basin, New Mexico, with emphasis on the south and west sides: Rocky Mountain Section, Geological Society of America, 37th Annual Meeting Fieldtrip Guidebook, pp. 93-107.
- Conrad, K., Lockley, M. G. and Prince, N. K., 1987, Triassic and Jurassic vertebrate-dominated trace-fossil assemblages of the Cimarron valley region: implications for paleoecology and biostratigraphy: New Mexico Geological Society, Guidebook 38.
- Cook, H. J., 1927, New geological and paleontological evidence bearing on the antiquity of mankind in America: *Natural History*, v. 27, pp. 240-247.
- Cooley, B. B., Jr., 1955, Areal geology of Dry Cimarron Canyon, Union County, New Mexico [M.S. thesis]: Austin, University of Texas, 93 pp.
- Cordell, L. S., 1976, The Folsom site in retrospect: New Mexico Geological Society, Guidebook 27, pp. 83-86.
- Currie, P. J., 1983, Hadrosaur trackways from the Lower Cretaceous of Canada: *Acta Palaeontologica Polonica*, v. 28, pp. 63-73.
- Currie, P. J. and Sarjeant, W. A. S., 1979, Lower Cretaceous dinosaur footprints from the Peace River Canyon, British Columbia, Canada: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 28, pp. 103-115.
- Darton, N. H., 1928, "Red beds" and associated formations in New Mexico, with an outline of the geology of the state: U.S. Geological Survey, Bulletin 794, 356 pp.
- DeFord, R. K., 1927, Areal geology of Cimarron County, Oklahoma: American Association of Petroleum Geologists Bulletin, v. 11, pp. 753-755.
- Dick-Peddie, S., in press, Vegetation of New Mexico: Albuquerque, University of New Mexico Press.
- Dobrovolsky, E., Bates, R. L. and Summerson, C. H., 1946, Geology of northwestern Quay County, New Mexico: U.S. Geological Survey, Oil and Gas Investigations Preliminary Map 62.
- Donart, G. B., Sylvester, D. D. and Hickey, W. C., 1978, Potential natural vegetation of New Mexico: U.S. Department of Agriculture, Soil Conservation Service Map.
- Duce, J. T., 1924, Geology of parts of Las Animas, Otero and Bent Counties: Colorado Geological Survey, Bulletin 27, pp. 73-102.
- Everett, F. D., 1953, Metal and non-metal mineral resources in Union County: U.S. Geological Survey, Open-file Report 24U.
- Ewing, R. C. and Kues, B. S., eds., 1976, Guidebook of Vermejo Park, northeastern New Mexico: New Mexico Geological Society, Guidebook 27, 303 pp.
- Fay, R. O., 1983, Copper deposits in Sheep Pen Sandstone (Triassic) in Cimarron County, Oklahoma, and adjacent parts of Colorado and New Mexico: Oklahoma Geological Survey, Circular 86, 24 pp.
- Figgins, J. D., 1927, The antiquity of man in America: *Natural History*, v. 27, pp. 229-239.
- Figgins, J. D., 1935, New World man: *Proceedings of the Colorado Museum of Natural History*, v. 16, pp. 1-5.
- Folsom, F., 1974, The story behind the Folsom site: *The American West*, v. 11, pp. 34-39.
- Foster, R. W., 1983, Clayton Lake: New Mexico State Park series: New Mexico Geology, v. 5, pp. 81-82.
- Foster, R. W. and Jensen, J. G., 1972, Carbon dioxide in northeastern New Mexico: New Mexico Geological Society, Guidebook 23, pp. 192-200.
- Franks, P. C., 1975, The transgressive-regressive sequence of the Cretaceous Cheyenne, Kiowa, and Dakota formations of Kansas: Geological Society of Canada, Special Paper 13, pp. 469-521.
- Frye, J. C., Leonard, A. B. and Glass, H. D., 1978, Late Cenozoic sediments, molluscan faunas, and clay minerals in northeastern New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 160, 32 pp.
- Gage, J. P. and Asquith, G. B., 1977, Sedimentology of braided alluvial interval of Dakota Sandstone, north-eastern New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 150, 16 pp.
- Gillette, D. D. and Thomas, D. A., 1983, Dinosaur footprints in the Dakota Sandstone (Cretaceous) of northeastern New Mexico: Abstracts of the Annual Symposium of Southwestern Geology and Paleontology, Museum of Northern Arizona, p. 7.
- Gillette, D. D. and Thomas, D. A., 1985, Dinosaur tracks in the Dakota Formation (Aptian-Albian) at Clayton Lake State Park, Union County, New Mexico: New Mexico Geological Society, Guidebook 36, pp. 283-288.
- Gillette, D. D., Pittman, J. G. and Thomas, D. A., 1985, Herding behavior and species diversity in Cretaceous suaropods of the American Southwest: Geological Society of America, Abstracts with Programs, v. 17, p. 220.
- Gilluly, J. and Reeside, J. B., Jr., 1928, Sedimentary rocks of the San Rafael Swell and some adjacent areas in eastern Utah: U.S. Geological Survey, Professional Paper 150-D, pp. 61-110.
- Gould, C. N., 1908, Copper: Oklahoma Geological Survey, Bulletin 1, pp. 78-79.
- Gould, C. N., 1910, Brief chapters on Oklahoma's mineral resources: Oklahoma Geological Survey, Bulletin 6, pp. 33-36.
- Gregg, J., 1844, Commerce of the Prairies: Norman, University of Oklahoma Press [1954 edition, edited by M. L. Moorhead], 469 pp.
- Griggs, R. L. and Read, C. B., 1959, Revisions in stratigraphic nomenclature in Tucumcari-Sabinoso area, northeastern New Mexico: American Association of Petroleum Geologists, Bulletin, v. 43, pp. 2003-2007.
- Guidon, N. and Delibrias, G., 1986, Carbon-14 dates point to man in the Americas 32,000 years ago: *Nature*, v. 321, pp. 769-771.
- Harley, G. T., 1940, The geology and ore deposits of northeastern New Mexico (exclusive of Colfax County): New Mexico Bureau of Mines and Mineral Resources, Bulletin 15, 104 pp.
- Hastings, J. R. and Turner, R. M., 1966, The changing mile: Tucson, University of Arizona Press, 317 pp.
- Hattin, D. E., 1987, Pelagic/hemipelagic rhythmites of the Greenhorn Limestone (Upper Cretaceous) of northeastern New Mexico and southeastern Colorado: New Mexico Geological Society, Guidebook 38.
- Haubold, H., 1971, *Ichtnia Amphibiorum et Reptiliorum fossilium: Handbuch der Paläoherpetologie*, v. 18, 124 pp.
- Hawley, J. W., 1984, The Ogallala Formation in eastern New Mexico; in Whetstone, G. S., ed., *Proceedings of the Ogallala aquifer symposium II*: Lubbock, Texas Technological University Water Resources Center, pp. 157-176.
- Haynes, C. V., Jr., 1969, The earliest Americans: *Science*, v. 166, pp. 709-715.
- Heaton, R. L., 1939, Contribution to Jurassic stratigraphy of Rocky Mountain region: American Association of Petroleum Geologists Bulletin, v. 23, pp. 1153-1177.
- Henderson, C. W., 1926, Mining in Colorado, a history of discovery, development and production: U.S. Geological Survey, Professional Paper 138, 263 pp.
- Holbrook, J., Wright, R. and Kietzke, K. K., 1987, Stratigraphic relationships at the Jurassic-Cretaceous boundary in east-central New Mexico: New Mexico Geological Society, Guidebook 38.
- Hook, S. C. and Cobban, W. A., 1980, Some guide fossils in Upper Cretaceous Juana Lopez Member of Mancos and Carlile Shale, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Annual Report, July 1, 1978 to June 30, 1979, pp. 38-49.
- Hunt, A. P., 1984, Sedimentological and taphonomic evidence for catastrophic

- extinctions in nonmarine environments: *New Mexico Journal of Science*, v. 24, pp. 25–26.
- Hunt, A. P. and Lucas, S. G., 1987, *J. W. Stovall and the Mesozoic of the Dry Cimarron valley, Oklahoma and New Mexico*: New Mexico Geological Society, Guidebook 38.
- Imlay, R. W., 1980, Jurassic paleobiogeography of the conterminous United States in its continental setting: U.S. Geological Survey, Professional Paper 1062, 134 pp.
- Johnson, R. B., Dixon, G. H. and Wanek, A. A., 1966, Late Cretaceous and Tertiary stratigraphy of the Raton basin of New Mexico and Colorado: New Mexico Geological Society, Guidebook 17, pp. 88–98.
- Johnson, R. E., 1983, Bravo Dome carbon dioxide area northeast New Mexico; in Fassett, J. E., ed., *Oil and gas fields of the Four Corners area*, v. 3: Durango, Four Corners Geological Society, pp. 745–748.
- Kauffman, E. G., Hattin, D. E. and Powell, J. E., 1977, Stratigraphic, paleontologic and paleoenvironmental analysis of the Upper Cretaceous rocks of Cimarron County, northwestern Oklahoma: Geological Society of America, Memoir 149, 150 pp.
- Kauffman, E. G., Powell, J. D. and Hattin, D. E., 1969, Cenomanian-Turonian facies across the Raton Basin: *Mountain Geologist*, v. 6, pp. 93–118.
- Kisucky, M. J., 1987, Sedimentology and paleogeography of the Lower Cretaceous Mesa Rica delta system, Tucumcari basin, east-central New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 124 pp.
- Knowlton, F. H., 1917, Fossil floras of the Vermejo and Raton formations of Colorado and New Mexico: U.S. Geological Survey, Professional Paper 101, pp. 223–435.
- Kocurek, G. and Dott, R. H., Jr., 1983, Jurassic paleogeography and paleoclimate of the central and southern Rocky Mountain region; in Reynolds, M. W. and Dolly, E. D., eds., *Mesozoic paleogeography of the west-central United States*: Denver, Rocky Mountain Section, Society of Economic Paleontologists and Mineralogists, pp. 101–118.
- Kool, R., 1981, The walking speed of dinosaurs from the Peace River Canyon, British Columbia, Canada: *Canadian Journal of Earth Sciences*, v. 18, pp. 823–825.
- Kudo, A. M., 1976, A review of the volcanic history and stratigraphy of northeastern New Mexico: New Mexico Geological Society, Guidebook 27, pp. 109–110.
- Kues, B. S., 1985, Early geological explorations in northeastern and east-central New Mexico: New Mexico Geological Society, Guidebook 36, pp. 103–118.
- Kues, B. S. and Lucas, S. G., 1987, Cretaceous stratigraphy and paleontology of the Dry Cimarron valley, New Mexico, Colorado and Oklahoma: New Mexico Geological Society, Guidebook 38.
- Kues, B. S., Lucas, S. G., Kietzke, K. K. and Mateer, N. J., 1985, Synopsis of Tucumcari Shale, Mesa Rica Sandstone and Pajarito Shale paleontology, Cretaceous of east-central New Mexico: New Mexico Geological Society, Guidebook 36, pp. 261–281.
- Langston, W., 1960, A hadrosaurian ichnite: *National Museum of Canada, Natural History Paper* 4, 9 pp.
- Latta, B. F., 1946, Cretaceous stratigraphy of the Belvidere area, Kiowa County, Kansas: Kansas Geological Survey, Bulletin 64, pp. 217–260.
- Latta, B. F., 1948, Geology and groundwater resources of Kiowa County, Kansas: Kansas Geological Survey, Bulletin 64, 151 pp.
- Laferriere, A. P., 1987, Cyclic sedimentation in the Fort Hays Limestone Member, Niobrara Formation (Upper Cretaceous) in northeastern New Mexico and southeastern Colorado: New Mexico Geological Society, Guidebook 38.
- Lee, W. T., 1902, The Morrison shales of southern Colorado and northern New Mexico: *Journal of Geology*, v. 10, pp. 36–58.
- Lee, W. T., 1922, Description of the Raton, Brilliant, and Koelher quadrangles, with a section on igneous rocks by J. B. Mertie: U.S. Geological Survey, Geological Atlas Folio 214, 17 pp.
- Leonard, A. B., 1977, Three new pulmonate gastropods from the Tertiary of New Mexico: *Nautilus*, v. 91, pp. 143–145.
- Leonard, A. B. and Frye, J. C., 1978, Paleontology of Ogallala Formation, northeastern New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 161, 21 pp.
- Leonardi, G., ed., 1987, Glossary and manual of tetrapod paleoichnology: Brasilia, Departamento Nacional de Producao Mineral, 153 pp.
- Leopold, L. B., 1951, Rainfall frequency: an aspect of climatic variation: American Geophysical Union, Transactions, v. 32, pp. 347–357.
- Lockley, M. G., 1986, Dinosaur tracksites: University of Colorado at Denver, Geology Department Magazine, Special Issue no. 1, 56 pp.
- Long, C. S., Jr., 1966, Basal Cretaceous strata, southeastern Colorado [Ph.D. dissertation]: Boulder, University of Colorado, 479 pp.
- Lucas, S. G. and Kietzke, K. K., 1986, Stratigraphy and petroleum potential of the Jurassic Todilto Formation in northeastern New Mexico; in Ahlen, J. L. and Hanson, M. E., eds., *Southwest section of AAPG transactions and guidebook of 1986 convention* Ruidoso, New Mexico: Socorro, New Mexico Bureau of Mines and Mineral Resources, pp. 121–127.
- Lucas, S. G., Hunt, A. P. and Hayden, S. N., 1987, The Triassic system in the Dry Cimarron Valley, New Mexico, Colorado and Oklahoma: New Mexico Geological Society, Guidebook 38.
- Lucas, S. G., Hunt, A. P. and Kietzke, K. K., in press, Stratigraphy and age of Cretaceous dinosaur footprints in northeastern New Mexico and northwestern Oklahoma: *Proceedings of the First International Symposium on Dinosaur Footprints and Traces*.
- Lucas, S. G., Hunt, A. P. and Morales, M., 1985[a], Stratigraphic nomenclature and correlation of Triassic rocks in east-central New Mexico: a preliminary report: New Mexico Geological Society, Guidebook 36, pp. 171–184.
- Lucas, S. G., Kietzke, K. K. and Hunt, A. P., 1985[b], The Jurassic System in east-central New Mexico: New Mexico Geological Society, Guidebook 36, pp. 213–242.
- Lucas, S. G., Hunt, A. P., Kietzke, K. K. and Wolberg, D. L., 1986, Cretaceous stratigraphy and biostratigraphy, Clayton Lake State Park, Union County, New Mexico: *New Mexico Geology*, v. 8, pp. 60–65.
- Lucas, S. G., Kues, B. S., Weadock, G., Kietzke, K. K., Hawley, J. W., Hunt, A. P. and Mateer, N. J., 1985, Second-day road log from Santa Rosa to Newkirk, Variadero, Trujillo, Las Vegas, Tecolotito, Anton Chico, Dilia and back to Santa Rosa: New Mexico Geological Society, Guidebook 36, pp. 33–61.
- Lupe, R. and Ahlbrandt, T. S., 1979, Sediments of the ancient eolian environment-reservoir inhomogeneity: U.S. Geological Survey, Professional Paper 1052, pp. 241–251.
- Mankin, C. J., 1958, Stratigraphy and sedimentary petrology of Jurassic and pre-Graneros Cretaceous rocks, northeastern New Mexico [Ph.D. dissertation]: Austin, University of Texas, 208 pp.
- Mankin, C. J., 1972, Jurassic strata in northeastern New Mexico: New Mexico Geological Society, Guidebook 23, pp. 91–97.
- Mateer, N. J., 1985, Pre-Graneros Cretaceous stratigraphy of northeastern New Mexico: New Mexico Geological Society, Guidebook 36, pp. 243–246.
- McLemore, V. T. and North, R. M., 1987, Metallic mineral deposits in Colfax and Union Counties, northeastern New Mexico: New Mexico Geological Society, Guidebook 38.
- Miller, J., 1953, *New Mexico, a guide to the colorful state*: New York, American Guide Series, Hastings House, 471 pp.
- Morain, S. A., Budge, T. K. and White, M. E., 1977, Vegetation and land use in New Mexico: New Mexico Bureau of Mines and Mineral Resources, Resource Map 8, scale 1:1,000,000.
- Muehlberger, W. R., Baldwin, B. and Foster, R. W., 1961, High Plains, northeastern New Mexico, Raton-Capulin Mountain, Clayton: New Mexico Bureau of Mines and Mineral Resources, Scenic Trip to the Geologic Past, No. 7, 107 pp.
- Neuhauser, K. R., Lucas, S. G., de Albuquerque, S., Loudon, R. J., Hayden, S. N., Kietzke, K. K., Oakes, W. and Des Marais, D., 1987, Stromatolites of the Morrison Formation (Upper Jurassic), Union County, New Mexico: a preliminary report: New Mexico Geological Society, Guidebook 38.
- Newberry, J. S., 1861, Geological report; in Ives, J. C., Report upon the Colorado River of the West: U.S. 36th Congress, First Session, Senate Executive Document 77 and House Executive Document 90, 154 pp.
- Newberry, J. S., 1876, Geological Report; in Macomb, J. N., Report of the exploring expedition from Santa Fe, New Mexico, to the junction of the Grand and Green Rivers of the great Colorado of the West: Washington, Government Printing Office, pp. 9–118.
- Newberry, J. S., 1898, The later extinct floras of North America: U.S. Geological Survey, Monograph 35, 295 pp.
- Northrop, S. A. and Read, C. B., eds., 1966, Guidebook of Taos-Raton-Spanish Peaks Country, New Mexico and Colorado: New Mexico Geological Society, Guidebook 17, 128 pp.
- Officer, C. B. and Drake, C. L., 1985, Terminal Cretaceous environmental events: *Science*, v. 227, pp. 1161–1167.
- Ogden, L., 1954, Rocky Mountain Jurassic time surface: American Association of Petroleum Geologists, Bulletin, v. 38, pp. 914–916.
- Orth, C. J., Gilmore, J. S. and Knight, J. D., 1987, Iridium anomaly at the Cretaceous-Tertiary boundary in the Raton Basin: New Mexico Geological Society, Guidebook 38.
- Orth, C. J., Gilmore, J. S., Pillmore, C. L., Tschudy, R. H. and Fassett, J. E., 1981, An iridium abundance anomaly at the palynological Cretaceous-Tertiary boundary in northern New Mexico: *Science*, v. 214, pp. 1341–1343.
- Ostrom, J. H., 1972, Were some dinosaurs gregarious?: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 11, pp. 287–301.
- Parker, B. H., 1930, Notes on occurrences of clastic plugs and dikes in the Cimarron Valley area of Union County, New Mexico: Kansas Geological Society, Proceedings of Fourth Annual Field Conference, pp. 131–136.

- Parker, B. H., 1933, Clastic plugs and dikes of the Cimarron Valley area of Union County, New Mexico: *Journal of Geology*, v. 41, pp. 38-51.
- Parker, B. H., 1934, Discussion: Geology of Two Buttes dome in southeastern Colorado: *American Association of Petroleum Geologists, Bulletin*, v. 18, pp. 1544-1548.
- Pearce, T. M., 1965, *New Mexico place names*: University of New Mexico Press, Albuquerque, 187 pp.
- Pillmore, C. L., 1976, Commercial coal beds of the Raton coal field, Colfax County, New Mexico: *New Mexico Geological Society, Guidebook 27*, pp. 227-247.
- Pillmore, C. L. and Eicher, D. L., 1976, Lower part of the marine Cretaceous at Gold Creek, Vermejo Park, New Mexico: *New Mexico Geological Society, Guidebook 27*, pp. 171-176.
- Pillmore, C. L. and Flores, R. M., 1987, Stratigraphy and depositional environments of the Cretaceous-Tertiary boundary clay and associated rocks, Raton basin, New Mexico and Colorado: *Geological Society of America, Special Paper 209*, pp. 111-130.
- Roberts, F. H., Jr., 1937, New World man: *American Antiquity*, v. 2, pp. 172-177.
- Roberts, J. W., Barnes, J. J. and Wacker, H. J., 1976, Subsurface Paleozoic stratigraphy of the northeastern New Mexico basin and arch complex: *New Mexico Geological Society, Guidebook 27*, pp. 141-152.
- Rothrock, E. P., 1925, Geology of Cimarron County, Oklahoma: *Oklahoma Geological Survey, Bulletin 34*, 110 pp.
- Sanders, C. W., 1934, Geology of Two Buttes dome in southeastern Colorado: *American Association of Petroleum Geologists, Bulletin*, v. 18, pp. 860-871.
- Schaeffer, B. and Patterson, C., 1984, Jurassic fishes from the western United States, with comments on Jurassic fish distribution: *American Museum of Natural History, Novitates*, no. 2796, 86 pp.
- Schoff, S. L. and Stovall, J. W., 1943, Geology and groundwater resources of Cimarron County, Oklahoma: *Oklahoma Geological Survey, Bulletin 64*, 263 pp.
- Schulman, E., 1956, *Dendroclimatic changes in semiarid America*: Tucson, University of Arizona Press, 142 pp.
- Scott, G. R., 1986, Geologic and structure contour map of the Springer 30' x 60' quadrangle, Colfax, Harding, Mora, and Union Counties, New Mexico: U.S. Geological Survey, *Miscellaneous Investigations Map I-1705*, scale 1:100,000.
- Scott, G. R., Cobban, W. A. and Merewether, E. A., 1986, Stratigraphy of the Upper Cretaceous Niobrara Formation in the Raton Basin, New Mexico: *New Mexico Bureau of Mines and Mineral Resources, Bulletin 115*, 34 pp.
- Scott, R. W., 1970, Stratigraphy and sedimentary environments of Lower Cretaceous rocks, southern Western Interior: *American Association of Petroleum Geologists, Bulletin*, v. 54, pp. 1225-1244.
- Sellers, W. D., 1960, Precipitation trends in Arizona and western New Mexico: *Proceedings 28th Annual Snow Conference*, Santa Fe, New Mexico, pp. 81-94.
- Simmons, M., 1984, *Following the Santa Fe Trail: Ancient City Press*, Santa Fe, 213 pp.
- Snoparsky, M. B., 1986, Depositional environments and provenance of the Exeter Sandstone of Cimarron County, Oklahoma and adjacent parts of Union County, New Mexico [M.S. thesis]: Tulsa, University of Tulsa, 150 pp.
- Soulé, J. H., 1956, Reconnaissance of the "red bed" copper deposits in southeastern Colorado and New Mexico: *U.S. Bureau of Mines, Information Circular 7740*, 74 pp.
- Staat, M. H., 1986, Geologic map of the Pine Buttes quadrangle, Colfax County, New Mexico, U.S. Geological Survey, *Geologic Quadrangle Map GQ-1591*.
- Stanton, T. W., 1905, The Morrison Formation and its relations with the Comanche series and the Dakota Formation: *Journal of Geology*, v. 13, pp. 657-669.
- Sternberg, C. M., 1932, Dinosaur tracks from Peace River, British Columbia: *National Museum of Canada, Bulletin 68*, pp. 59-85.
- Stevens, H. J., 1911, *The copper handbook*.
- Stormer, J. C., Jr., 1972a, Ages and nature of volcanic activity on the southern high plains, New Mexico and Colorado: *Geological Society of America, Bulletin*, v. 83, pp. 2443-2448.
- Stormer, J. C., Jr., 1972b, Mineralogy and petrology of the Raton-Clayton volcanic field, northeastern New Mexico: *Geological Society of America, Bulletin*, v. 83, pp. 3299-3321.
- Stovall, J. W., 1938, The Morrison of Oklahoma and its dinosaurs: *Journal of Geology*, v. 46, pp. 583-600.
- Stovall, J. W., 1943, Stratigraphy of the Cimarron Valley (Mesozoic rocks): *Oklahoma Geological Survey, Bulletin 64*, pp. 43-132.
- Stovall, J. W. and Savage, D. E., 1939, A phytosaur in Union County, New Mexico, with notes on the stratigraphy: *Journal of Geology*, v. 47, pp. 759-766.
- Stuart D. E. and Gauthier, R. P., 1984, *Prehistoric New Mexico: 2nd ed., background for survey*: Albuquerque, New Mexico Archeological Council, 459 pp.
- Ternes, A., 1986, Editor's note: *Natural History*, v. 95, p. 8.
- Thomas, D. A. and Gillette, D. D., 1985, Ornithopod ichnofauna in the Dakota Formation, Clayton Lake State Park, northeastern New Mexico: *Geological Society of America, Abstracts with Programs*, v. 17, p. 267.
- Thompson, A. W., 1933, *The story of early Clayton, New Mexico*: Clayton, Clayton News, 95 pp.
- Trauger, F. D., 1973, K-Ar dates on a basalt flow and vent plug in northeast Harding County, northeastern New Mexico: *Isochron West*, no. 7, 25 pp.
- Trauger, F. D., 1987, *Climate of northeastern New Mexico*: *New Mexico Geological Society, Guidebook 38*.
- Trauger, F. D. and Bushman, F. X., 1964, Geology and ground water in the vicinity of Tucumcari, Quay County, New Mexico: *New Mexico State Engineer, Technical Report 30*, 178 pp.
- Trauger, F. E., Churan, K. R. and Kelley, H. T., 1986, Quantitative analysis of the Roy municipal well field, Harding County, New Mexico: Albuquerque, Geohydrology Associates, Inc., *Consultant Report to the Village of Roy*, 97 pp.
- Trauger, F. E., Mankin, C. J. and Brand, J. P., 1972, Road log of Tucumcari, Mosquero and San Jon country: *New Mexico Geological Society, Guidebook 23*, pp. 12-45.
- Union County Historical Society, 1980, *Union County and its people*: Dallas, Taylor Publishing Co., 296 pp.
- Utey, R. M., 1962, *Fort Union National Monument*: Washington, U.S. Department of the Interior, National Park Service, 68 pp.
- Vincelette, R. R. and Chittum, W. E., 1981, Exploration for oil accumulations in Entrada Sandstone, San Juan Basin, New Mexico: *American Association of Petroleum Geologists Bulletin*, v. 65, pp. 2546-2570.
- Wanek, A. A., 1962, Reconnaissance geologic map of parts of Harding, San Miguel and Mora Counties, New Mexico: U.S. Geological Survey, *Oil and Gas Investigations Map OM-208*.
- Ward, J. V., 1986, Early angiosperm pollen from the Cheyenne and Kiowa Formation (Albian) of Kansas, U.S.A.: *Paleontographica B*, v. 202, pp. 1-81.
- Wilmarth, M. G., 1938, *Lexicon of geologic names of the United States*: U.S. Geological Survey, *Bulletin 896*, 2396 pp.
- Wislizenus, A., 1848, *Memoir of a tour to northern Mexico connected with Col. Doniphan's expedition in 1846 and 1847*: Washington, U.S. 30th Congress, First Session, Senate Miscellaneous Document 26, 141 pp.
- Wood, G. H., Jr., Northrop, S. A. and Griggs, R. L., 1953, Geology and stratigraphy of Koehler and Mount Laughlin quadrangles and parts of Abbott and Springer quadrangles, eastern Colfax County, New Mexico: U.S. Geological Survey, *Oil and Gas Investigations Map OM-141*.
- Wormington, H. M., 1949, *Ancient man in North America*: Denver, Denver Museum of Natural History, Popular series no. 4, 3rd ed., 198 pp.
- Young, J. V., 1984, *The State Parks of New Mexico*: University of New Mexico Press, Albuquerque, 160 pp.