

ROAD-LOG REFERENCES

- Aldrich, M. J., Jr., Chapin, C. E. and Laughlin, A. W., 1986, Stress and tectonic development of the Rio Grande rift, New Mexico: *Journal of Geophysical Research*, v. 91, p. 6199–6211.
- Allen, E. S., ed., 1916, *The official guide of the railways and steam navigational lines of the United States, Puerto Rico, Canada, Mexico, and Cuba*: New York, The National Railway Publication Co. [reprint 1979], 1600 p.
- Allen, J. E. and Kottowski, F. E., 1981, Roswell–Ruidoso–Valley of Fires: New Mexico Bureau of Mines and Mineral Resources, *Scenic Trips to the Geologic Past*, no. 3, 3rd ed., 96 p.
- Allen, M., 1988, The Capitan pluton, New Mexico: an example of a zoned granite chamber: *Geological Society of America, Abstracts with Programs*, v. 20, p. 313.
- Allen, M. S. and Foord, E. E., 1991, Geological, geochemical, and isotopic characteristics of the Lincoln County porphyry belt, New Mexico: implications for regional tectonics and mineral deposits: *New Mexico Geological Society, Guidebook 42*.
- Allen, M. S. and McLemore, V. T., The geology and petrogenesis of the Capitan pluton, New Mexico: *New Mexico Geological Society, Guidebook 42*.
- Anderson, J. L., 1983, Proterozoic anorogenic granite plutonism of North America; in Medaris, L. G., Jr., Byers, C. W., Nickelson, P. M. and Shanks, W. C., eds., *Proterozoic geology: selected papers from an International Proterozoic Symposium*: Geological Society of America, *Memoir 161*, p. 133–134.
- Arkell, B. W., 1983, Geology and coal resources of the Cub Mountain area, Sierra Blanca coal field, New Mexico [M.S. thesis]: Socorro, New Mexico Institute of Mining and Technology, 104 p.
- Arkell, B. W., 1986, Stratigraphy of the western part of the Sierra Blanca basin: Southwest Section of AAPG, *Transactions and Guidebook of 1986 Convention*, Ruidoso, New Mexico, New Mexico Bureau of Mines and Mineral Resources, p. 73–76.
- Asquith, G. B., 1973, Flow differentiation in Tertiary lamprophyres (camptonites), Sacramento Mountains, Otero County, New Mexico: *Journal of Geology*, v. 81, p. 643–647.
- Aubele, J. C., Crumpler, L. S. and Elston, W. E., 1988, Vesicle zonation and vertical structure of basalt flows: *Journal of Volcanology and Geothermal Research*, v. 35, p. 349–374.
- Bachman, G. O., 1953, Geology of a part of northwestern Mora County, New Mexico: U.S. Geological Survey, *Oil and Gas Investigations Map OM-137*, scale 1:50,000.
- Bachman, G. O., 1954, Reconnaissance map of an area southeast of Sierra Blanca, in Lincoln, Otero, and Chavez Counties, New Mexico: *New Mexico Geological Society, Guidebook 5*, p. 94b.
- Bachman, G. O., 1960, Southwestern edge of late Paleozoic landmass in New Mexico: U.S. Geological Survey, *Professional Paper 400-B*, p. B239–B241.
- Bachman, G. O., 1964, Southwestern edge of late Paleozoic landmass in New Mexico [reprint of Bachman (1960)]: *New Mexico Geological Society, Guidebook 15*, p. 70–72.
- Ball, S. H., 1913, Sandstone copper deposits at Bent, New Mexico: *Mining and Scientific Press*, v. 107, no. 4, p. 131–135.
- Bauer, P. W. and Lozinsky, R. P., 1991, The Bent dome—part of a major Paleozoic uplift in southern New Mexico: *New Mexico Geological Society, Guidebook 42*.
- Blair, T. C., Clark, J. S. and Wells, S. G., 1990, Quaternary continental stratigraphy, landscape evolution, and application to archeology: Jarilla piedmont and Tularosa graben floor, White Sands Missile Range, New Mexico: *Geological Society of America Bulletin*, v. 102, p. 749–759.
- Bodine, M. W., Jr., 1956, Geology of the Capitan coal field, Lincoln County, New Mexico: *New Mexico Bureau of Mines and Mineral Resources, Circular 35*, 27 p.
- Bowsher, A. L., 1986, Late Paleozoic reef complexes of the northern Sacramento Mountains, New Mexico: Southwest Section of AAPG, *Transactions and Guidebook of 1986 Convention*, Ruidoso, New Mexico: *New Mexico Bureau of Mines and Mineral Resources*, p. 49–72.
- Bowsher, A. L., 1991, Some effects of Precambrian basement on the development of the Sacramento Mountains: *New Mexico Geological Society, Guidebook 42*.
- Bucher, W. H., 1956, Role of gravity in orogenesis: *Geological Society of America Bulletin*, v. 67, p. 1295–1318.
- Burt, D. M., 1988, Structural and geophysical evaluation of the northern Tinnie fold belt, southeastern Lincoln County, New Mexico [M.S. thesis]: Long Beach, California State University, 111 p.
- Burt, D. M., 1991, Evaluation of basement control on the formation of the northern Tinnie fold belt, southeastern Lincoln County, New Mexico: *New Mexico Geological Society, Guidebook 42*.
- Butler, P. M., 1964, Magnetite from intrusives and associated contact deposits, Lincoln County, New Mexico [M.S. thesis]: Socorro, New Mexico Institute of Mining and Technology, 63 p.
- Campbell, M. R., 1907, Coal in the vicinity of Fort Stanton Reservation, Lincoln County, N. Mex.: U.S. Geological Survey, *Bulletin 316*, p. 431–434.
- Carr, D. L., 1983, Late Paleozoic siliciclastic shelf-bars, Sacramento Mountains, New Mexico [M.A. thesis]: Austin, University of Texas, 127 p.
- Cather, S. M., 1991, Stratigraphy and provenance of Upper Cretaceous and Paleogene strata of the western Sierra Blanca basin, New Mexico: *New Mexico Geological Society, Guidebook 42*.
- Chapin, C. E., 1989, Volcanism along the Socorro accommodation zone, Rio Grande rift, New Mexico; in Chapin, C. E. and Zidek, J., eds., *Field excursions to volcanic terranes in the western United States, Volume I: southern Rocky Mountain region*: New Mexico Bureau of Mines and Mineral Resources, *Memoir 46*, p. 46–57.
- Chapin, C. E. and Cather, S. M., 1981, Eocene tectonics and sedimentation in the Colorado Plateau–Rocky Mountain area: *Arizona Geological Society, Digest*, v. 14, p. 173–198.
- Chapin, C. E., Chamberlin, R. M., Osburn, G. R., White, P. W. and Sanford, A. R., 1978, Exploration framework of the Socorro geothermal area, New Mexico: *New Mexico Geological Society, Special Publication 7*, p. 115–129.
- Chapin, C. E. and Seager, W. R., 1975, Evolution of the Rio Grande rift in the Socorro and Las Cruces areas: *New Mexico Geological Society, Guidebook 26*, p. 297–321.
- Chilton, L., Chilton, K., Arago, P. E., Dudley, J., Neary, N. and Stelzner, P., 1984, *New Mexico, a new guide to a colorful state*: Albuquerque, University of New Mexico Press, 640 p.
- Christiansen, P. W., 1974, The story of mining in New Mexico: *New Mexico Bureau of Mines and Mineral Resources, Scenic Trips to the Geologic Past*, no. 12, Socorro, 105 p.
- Cobban, W. A., 1986, Upper Cretaceous molluscan record from Lincoln County, New Mexico: Southwest Section of AAPG, *Transactions and Guidebook of 1986 Convention*, Ruidoso, New Mexico, *New Mexico Bureau of Mines and Mineral Resources*, p. 77–89.
- Colpitts, R. M., Jr., 1989, Permian reference section for southeastern Zuni Mountains, Cibola County, New Mexico: *New Mexico Geological Society, Guidebook 40*, p. 177–180.
- Condie, K. C. and Budding, A. J., 1979, Geology and geochemistry of Precambrian rocks, central and south-central New Mexico: *New Mexico Bureau of Mines and Mineral Resources, Memoir 35*, 58 p.
- Craddock, C., 1964, The Lincoln fold system: *New Mexico Geological Society, Guidebook 15*, p. 122–133.
- Cross, T. A. and Klosterman, M. J., 1981, Primary submarine cements and neomorphic spar in a stromatolitic-bound phylloid algal bioherm, Laborcita Formation (Wolfcampian), Sacramento Mountains, New Mexico, U.S.A.; in Monty, C., ed., *Phanerozoic Stromatolites*: Springer-Verlag, p. 60–73.
- Cys, J. M. and Mazzullo, S. J., 1977, Biohermal submarine cement, Laborcita Formation (Permian), northern Sacramento Mountains, New Mexico; in Butler, J., ed., *Geology of the Sacramento Mountains, Otero County, New Mexico*: West Texas Geological Society, *Publication 1977-68*, p. 39–57.
- Dane, C. H. and Bachman, G. O., 1965, *Geologic map of New Mexico*: Denver, U.S. Geological Survey, scale 1:500,000.
- De la Roche, H., Leterrier, J., Grandclaude, P. and Marchel, M., 1980, A classification of volcanic and plutonic rocks using R_1/R_2 -diagram and major element analyses—its relationship with current nomenclature: *Chemical Geology*, v. 29, p. 183–210.
- DeMark, R. S., 1980, The Red Cloud mines, Gallinas Mountains, New Mexico: *Mineralogical Record*, v. 11, p. 69–72.
- Dennis, J. G. and Hall, R., 1978, Jura-type platform folds; a centrifuge experiment: *Tectonophysics*, v. 45, p. T15–T25.
- Dennis, J. G., Hall, R. and Huggenberger, 1985, An anorogenic fold belt in eastern New Mexico; in *Geodynamics Symposium, Intraplate Deformation Characteristics, Process, and Causes*: College Station, Texas A&M University, 3 p.
- Derr, P. S., 1981, Soil survey of Otero area, New Mexico: Soil Conservation Service, U.S. Department of Agriculture, U.S. Government Printing Office (1981-271-957/110), 244 p.
- Dobrin, M. B., 1976, *Introduction to geophysical prospecting*: New York, McGraw Hill, Inc., 630 p.
- Eldred, N., 1989, Native people at Dog Canyon: Park Vistas (New Mexico State Park and Recreation Division), v. 2, no. 5, p. 1–3.
- Ellis, R. W., 1936, *Analyses of New Mexico coals*: U.S. Bureau of Mines, *Technical Paper no. 569*, 112 p.
- Elston, W. E. and Snider, H. I., 1964, Differentiation and alkali metasomatism

- in dike swarm complex and related igneous rocks near Capitan, Lincoln County, New Mexico: New Mexico Geological Society, Guidebook 15, p. 140–147.
- Ewing, T. E., 1990, Tectonic map of Texas: Austin, Texas Bureau of Economic Geology, scale 1:750,000, four sheets.
- Farris, R. B., 1980, A geochemical model for the magmatic history of the Carrizozo basalt field, south central New Mexico [M.S. thesis]: Socorro, New Mexico Institute of Mining and Technology, 148 p.
- Fisher, C. A., 1904, Coal fields of the White Mountain region, New Mexico: U.S. Geological Survey, Bulletin 225, p. 293–294.
- Fly, S. H., 1986, Depositional environments of the Laborcita Formation (Wolfcampian), northern Sacramento Mountains, New Mexico: Southwest Section of AAPG, Transactions and Guidebook of 1986 Convention, Ruidoso, New Mexico, New Mexico Bureau of Mines and Mineral Resources, p. 91–96.
- Foley, E. J., 1964, The Lincoln folds, Lincoln, New Mexico: New Mexico Geological Society, Guidebook 15, p. 134–139.
- Food, E. E. and Moore, S. L., 1991, Geology of the Bent dome, Otero County, New Mexico: New Mexico Geological Society, Guidebook 42.
- Foster, R. F., 1959, Precambrian rocks of the Sacramento Mountains and vicinity; in Guidebook for joint field conference in the Sacramento Mountains of Otero County, New Mexico: Roswell Geological Society Guidebook, p. 137–153.
- Fugate, F. L. and Fugate, R. B., 1989, Roadside history of New Mexico: Missoula, Mountain Press Publishing Company, 483 p.
- Gibbons, T. L., 1981, Geochemical and petrographic investigation of the Jones Camp magnetite ores and associated intrusives, Socorro County, New Mexico [M.S. thesis]: Socorro, New Mexico Institute of Mining and Technology, 156 p.
- Gile, L. H., 1987, Late Holocene displacement along the Organ Mountains fault in southern New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 196, 43 p.
- Glass, J. J. and Smalley, R. G., 1945, Bastnaesite [Gallinas Mountains, New Mexico]: American Mineralogist, v. 30, p. 601–615.
- Glover, V. J., 1984, Logging railroads of the Lincoln National Forest, New Mexico: U.S. Dept. of Agriculture Forest Service, Southwestern Region, Cultural Resources Management Report No. 4 (2nd edition, Albuquerque, NM, Historical Society of New Mexico and the Sacramento Mountains Historical Society, 1989), 65 p.
- Grainger, J. R., 1974, Geology of the White Oaks mining district, Lincoln County, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 69 p.
- Griswold, G. B., 1959, Mineral deposits of Lincoln County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 67, 117 p.
- Hailey, J. A., ed., 1913, The year book of Lincoln County, New Mexico: descriptive, historical, biographical, statistical, stock raising, mining, agricultural, industrial, climate, scenery: The Carrizozo News, Carrizozo, New Mexico, 91 p.
- Haines, R. A., 1968, The geology of the White Oaks–Patos Mountain area, Lincoln County, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 63 p.
- Haley, J. A. and Dingwall, G., eds., 1915, Coal vein thickens: Carrizozo News, v. 16, no. 9 (March 19, 1915), p. 1.
- Halley, R. B., 1980, Upper Paleozoic bioherms in the northern Sacramento Mountains; in Scholle, P. A. and Halley, R. B., eds., Upper Paleozoic depositional and diagenetic facies in a mature petroleum province (A field guide to the Guadalupe and Sacramento Mountains): U.S. Geological Survey, Branch of Oil and Gas Resources, Administrative Report, p. 141–191.
- Hallinger, D. E., 1964, Caves of the Fort Stanton area, New Mexico: New Mexico Geological Society, Guidebook 15, p. 181–184.
- Harbour, R. L., 1970, The Hondo sandstone member of the San Andres Limestone of south-central New Mexico: United States Geological Survey, Professional Paper 700-C, p. C175–C182.
- Harrer, C. M. and Kelly, T. J., 1963, Reconnaissance of iron resources in New Mexico: U.S. Bureau of Mines, Information Circular 8190, 112 p.
- Hattin, D. E., 1987, Pelagic/hemipelagic rhythmites of the Greenhorn Limestone (Upper Cretaceous) of northeastern New Mexico and southeastern Colorado: New Mexico Geological Society, Guidebook 38, p. 237–247.
- Havenor, K. C., 1964, Oil and gas tests in Lincoln County, New Mexico: New Mexico Geological Society, Guidebook 15, p. 155–158.
- Havenor, K. C., 1969, Structure, stratigraphy, and hydrogeology of the northern Roswell artesian basin, Chaves County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 93, 30 p.
- Hawley, J. W., 1986, Physiographic provinces and landforms of New Mexico; in Williams, J. L., ed., New Mexico in maps (2nd edition): Albuquerque, University of New Mexico Press, p. 23–31.
- Hayden, S. N., Lucas, S. G., Hunt, A. P. and Beck, W. C., 1990, Triassic–Jurassic stratigraphy, Palo Duro Canyon, Sevilleta Grant, Socorro County, New Mexico: New Mexico Geology, v. 12, p. 65, 75.
- Healy, D. L., Wahl, R. R. and Currey, F. E., 1978, Gravity survey of the Tularosa valley and adjacent areas, New Mexico: U.S. Geological Survey, Open-file Report 78-309, 56 p.
- Herrick, C. L., 1904, Lake Otero, an ancient salt lake in southeastern New Mexico: American Geologist, v. 34, p. 174–189.
- Hoffer, J. M., Chen, W., McLemore, V. T. and Anthony, E. Y., 1991, Day 2: the Potrillo volcanic field: New Mexico Bureau of Mines and Mineral Resources, Bulletin 137, p. 96–103.
- Hunt, A. P. and Lucas, S. G., 1987, Southeasternmost outcrops of the Morrison Formation in the Carthage area, Socorro County, New Mexico: New Mexico Geology, v. 9, p. 58–62.
- Irvine, T. N. and Baragar, W. R. A., 1971, A guide to the chemical classification of the common volcanic rocks: Canadian Journal of Earth Sciences, v. 8, p. 523–548.
- Jenkins, J. E., 1985, Geology and geochemistry of the Jones Camp magnetite deposits, Socorro County, New Mexico [M.S. thesis]: Socorro, New Mexico Institute of Mining and Technology, 155 p.
- Johnson, W. D., Hawley, J. W., Stone, W. J., Kottlowski, F. E., Henry, C. D. and Price, J. G., 1989, Geology; in Bedinger, M. S., Sargent, K. A. and Langer, W. H., eds., Studies of geology and hydrology in the Basin and Range Province, southwestern United States, for isolation of high-level radioactive waste-characterization of the Rio Grande region, New Mexico and Texas: U.S. Geological Survey, Professional Paper 1370-C, p. C7–C19.
- Kabat, S., 1988, Land of cool pines: Cloudcroft, New Mexico and the western resort tradition: New Mexico Architecture, v. 29, no. 4, p. 11–17.
- Keleher, W. A., 1962, The fabulous frontier: twelve New Mexico items: Albuquerque, University of New Mexico Press, 338 p.
- Keller, G. R. and Cordell, L., 1983, Bouguer gravity anomaly map of New Mexico: New Mexico State University Energy Institute, Geothermal Resources of New Mexico, Scientific Map Series, scale 1:500,000.
- Keller, G. R., Morgan, P. and Seager, W. R., 1990, Crustal structure, gravity anomalies, and heat flow in the southern Rio Grande rift and their relationship to extensional tectonics: Tectonophysics, v. 174, p. 21–37.
- Kelley, V. C., 1949, Geology and economics of New Mexico iron-ore deposits: University of New Mexico, Publications in Geology, v. 2, 246 p.
- Kelley, V. C., 1952, Origin and pyrometamorphic zoning of the Capitan iron deposit, Lincoln County, New Mexico: Economic Geology, v. 47, p. 64–83.
- Kelley, V. C., 1968, Geology of the alkaline Precambrian rocks at Pajarito Mountain, Otero County, New Mexico: Geological Society of America Bulletin, v. 79, p. 1565–1572.
- Kelley, V. C., 1971, Geology of the Pecos country, southeastern New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 24, 75 p.
- Kelley, V. C., 1972, New Mexico lineament of the Colorado Rockies front: Geological Society of America Bulletin, v. 83, p. 1849–1852.
- Kelley, V. C. and Thompson, T. B., 1964, Tectonics and general geology of the Ruidoso-Carrizozo region, central New Mexico: New Mexico Geological Society, Guidebook 15, p. 110–121.
- Kietzke, K. K., 1989, Calcareous microfossils from the Moenkopi Formation (Triassic, Scythian or Anisian) of central New Mexico: New Mexico Geological Society, Guidebook 40, p. 181–190.
- King, W. E. and Harder, V. M., 1985, Oil and gas potential of the Tularosa basin–Otero platform–Salt basin graben area, New Mexico and Texas: New Mexico Bureau of Mines and Mineral Resources, Circular, 198, 36 p.
- Knapp, V., 1933, The structural relations of the Capitan and eastern border of the Sierra Blanca mountain groups in Lincoln County, New Mexico [M.S. thesis]: Boulder, University of Colorado.
- Konishi, K. and Wray, J. L., 1961, *Eugonophyllum*, a new Pennsylvanian and Permian algal genus: Journal of Paleontology, v. 35, p. 659–666.
- Kottlowski, F. E., 1960, Summary of Pennsylvanian sections in southwestern New Mexico and southeastern Arizona: New Mexico Bureau of Mines and Mineral Resources, Bulletin 66, 187 p.
- Kottlowski, F. E., 1981, Oliver Lee Memorial State Park: New Mexico Geology, v. 3, p. 59–60, 63.
- Kottlowski, F. E., Flower, R. H., Thompson, M. L. and Foster, R. H., 1956, Stratigraphic studies of the San Andres Mountains, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 1, 132 p.
- Laferriere, A. P., 1987, Cyclic sedimentation in the Fort Hays Limestone Member, Niobrara Formation (Upper Cretaceous) in northeastern New Mexico and southeast Colorado: New Mexico Geological Society, Guidebook 38, p. 249–254.
- Lang, W. B., 1937, The Permian formations of the Pecos Valley of New Mexico and Texas: American Association of Petroleum Geologists Bulletin, v. 21, p. 833–898.
- Lee, W. T. and Girty, G. H., 1909, The Manzano Group of the Rio Grande

- Valley, New Mexico: United States Geological Survey, Bulletin 389, 141 p.
- Lindgren, W., Graton, L. C. and Gordon, C. H., 1910, The ore deposits of New Mexico: U.S. Geological Survey, Professional Paper 68, p. 187-190.
- Lloyd, E. R., 1949, Pre-San Andres stratigraphy and oil-producing zones in southeastern New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 29, 79 p.
- Lozinsky, R. P. and Bauer, P. W., 1991, Structure and basin-fill units of the Tularosa Basin: New Mexico Geological Society, Guidebook 42.
- Lucas, S. G., 1991, Triassic stratigraphy, paleontology and correlation, south-central New Mexico: New Mexico Geological Society, Guidebook 42.
- Lucas, S. G., Cather, S. M., Sealey, P. and Hutchison, J. H., 1989, Stratigraphy, paleontology, and depositional systems of the Eocene Cub Mountain Formation, Lincoln County, New Mexico—a preliminary report: New Mexico Geology, v. 11, p. 11-17.
- Lucas, S. G. and Hayden, S. N., 1989, Triassic stratigraphy of west-central New Mexico: New Mexico Geological Society, Guidebook 40, p. 191-212.
- Lucas, S. G. and Hayden, S. N., 1991, Type section of the Permian Bernal Formation and the Permian-Triassic boundary in north-central New Mexico: New Mexico Geology, v. 13, p. 9-15.
- Lucas, S. G. and Hunt, A. P., 1987, Stratigraphy of the Anton Chico and Santa Rosa Formations, Triassic of east-central New Mexico: Journal of the Arizona-Nevada Academy of Science, v. 22, p. 21-33.
- Lucas, S. G. and Hunt, A. P., in press, Reptile footprints from the Middle Triassic Moenkopi Formation, Cibola County, New Mexico: New Mexico Geology.
- Lucas, S. G., Hunt, A. P. and Kues, B. S., 1987, Stratigraphic nomenclature and correlation chart for northeastern New Mexico: New Mexico Geological Society, Guidebook 38, p. 351-354.
- Lucas, S. G., Kietzke, K. K. and Hunt, A. P., 1985, The Jurassic System in east-central New Mexico: New Mexico Geological Society, Guidebook 36, p. 213-242.
- Lucas, S. G. and Morales, M., 1985, Middle Triassic amphibian from basal Santa Rosa Formation, east-central New Mexico: New Mexico Geological Society, Guidebook 36, p. 56-58.
- Machette, M. N., 1987, Preliminary assessment of paleoseismicity at White Sands Missile Range, southern New Mexico: evidence for recency of faulting, and repeat intervals for major earthquakes in the region: U.S. Geological Survey, Open-file Report 87-444, 46 p.
- Martin, W. C., 1964, Some aspects of the natural history of the Capitan and Jicarilla Mountains and Sierra Blanca region of New Mexico: New Mexico Geological Society, Guidebook 15, p. 171-176.
- Mazzullo, S. J. and Cys, J. M., 1979, Marine aragonite sea-floor growth and cements in Permian phylloid algal mounds, Sacramento Mountains, New Mexico: Journal of Sedimentary Petrology, v. 49, p. 917-936.
- McAnulty, W. N., 1978, Fluorspar in New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 34, 64 p.
- McKee, E. D. and Moiola, R. J., 1975, Geometry and growth of the White Sands Dune Field, New Mexico: U.S. Geological Survey, Journal of Research, v. 3, no. 1, p. 59-66.
- McKenzie, W. S., Donaldson, C. H. and Guilford, C., 1982, Atlas of igneous rocks and their textures: New York, John Wiley and Sons, 148 p.
- McLemore, V. T., 1983, Uranium and thorium occurrences in New Mexico: distribution, geology, production and resources: New Mexico Bureau of Mines and Mineral Resources, Open-file Report 183, 180 p.
- McLemore, V. T., 1991, Base- and precious-metal deposits in Lincoln and Otero Counties, New Mexico: New Mexico Geological Society, Guidebook 42.
- McLemore, V. T. and Phillips, R. S., 1991, Geology of mineralization and associated alteration in the Capitan Mountains, New Mexico: New Mexico Geological Society, Guidebook 42.
- Meinzer, O. E. and Hare, R. F., 1915, Geology and water resources of Tularosa basin, New Mexico: U.S. Geological Survey, Water-Supply Paper 343, 317 p.
- Melhause, J., 1927, Report on the Sierra Blanca coal field, Lincoln and Otero Counties, New Mexico: Unpublished New Mexico Bureau of Mines and Mineral Resources report, 19 p.
- Miller, J. F., Frederick, R. H. and Tracey, R. J., 1973, Precipitation-frequency atlas of the western United States: National Oceanographic and Atmospheric Administration, Atlas 2, Vol. IV—New Mexico, 43 p.
- Miller, J. P., Montgomery, A. and Sutherland, P. K., 1963, Geology of part of the southern Sangre de Cristo Mountains, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 11, 106 p.
- Milner, S., 1976, Carbonate petrology and syndepositional facies of the lower San Andres Formation (middle Permian), Lincoln County, New Mexico: Journal of Sedimentary Petrology, v. 46, p. 463-482.
- Milner, S., 1978, Genesis, provenance, and petrography of the Glorieta Sandstone of eastern New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 115, 25 p.
- Molenaar, C. M., 1983, Major depositional cycles and regional correlations of Upper Cretaceous rocks, southern Colorado Plateau, and adjacent areas: in Reynolds, M. W. and Dolly, E. D., eds., Mesozoic paleogeography of west-central United States: Denver, Society of Economic Paleontologists and Mineralogists, p. 201-224.
- Moore, S. L., Foord, E. E. and Meyer, G. A., 1988, Geologic and aeromagnetic map of a part of the Mescalero Apache Indian Reservation, Otero County, New Mexico: U.S. Geological Survey, Miscellaneous Investigations Map I-1775, scale 1:50,000.
- Moore, S. L., Foord, E. E., Meyer, G. A. and Smith, G. W., 1988, Geologic map of the northwestern part of the Mescalero Apache Indian Reservation, Otero County, New Mexico: U.S. Geological Survey, Miscellaneous Investigation Series Map I-1895, scale 1:24,000.
- Moore, S. L., Thompson, T. B. and Foord, E. E., 1991, Structure and igneous rocks of the Ruidoso region, New Mexico: New Mexico Geological Society, Guidebook 42.
- Morrison, E. E., 1989, Guardian of the forest: a history of the Smokey Bear program: 2nd ed., Alexandria, Virginia, Moralle Press, 132 p.
- Motts, W. C. and Gaul, R. A., 1960, Geology of Pajarito Mountain area, Otero County, New Mexico: American Association of Petroleum Geologists Bulletin, v. 44, p. 108-110.
- Mutschler, F. E., Mooney, T. C. and Johnson, D. C., 1991, Precious metal deposits related to alkaline igneous rocks—a space-time trip through the Cordillera: Mining Engineering, v. 43, p. 304-309.
- Myrick, D. F., 1970, New Mexico's railroads—an historical survey: Boulder, Colorado Railroad Museum, 197 p.
- Myrick, D. F., 1990, New Mexico's railroads—a historical survey: Albuquerque, University of New Mexico Press, revised edition, 276 p.
- Neal, D. J., 1966, The cloud-climbing railroad, a story of timber, trestles and trains: Alamogordo Printing Company, 81 p.
- Needham, C. E. and Bates, R. L., 1943, Permian type sections in central New Mexico: Geological Society of America Bulletin, v. 54, p. 1653-1667.
- New Mexico Geological Society, 1982, New Mexico highway geologic map, scale 1:1,000,000.
- Nichols, R. C., 1946, McCartys basalt flow, Valencia County, New Mexico: Geological Society of America Bulletin, v. 57, p. 1049-1086.
- North, R. M. and McLemore, V. T., 1986, Silver and gold occurrences in New Mexico: New Mexico Bureau of Mines and Mineral Resources, Resource Map 15, 32 p., scale 1:1,500,000.
- North, R. M. and McLemore, V. T., 1988, A classification of the precious metal deposits of New Mexico: in Cooper, J. J. and Virke, P. G., eds., Bulk mineable precious metal deposits of the western United States: Reno, Geological Society of Nevada, p. 625-660.
- Ochev, V. G. and Shishkin, M. A., 1989, On the principles of global correlation of the continental Triassic on the tetrapods: Palaeontologica Polonica, v. 34, p. 149-173.
- Orr, B. R. and Myers, R. G., 1986, Water resources in basin-fill deposits in the Tularosa basin, New Mexico: U.S. Geological Survey, Water Resources Investigations Report 85-4219, 94 p.
- Osburn, J. C. and Arkell, B. W., 1986, Roadlog from Ruidoso to Tularosa, Oscura, Carrizozo, Valley of Fires, White Oaks, Capitan, and back to Ruidoso: Southwest Section of AAPG, Transactions and Guidebook of 1986 Convention, Ruidoso, New Mexico: New Mexico Bureau of Mines and Mineral Resources, p. 37-47.
- Otte, C., Jr., 1959, Late Pennsylvanian and Early Permian stratigraphy of the northern Sacramento Mountains, Otero County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 50, 111 p.
- Otte, C. and Parks, J. M., 1963, Fabric studies of Virgil and Wolfcamp bioherms, New Mexico: Journal of Geology, v. 71, p. 380-396.
- Panhandle Geological Society, 1939, Guidebook for spring field trip, Sacramento Mountains, White Sands, Sierra Blanca region, 25 p.
- Parks, J. M., 1962, Reef-building biota from late Paleozoic reefs, Sacramento Mountains: American Association of Petroleum Geologists Bulletin, v. 46, p. 274.
- Parks, J. M., 1977, Origin of early vuggy porosity in carbonate-mudbank build-ups, Pennsylvanian and Permian, Sacramento Mountains, New Mexico: American Association of Petroleum Geologists Bulletin, v. 61, p. 819-820.
- Patton, L. T., 1951, Igneous rocks of the Capitan quadrangle, New Mexico, and vicinity: American Mineralogist, v. 36, p. 713-716.
- Pearce, T. M., 1965, New Mexico place names: a geographical dictionary: Albuquerque, University of New Mexico Press, 187 p.
- Perhac, R. M., 1964, Notes on the mineral deposits of the Gallinas Mountains, New Mexico: New Mexico Geological Society, Guidebook 15, p. 152-154.
- Perhac, R. M., 1970, Geology and mineral deposits of the Gallinas Mountains, Lincoln and Torrance Counties, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 95, 51 p.
- Perhac, R. M. and Heinrich, E., 1964, Fluorite-bastnaesite deposits of the

- Gallinas Mountains, New Mexico and bastnaesite paragenesis: *Economic Geology*, v. 59, p. 226–239.
- Pertl, D. J. and Cepeda, J. C., The Carrizo Mountain stock and associated intrusions, Lincoln County, New Mexico: New Mexico Geological Society, Guidebook 42.
- Phibbs, J., 1988, Gravimetric study of Lone Pine Canyon, San Bernardino County, California [M.S. thesis]: Long Beach, California State University.
- Phillips, R. S., Campbell, A. R. and McLemore, V. T., 1991, Th-U-REE quartz/fluorite veins, Capitan pluton, New Mexico: evidence for a magmatic/hydrothermal origin: New Mexico Geological Society, Guidebook 42.
- Pipiringos, G. N. and O'Sullivan, R. B., 1978, Principal unconformities in Triassic and Jurassic rocks—a preliminary survey: U.S. Geological Survey, Professional Paper 1035-A, 29 p.
- Plumley, W. J. and Graves, R. W., Jr., 1953, Virgilian reefs of the Sacramento Mountains, New Mexico: *Journal of Geology*, v. 61, p. 1–16.
- Pray, L. C., 1961, Geology of the Sacramento Mountains escarpment, Otero County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 35, 144 p.
- Rawson, D. E., 1957, The geology of the Tecolote Hills area, Lincoln County, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 77 p.
- Read, C. B., Duffner, R. T., Wood, G. H. and Zapp, A. D., 1950, Coal resources of New Mexico: U.S. Geological Survey, Circular 89, 24 p.
- Renault, J., 1970, Major-element variations in the Potrillo, Carrizozo, and McCartys basalt fields, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 113, 22 p.
- Renault, J., 1978, Overview of Rio Grande basalts with special reference to TiO₂ variation: in Hawley, J. W., compiler, Guidebook to the Rio Grande rift in New Mexico and Colorado: New Mexico Bureau of Mines and Mineral Resources, Circular 163, p. 230–233.
- Richmond, G. M., 1964, Glacial deposits on Sierra Blanca Peak, New Mexico: New Mexico Geological Society, Guidebook 15, p. 79–81.
- Richmond, G. M., 1986, Stratigraphy and correlation of glacial deposits of the Rocky Mountains, the Colorado Plateau, and the ranges of the Great Basin: in Sibrava, V., Bowen, D. Q. and Richmond, G. M., eds., *Quaternary glaciations in the Northern Hemisphere*: Pergamon Press, New York, p. 99–127.
- Rothrock, H. E., Johnson, C. H. and Hahn, A. D., 1946, Fluorspar resources of New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 21, 245.
- Ryberg, G. E., 1968, The geology of the Jicarilla Mountains, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 95 p.
- Ryberg, G. E., 1991, Geology of the Vera Cruz breccia pipe, Lincoln County, New Mexico: Geological Society of America, Abstracts with Programs, v. 23, no. 4, p. 89.
- Sanford, A. R., Olsen, K. H. and Jaksha, L. H., 1981, Earthquakes in New Mexico, 1849–1977: New Mexico Bureau of Mines and Mineral Resources, Circular 171, 20 p.
- Sarg, J. F. and Lehmann, P. J., 1986, Lower-middle Guadalupian facies and stratigraphy, San Andres and Grayburg Formations, Permian Basin, Guadalupe Mountains, New Mexico: Permian Basin Section, Society of Economic Paleontologists and Mineralogists, p. 1–8.
- Schacke, D. W., 1977, Conditions of formation of iron-bearing skarns at Lone Mountain, Lincoln County, New Mexico [M.S. thesis]: Socorro, New Mexico Institute of Mining and Technology, 88 p.
- Schultz, J. L. and Nelson, C. J., 1990, Geology and gold mineralization of the Carache Canyon breccia pipe, Ortiz Mountains, New Mexico: in Hausen, D. M., Hallee, D. N., Petersen, E. U. and Tafuri, W. J., eds., *Gold '90: Proceedings of the Gold '90 Symposium*, Society of Mining, Metallurgy, and Exploration Inc., p. 65–81.
- Scott, G. R., Cobban, W. A. and Merewether, E. A., 1986, Stratigraphy of the Upper Cretaceous Niobrara Formation in the Raton basin, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 115, 34 p.
- Seager, W. R., 1980, Quaternary fault system in the Tularosa and Hueco Basins, southern New Mexico and west Texas: New Mexico Geological Society, Guidebook 31, p. 131–135.
- Seager, W. R., 1981, Geology of the Organ Mountains and southern San Andres Mountains, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 36, 97 p.
- Seager, W. R., Hawley, J. W., Kottowski, F. E. and Kelley, S. A., 1987, Geology of east half of Las Cruces and northeast 1 × 2 sheets, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 57, scale 1:125,000.
- Seager, W. R. and Mack, G. H., 1986, Laramide paleotectonics of southern New Mexico: American Association of Petroleum Geologists, Memoir 41, p. 669–685.
- Seager, W. R. and Morgan, P., 1979, Rio Grande rift in southern New Mexico, west Texas, and northern Chihuahua: in Riecker, R. E., ed., *Rio Grande rift—tectonics and magmatism*: American Geophysical Union, Washington, D.C., p. 87–106.
- Seager, W. R., Shafiquallah, M., Hawley, J. W. and Marvin, R. F., 1984, New K-Ar dates from basalts and the evolution of the southern Rio Grande rift: Geological Society of America, Bulletin 95, p. 87–99.
- Semmes, D. R., 1920, Notes on the Tertiary intrusives of the lower Pecos valley, New Mexico: American Journal of Science, 4th Series, v. 50, p. 415–430.
- Sherer, R. L., 1990, Pajarito yttrium-zirconium deposit, Otero County, New Mexico: New Mexico Geology, v. 12, p. 21.
- Sheridan, J. E., 1905, Annual report of the United States mine inspector for the Territory of New Mexico to the Secretary of the Interior for the year ended June 30, 1905: U.S. Department of the Interior, Washington, D.C., 67 p.
- Sheridan, M. J., 1947, Lincoln County iron deposits, New Mexico: U.S. Bureau of Mines, Report of Investigations 3988, 19 p.
- Shinn, E. A., Robbins, D. M., Lidz, B. H. and Hudson, J. H., 1983, Influence of deposition and early diagenesis on porosity and chemical compaction in two Paleozoic buildups: Mississippian and Permian age rocks in the Sacramento Mountains, New Mexico: in Harris, P. N., ed., *Carbonate buildups—a core workshop*: Society of Economic Paleontologists and Mineralogists, Core Workshop no. 4, p. 182–222.
- Smith, C. T., 1964, Geology of Little Black Peak quadrangle, Socorro and Lincoln Counties, New Mexico: New Mexico Geological Society, Guidebook 15, p. 92–99.
- Smith, C. T. and Budding, A. J., 1959, Reconnaissance geologic map of the Little Black Peak quadrangle, east half: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 11, scale 1:62,500.
- Soulé, J. H., 1946, Exploration of Gallinas fluorspar deposits, Lincoln County, New Mexico: U.S. Bureau of Mines, Report of Investigations 3854, 25 p.
- Soulé, J. H., 1949, Investigation of Capitan iron deposits, Lincoln County, New Mexico: U.S. Bureau of Mines, Reports of Investigations 4514, 5 p.
- Stanley, F., 1964, Fort Stanton, New Mexico: Pampa, Texas, Pampa Print Shop, 264 p.
- Steiner, M. B. and Williams, T. E., 1968, Fusulinidae of the Laborcita Formation (Lower Permian), Sacramento Mountains, New Mexico: *Journal of Paleontology*, v. 42, p. 51–60.
- Stewart, J. H., Poole, F. G. and Wilson, R. F., 1972, Stratigraphy and origin of the Chinle Formation and related Upper Triassic strata in the Colorado Plateau region: U.S. Geological Survey, Professional Paper 690, 336 p.
- Stover, C. W., Reagor, B. G. and Algermissen, S. T., 1988, Seismicity map of New Mexico: U.S. Geological Survey, Miscellaneous Field Studies Map MF-2035, scale 1:1,000,000.
- Tait, D. B., Ahlen, J. L., Gordon, A., Scott, G. L., Mott, W. L. and Spiliter, M. E., 1962, Artesia Group of New Mexico and west Texas: American Association of Petroleum Geologists, Bulletin, v. 46, p. 505–517.
- Telford, W. M., Geldart, L. P., Sheriff, R. E. and Keys, D. A., 1976, Applied geophysics: Cambridge University Press, 860 p.
- Thompson, M. L., 1942, Pennsylvanian System in New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 17, 90 p.
- Thompson, T. B., 1966, Geology of the Sierra Blanca, Lincoln and Otero Counties, New Mexico [Ph.D. dissertation]: Albuquerque, University of New Mexico, 146 p.
- Thompson, T. B., 1972, Sierra Blanca igneous complex, New Mexico: Geological Society of America Bulletin, v. 83, p. 2341–2356.
- Thompson, T. B., 1973, Mineral deposits of Nogal and Bonito mining districts, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 123, 29 p.
- Thompson, T. B., 1991a, The Lincoln County porphyry belt, New Mexico: Geological Society of America, Abstracts with Programs, v. 23, p. 99.
- Thompson, T. B., 1991b, The Bonito-Nogal district, Lincoln County, New Mexico: Geological Society of America, Abstracts with Programs, v. 23, p. 99.
- Toomey, D. F., 1976, Paleosynecology of a Permian plant dominated marine community: *Neues Jahrbuch für Paläontologie, Abhandlung*, v. 152, p. 1–18.
- Toomey, D. F., 1981, Organic buildup constructional capability in Lower Ordovician and Late Paleozoic mounds: in Grey, J., ed., *Communities of the Past*: Stroudsburg, Hutchinson Ross Publishing Company, p. 35–68.
- Toomey, D. F., Late Paleozoic phylloid-algal bioherms, Orogrande basin, south-central New Mexico and west Texas: New Mexico Geological Society, Guidebook 42.
- Toomey, D. F. and Babcock, J. A., 1983, Precambrian and Paleozoic algal carbonates, west Texas—southern New Mexico: Colorado School of Mines, Professional Contributions No. 11, 345 p.
- Toomey, D. F. and Wilson, J. L., 1977, Stop C-1, Yucca Mound: in Butler, J., ed., *Geology of the Sacramento Mountains, Otero County, New Mexico*: West Texas Geological Society, publication 1977-68, p. 167.
- Toomey, D. F. and Winland, H. D., 1973, Rocks and biotic facies associated with a Middle Pennsylvanian (Desmoinesian) algal buildup, Nena Lucia field,

- Nolan County, Texas: American Association of Petroleum Geologists Bulletin, v. 57, p. 1053-1074.
- Tuan, Y., Everard, C. E. and Widdison, J. G., 1969, The climate of New Mexico: State Planning Office, Report, 169 p.
- Ulvog, C. and Thompson, S., III, 1964, Road logs from Ruidoso to Hondo, Capitan, Capitan iron deposits, and return to Ruidoso: New Mexico Geological Society, Guidebook 15, p. 27-35.
- U.S. Bureau of Mines, 1889, Mineral commodity summaries 1889: U.S. Bureau of Mines, Report, 191 p.
- Utley, R. M., 1986, Four fighters of Lincoln County: Albuquerque, University of New Mexico Press, 116 p.
- Utley, R. M., 1987, High Noon in Lincoln: Albuquerque, University of New Mexico Press, 265 p.
- Weber, R. H., 1964, Geology of the Carrizozo quadrangle, New Mexico: New Mexico Geological Society, Guidebook 15, p. 100-109.
- Weber, R. H., 1979, Valley of Fires: New Mexico Geology, v. 1, p. 22-28.
- Weber, R. H. and Kottowski, F. E., 1959, Gypsum resources of New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 68, 68 p.
- Wegemann, C. H., 1914, Geology and coal resources of the Sierra Blanca coal field, Lincoln and Otero Counties, New Mexico: U.S. Geological Survey, Bulletin 541, p. 419-452.
- Wharton, S. M., ed., 1900, White Oaks Coal: White Oaks Eagle, v. 9, no. 15 (April 12, 1900), p. 2-3.
- Wilson, A. S. R., 1921, Unpublished report on Virginia mine, Otero County, New Mexico: Augustus Locke Papers, University of Wyoming, 6 p.
- Wilson, J. L., 1967, Cyclic and reciprocal sedimentation in Virgilian strata of southern New Mexico: Geological Society of America Bulletin, v. 78, p. 805-818.
- Wilson, J. L., 1969, Influence of local structures on sedimentary cycles of Late Pennsylvanian beds of the Sacramento Mountains, Otero County, New Mexico; *in* Elam, J. C. and Chuber, S., eds., Cyclic sedimentation in the Permian Basin, a symposium: West Texas Geological Society, publication 69-56, p. 100-114.
- Wilson, J. L., 1975, Carbonate facies in geologic history: New York, Springer-Verlag, 471 p.
- Wilson, J. L., 1977, Regional distribution of phylloid algal mounds in Late Pennsylvanian and Wolfcamp strata of southern New Mexico; *in* Butler, J. H., ed., Geology of the Sacramento Mountains, Otero County, New Mexico: West Texas Geological Society, publication 1977-68, p. 1-7.
- Wilson, J. L., 1977, Stop C-2, Virgilian cyclic strata, Holder Formation; *in* Butler, J. H., ed., Geology of the Sacramento Mountains, Otero County, New Mexico: West Texas Geological Society, publication 1977-68, p. 169.
- Wilson, J. P., 1987, Merchants, guns, and money: Santa Fe, Museum of New Mexico Press, 226 p.
- Wolley, A. R., 1987, Alkaline rocks and carbonatites of the world: Part I: North and South America: Austin, University of Texas Press, 216 p.
- Woodward, L. A., Callender, J. F., Seager, W. R., Chapin, C. E., Gries, J. C., Shaffer, W. L. and Zilinski, R. E., 1978, Tectonic map of Rio Grande rift region in New Mexico, Chihuahua, and Texas; *in* Hawley, J. W., compiler, Guidebook to the Rio Grande rift in New Mexico and Colorado: New Mexico Bureau of Mines and Mineral Resources, Circular 163, scale 1:1,000,000, one sheet.
- Wray, J. L., 1959, Origin of some Pennsylvanian algal bioherms in southwestern United States; *in* Edgel, W. R., ed., Guidebook for Joint Field Conference in the Sacramento Mountains, Otero County, New Mexico: Society of Economic Paleontologists and Mineralogists and Roswell Geological Society, p. 35-39.
- Wray, J. L., 1962, Pennsylvanian algal banks, Sacramento Mountains, New Mexico; *in* Malone, D. J., ed., Geoeconomics of the Pennsylvanian marine banks in southeast Kansas: Kansas Geological Society, Guidebook 27, p. 129-133.
- Young, J. V., 1984, The state parks of New Mexico: Albuquerque, University of New Mexico Press, 160 p.
- Yuras, W., 1976, The origin of the Lincoln fold belt, Lincoln County, New Mexico [M.S. thesis]: Socorro, New Mexico Institute of Mining and Technology, 97 p.
- Yuras, W., 1991, Origin of folds in the Permian Yeso Formation, Lincoln, New Mexico: New Mexico Geological Society, Guidebook 42.