

# New Mexico Geological Society

Downloaded from: <http://nmgs.nmt.edu/publications/guidebooks/22>



## *Creede shale fossils*

Thompson, J. Robert, Jr., 1971, pp. 247-248

*in:*

*San Luis Basin (Colorado)*, James, H. L.; [ed.], New Mexico Geological Society 22<sup>nd</sup> Annual Fall Field Conference Guidebook, 340 p.

---

*This is one of many related papers that were included in the 1971 NMGS Fall Field Conference Guidebook.*

---

## **Annual NMGS Fall Field Conference Guidebooks**

Every fall since 1950, the New Mexico Geological Society (NMGS) has held an annual [Fall Field Conference](#) that explores some region of New Mexico (or surrounding states). Always well attended, these conferences provide a guidebook to participants. Besides detailed road logs, the guidebooks contain many well written, edited, and peer-reviewed geoscience papers. These books have set the national standard for geologic guidebooks and are an essential geologic reference for anyone working in or around New Mexico.

### **Free Downloads**

NMGS has decided to make peer-reviewed papers from our Fall Field Conference guidebooks available for free download. Non-members will have access to guidebook papers two years after publication. Members have access to all papers. This is in keeping with our mission of promoting interest, research, and cooperation regarding geology in New Mexico. However, guidebook sales represent a significant proportion of our operating budget. Therefore, only *research papers* are available for download. *Road logs, mini-papers, maps, stratigraphic charts*, and other selected content are available only in the printed guidebooks.

### **Copyright Information**

Publications of the New Mexico Geological Society, printed and electronic, are protected by the copyright laws of the United States. No material from the NMGS website, or printed and electronic publications, may be reprinted or redistributed without NMGS permission. Contact us for permission to reprint portions of any of our publications.

One printed copy of any materials from the NMGS website or our print and electronic publications may be made for individual use without our permission. Teachers and students may make unlimited copies for educational use. Any other use of these materials requires explicit permission.

*This page is intentionally left blank to maintain order of facing pages.*

# CREEDE SHALE FOSSILS

by

J. ROBERT THOMPSON, JR.

Glendale Community College

Glendale, Arizona

Approximately 50 miles west of Monte Vista, Colorado, is the mining and summer retreat town of Creede. The area around Creede has often been a point of interest to mining geologists. There are, at present, several mines in operation in the Creede district, including Homestake's Bulldog Mountain Project and Emperius' Commodore Mine. Mineralization and related geologic studies of the Creede mining district have been well documented by Bethke, et al. (1960), Emmons and Larsen (1913, 1923), Steven and Ratté (1960, 1965), and others.

As Creede is located in the San Juan Mountains, most of the rock units in the area are volcanic. One exception, however, is the Creede Formation, which was originally named and described by Emmons and Larsen (1923). The Creede Formation was formed primarily of lake and stream deposits and travertine from mineral springs; all of which accumulated around the margin of the Creede caldera in a structural trough. Based upon fossil plant studies the formation is probably Late Miocene to Middle Pliocene in age. After an undetermined amount of erosion the Creede Formation now extends over a vertical range of over 2,400 feet.

Several distinct facies, each of which shows many local variations, have been observed in the Creede Formation. The unit is largely a thin-bedded shale and sandstone with some tuff beds. The shale varies from fine, thin laminations to beds several inches thick. Volcanic ash is a major constituent of the usually soft and clayey shales.

At many locations, along shaley partings, carbonized plant and insect remains may be found. Knowlton (1923) mentioned 19 genera of plants, along with feathers and one possible beetle. Steven and Ratté (1965), along with Estella Leopold of the U.S. Geological Survey and R. W. Brown identified and listed the following 22 plant genera.

#### Pteridophytes:

*Polytrichium*  
*Chamaebatiana*  
*Selaginella*

#### Gymnosperms:

*Picea*  
*Pinus*  
*Ephedra*  
*Abies*  
*Juniperus*

#### Dicots:

*Salix*  
*Populus*

*Anlus*  
*Carya*  
*Quercus*  
*Acer*  
*Sarcobatus*  
*Planera*  
*Edwinia*  
*Cercocarpus*  
*Crategus*  
*Shepherdia*  
*Berberis*  
*Artemisia*

Fossils of the Creede Formation are similar to those from the more famous Florissant lake beds. Knowlton (1922, p. 183), however, claims that the most abundant and best preserved plant remains have been collected from the Creede Formation.

Although there has been adequate description of the plant community, and mention of feathers (Emmons and Larsen, 1923; F. H. Knowlton, 1922; Steven and Ratté, 1965), it is interesting to note the apparent lack of information concerning insects. The author has rarely failed to find insects at most of the shaley exposures of the formation. At many localities there have been innumerable finds of well preserved carbon impressions of what appear to be bees, flies, and mosquitos, as well as abundant plant and feather remains (see Plate 1). As insect studies are presently incomplete, further description cannot be presented at this time.

Two of the best areas for collecting plant and insect fossils are (1) next to Seven Mile bridge, and (2) at the intersection of the Creede airport road and Colorado Highway 149, about one-half mile southwest of Creede. Care should be taken when collecting in these areas as they are close to the highway, and it would be undesirable to either destroy the scenery or impede traffic.

## REFERENCES

- Bethke, P.M., Barton, P. B., Jr., and Bodine, M. W., Jr., 1960, Time-space relationships of the ores at Creede, Colorado (abs.): Geol. Soc. America Bull., v. 71, no. 12, pt. 2, p. 1825-1826.
- Emmons, W. H., and Larsen, E. S., 1913, A preliminary report on the geology and ore deposits of Creede, Colorado: U.S. Geol. Survey Bull. 530-E, p. 42-65.
- 1923, Geology and ore deposits of the Creede district, Colorado: U.S. Geol. Survey Bull. 718, 198 p.
- Knowlton, F. H., 1923, Fossil plants from the Tertiary lake beds of south-central Colorado: U.S. Geol. Survey Prof. Paper 131, p. 183-192.
- Steven, T. A., and Ratté, J. C., 1960, Relation of mineralization to caldera subsidence in the Creede district, San Juan Mountains, Colorado, in Short papers in the geological sciences: U.S. Geol. Survey Prof. Paper 400-B, p. B14-B17.
- 1965, Geology and structural control of ore deposits in the Creede district, San Juan Mtns., Colorado: U.S. Geol. Survey Prof. Paper 487, 90 p.



Feather



Phyllites leaf



*Pinus* stem



*Pinus* needles



*Ribes* leaf



Insect

PLATE I.

Fossils of the Creede Shale Formation.