

New Mexico Geological Society

Downloaded from: <http://nmgs.nmt.edu/publications/guidebooks/26>



The desert soil-geomorphology project

John W. Hawley, 1975, pp. 183-185

in:

Las Cruces Country, Seager, W. R.; Clemons, R. E.; Callender, J. F.; [eds.], New Mexico Geological Society 26th Annual Fall Field Conference Guidebook, 376 p.

This is one of many related papers that were included in the 1975 NMGS Fall Field Conference Guidebook.

Annual NMGS Fall Field Conference Guidebooks

Every fall since 1950, the New Mexico Geological Society (NMGS) has held an annual [Fall Field Conference](#) that explores some region of New Mexico (or surrounding states). Always well attended, these conferences provide a guidebook to participants. Besides detailed road logs, the guidebooks contain many well written, edited, and peer-reviewed geoscience papers. These books have set the national standard for geologic guidebooks and are an essential geologic reference for anyone working in or around New Mexico.

Free Downloads

NMGS has decided to make peer-reviewed papers from our Fall Field Conference guidebooks available for free download. Non-members will have access to guidebook papers two years after publication. Members have access to all papers. This is in keeping with our mission of promoting interest, research, and cooperation regarding geology in New Mexico. However, guidebook sales represent a significant proportion of our operating budget. Therefore, only *research papers* are available for download. *Road logs, mini-papers, maps, stratigraphic charts*, and other selected content are available only in the printed guidebooks.

Copyright Information

Publications of the New Mexico Geological Society, printed and electronic, are protected by the copyright laws of the United States. No material from the NMGS website, or printed and electronic publications, may be reprinted or redistributed without NMGS permission. Contact us for permission to reprint portions of any of our publications.

One printed copy of any materials from the NMGS website or our print and electronic publications may be made for individual use without our permission. Teachers and students may make unlimited copies for educational use. Any other use of these materials requires explicit permission.

This page is intentionally left blank to maintain order of facing pages.

THE DESERT SOIL-GEOMORPHOLOGY PROJECT

by

JOHN W. HAWLEY
Soil Conservation Service
U.S. Dept. Agriculture'

The Desert Soil-Geomorphology Project refers to a Soil Conservation Service, USDA, investigation between 1957 and 1972, of landscape evolution and soil development in a 400 sq mi area of Dona Ana County, New Mexico (Fig. 1). Its primary purpose was to gather basic information on soil-geomorphic relationships that would lead to increased accuracy and efficiency of the Soil Survey program in arid and semi-arid regions of the western states. A team of soil scientists and geologists from the S.C.S. Soil Survey Investigations Division under the direction of Guy D. Smith staffed the project. Research geologist R. V. Ruhe conducted initial geologic-geomorphic field studies from 1957 to 1960 and headed the project from 1957 to 1965. F. F. Peterson and J. W. Hawley were responsible for geomorphic and geologic research from 1960 to 1962 and 1962 to 1972, respectively. L. H. Gile was in charge of soils investigations for the duration of the project. Field research involved close collaboration with the Soil Survey Laboratory staff, particularly the Lincoln, Nebraska unit headed by R. B. Grossman. Work was done cooperatively with the New Mexico State University College of Agriculture, and Departments of Biology and Earth Sciences, and the New Mexico Bureau of Mines and Mineral Resources. The NMSU Agricultural Experiment Station and Department of Agronomy provided office and laboratory space, and numerous other supporting services for the 15-year period.

The project area is typical of large parts of west-central North America, and results of investigations can be applied in many other warm-arid regions, particularly those with basin and range topography. The area comprises the northern Mesilla Valley segment of the Rio Grande, parts of two internally-drained intermontane basins, and several mountain masses. Because of striking differences in rock units exposed in source watersheds in local mountains and the upper Rio Grande basin (e.g. rhyolite, monzonite, limestone, and mixed fluvial deposits), it has been possible to study effects of various bedrock and alluvial parent materials on desert soil development.

Field investigations in the project area included mapping of geomorphic surfaces, geologic units, and soils at scales ranging from 1:8,000 to 1:24,000. Detailed studies were also made in the Rincon Valley area of northern Dona Ana County, and reconnaissance investigations were conducted at a number of sites elsewhere in the Basin and Range province. Geologic studies emphasized late Cenozoic stratigraphy, geomorphic surface mapping, and sedimentology and hydrogeology of basin and valley fills. Pedologic investigations were concerned with the morphology, genesis, and classification of desert soils, and soil-geomorphic relationships.

Work during early phases of the project demonstrated that a great variety of geomorphic surfaces and soils occur in the study area and that these units range widely in age, encompassing most of the Quaternary Period. Buried soils were found to be common and useful markers in assessing the pedologic and geomorphic history. There is good correlation

1. On Intergovernmental Personnel Act assignment with the New Mexico Bureau of Mines and Mineral Resources.

of degree of soil development with age of geomorphic surface. Soils of youngest geomorphic surfaces are weakly developed and have relatively simple morphologies, while soils of older surfaces have morphologies that progressively increase in complexity and strength of development with age. The calcic, petrocalcic, cambic, and argillic horizons—major diagnostic horizons of the new U.S. system of soil classification—were also studied in detail. Dust traps were installed at sites in the project area to measure dust-fall contributions to soil parent materials. Slow atmospheric additions (including mineral constituents in precipitation) to surficial materials in relatively stable landscape settings were found to be a significant factor affecting soil development.

Studies of soil genesis were greatly assisted by time-stratigraphic control on the age of many pedogenic features. Information on soil age has been obtained from carbon-14 dating




Figure 1. Location of the Desert Soil-Geomorphology Project in Dona Ana County, southern New Mexico.

of charcoal in sediments that either form soil parent materials or bury pre-existing soils; and C^{14} activities of secondary organic and inorganic carbon in soil horizons have been determined. Soils have also been dated by paleontologic methods, volcanic ash correlation, and physical tracing of stratigraphic units, geomorphic surfaces and soils during detailed mapping. C^{14} dating of inorganic and organic carbon in horizons of soil-carbonate accumulation involved closely controlled sampling of representative morphological forms whose relative age, in terms of sequence of development, had already been determined. This has been useful in relating the C^{14} activities measured to an absolute chronology of horizon development, and in explaining seemingly anomalous carbonate horizon dates.

Reconstructing past biologic and hydrologic environments posed a complex problem. More or less standard geologic and pedologic approaches needed to be supplemented with research in paleoecology and paleohydrology. Comparative studies of modern and fossil floras and faunas by cooperating biologists and paleontologists proved valuable in establishing working models of past climate changes. These climatic models were helpful in relating present and past climatic regimes to observed soil morphological features and patterns of erosion and deposition. In soils of Pleistocene age, for example, certain horizon morphologies formed under climates significantly more moist than the present. The Quaternary stratigraphic record in both river valley and intermontane basin settings indicate that relatively short episodes of landscape instability, characterized by erosion, or combined erosion-sedimentation, alternated with longer intervals of widespread surface stability and soil development. The major erosion and deposition episodes appear to have coincided with world-wide shifts from full glacial to interglacial climatic regimes that resulted in increased aridity and decreased effectiveness of vegetative cover in the Desert Project region. Paleohydrologic reconstructions showing water-table positions at various stages of valley entrenchment were useful in assessing water-table effects on pedogenesis. For example, in most cases it can be shown that horizons of carbonate accumulation in soils of the region formed within several meters of stable land surfaces, and 10 to 100 m above the water table, by precipitation of carbonate from downward moving soil-water solutions.

Results of Desert Project research have been disseminated in two ways-by publication and by numerous 1- to 4-day training tours of the project area. The tours utilize a guidebook prepared to illustrate detailed soil-geomorphic relationships at about 25 representative sites in the area. Size of visiting groups has ranged upwards to about 100 persons. More than 30 journal articles and technical reports covering most aspects of project research have been published during the course of the investigation. The following list of publications and graduate theses includes reports by both the Soil Survey staff and personnel of cooperating institutions. A final edition of the Desert Project Guidebook, and monographs on geology and soils are currently being prepared by Gile, Hawley, and Grossman.

Published Technical Reports and Research Papers
 Authored or Co-authored by Desert Staff Members

Flach, K. W., Nettleton, W. D., Gile, L. H., and Cady, J. G., 1969, Pedocementation: Induration by silica, carbonates and sesquioxides in the Quaternary: *Soil Science*, v. 107, p. 442-453.

- Gile, L. H., 1961, A classification of ca horizons in the soils of a desert region, Dona Ana County, New Mexico: *Soil Sci. Soc. Amer. Proc.*, v. 25, p. 52-61.
- Gile, L. H., 1966, Coppice dunes and the Rotura soil: *Soil Sci. Soc. Amer. Proc.*, v. 30, p. 657-660.
- Gile, L. H., 1966, Cambic and certain noncambic horizons in desert soils of southern New Mexico: *Soil Sci. Soc. Amer. Proc.*, v. 30, p. 773-781.
- Gile, L. H., 1967, Soils of an ancient basin floor near Las Cruces, New Mexico: *Soil Science*, v. 103, p. 265-276.
- Gile, L. H., 1967, A simplified method for preparation of soil thin sections: *Soil Sci. Soc. Amer. Proc.*, v. 31, p. 570-572.
- Gile, L. H., 1970, Soils of the Rio Grande Valley border in southern New Mexico: *Soil Sci. Soc. Amer. Proc.*, v. 34, p. 465-472.
- Gile, L. H., 1975, Causes of soil boundaries in an arid region: I. Age and parent materials: *Soil Sci. Soc. Amer. Proc.*, v. 39, p. 316-323.
- Gile, L. H., 1975, Causes of soil boundaries in an arid region: II. Dissection, moisture, and faunal activity: *Soil Sci. Soc. Amer. Proc.*, v. 39, p. 324-330.
- Gile, L. H., and Grossman, R. B., 1968, Morphology of the argillic horizon in desert soils of southern New Mexico: *Soil Science*, v. 106, p. 6-15.
- Gile, L. H., and Hawley, J. W., 1966, Periodic sedimentation and soil formation on an alluvial-fan piedmont in southern New Mexico: *Soil Sci. Soc. Amer. Proc.*, v. 30, p. 261-268.
- Gile, L. H., and Hawley, J. W., 1968, Age and comparative development of desert soils at the Gardner Spring radiocarbon site, New Mexico: *Soil Sci. Soc. Amer. Proc.*, v. 32, no. 5, p. 709-719.
- Gile, L. H., and Hawley, J. W., 1972, The prediction of soil occurrence in certain desert regions of the southwestern United States: *Soil Sci. Soc. Amer. Proc.*, v. 36, p. 119-124.
- Gile, L. H., Grossman, R. B., and Hawley, J. W., 1969, Effects of landscape dissection on soils near University Park, New Mexico: *Soil Science*, v. 108, p. 273-282.
- Gile, L. H., Hawley, J. W., and Grossman, R. B., 1970, Distribution and genesis of soils and geomorphic surfaces in a desert region of southern New Mexico: *Guidebook, Soil Sci. Soc. Amer. Soil-Geomorphology Field Conf.*, Las Cruces, NMSU Agronomy Dept., 156 p.
- Gile, L. H., Peterson, F. F., and Grossman, R. B., 1965, The K-horizon: a master soil horizon of carbonate accumulation: *Soil Science*, v. 99, p. 74-82.
- Gile, L. H., Peterson, F. F., and Grossman, R. B., 1966, Morphological and genetic sequences of carbonate accumulation in desert soils: *Soil Science*, v. 101, p. 347-360.
- Hawley, J. W., 1965, Geomorphic surfaces along the Rio Grande Valley from El Paso, Texas to Caballo Reservoir, New Mexico, *in Southwestern New Mexico II: New Mex. Geol. Soc. Guidebook 16*, p. 188-198.
- Hawley, J. W., 1969, Notes on the geomorphology and late Cenozoic geology of northwestern Chihuahua, *in The Border Region: New Mex. Geol. Soc. Guidebook 20*, p. 131-142.
- Hawley, J. W., 1970, Cenozoic stratigraphy of the Rio Grande valley area, Dona Ana County, New Mexico: *El Paso Geol. Soc., Fourth Ann. Field Conf. Guidebook*, 49 p.
- Hawley, J. W., 1972, Geologic-geomorphic mapping to serve soil resource development: *Soil Conservation Soc. Amer., 27th Ann. Mtg. Proceedings*, p. 24-30.
- Hawley, J. W., and Gile, L. H., 1966, Landscape evolution and soil genesis in the Rio Grande region, southern New Mexico: *Guidebook, 11th Field Conference, Rocky Mtn. Section, Friends of the Pleistocene*, 74 p.
- Hawley, J. W., and Kottowski, F. E., 1969, Quaternary geology of the south-central New Mexico border region, *in Border Stratigraphy Symposium: New Mex. Bur. Mines and Min. Res. Circ. 104*, p. 89-115.
- Hawley, J. W., Kottowski, F. E., Strain, W. S., Seager, W. R., King, W. E., and LeMone, D. V., 1969, The Santa Fe Group in the south-central New Mexico border region, *in Border Stratigraphy Symposium: New Mex. Bur. Mines and Min. Res. Circ. 104*, p. 52-76.
- Herbel, C. H., and Gile, L. H., 1973, Field moisture regimes and morphology of some arid-land soils in New Mexico, *in Field Soil Water Regime: Soil Sci. Soc. Amer. Special Pub. No. 5*, Madison, Wisc., p. 119-152.
- King, W. E., Hawley, J. W., Taylor, A., and Wilson, R., 1971, Geology and ground-water resources of central and western Dona Ana

- County, New Mexico: New Mex. Bur. Mines and Min. Res. Hydrologic Rpt. 1, 64 p.
- Kottlowski, F. E., Cooley, M. E., and Ruhe, R. V., 1965, Quaternary geology of the Southwest, *in* The Quaternary of the United States: Princeton Univ. Press, p. 287-298.
- Ruhe, R. V., 1962, Age of the Rio Grande Valley in southern New Mexico: *Jour. Geol.*, v. 70, p. 151-167.
- Ruhe, R. V., 1964, Landscape morphology and alluvial deposits in southern New Mexico: *Annals Assoc. Amer. Geographers*, v. 54, p. 147-159.
- Ruhe, R. V., 1967, Geomorphic surfaces and surficial deposits in southern New Mexico: New Mex. Bur. Mines and Min. Res. Mem. 18, 65 p.
- Ruhe, R. V., and Daniels, R. B., 1965, Landscape erosion-geologic and historic: *Jour. Soil and Water Conservation*, March-April Issue, p. 52-57.
- Seager, W. R., and Hawley, J. W., 1973, Geology of Rincon Quadrangle, New Mexico: New Mex. Bur. Mines and Min. Res. Bull. 101, 42 p.
- Seager, W. R., Clemons, R. E., and Hawley, J. W., 1975, Geology of Sierra Alta Quadrangle, New Mexico: New Mex. Bur. Mines and Min. Res. Bull. 102.
- Seager, W. R., Hawley, J. W., and Clemons, R. E., 1971, Geology of San Diego Mountain area, New Mexico: New Mex. Bur. Mines and Min. Res. Bull. 97, 38 p.
- Vanden Heuvel, R. C., 1966, The occurrence of sepiolite and attapulgite in the calcareous zone of a soil near Las Cruces, New Mexico, *in* Clays and Clay Minerals: New York, Pergamon Press, p. 195-208.

Published Reports by Cooperators

- Freeman, C. E., 1972, Pollen study of some Holocene alluvial deposits in Dona Ana County, southern New Mexico: *Texas Jour. Sci.*, v. 24, p. 203-220.
- Hoffer, J. M., 1971, Mineralogy and petrology of the Santo Tomas-Black Mountain basalt field, Potrillo volcanics, south-central New Mexico: *Geol. Soc. America Bull.*, v. 82, p. 603-612.
- LeMone, D. V., and Johnson, R. R., 1969, Neogene flora from the Rincon Hills, Dona Ana County, New Mexico, *in* Border Stratigraphy Symposium: New Mex. Bur. Mines and Min. Res. Circ. 104, p. 77-88.
- Metcalf, A. L., 1967, Late Quaternary mollusks of the Rio Grande Valley, Caballo Dam, New Mexico to El Paso, Texas: The Univ. of Texas at El Paso, Science Series No. 1, Texas Western Press, 62 p.
- Metcalf, A. L., 1969, Quaternary surfaces, sediments and mollusks: southern Mesilla Valley, New Mexico and Texas, *in* The Border Region: New Mex. Geol. Soc. Guidebook 20, p. 158-164.
- Morrison, R. B., 1969, Photointerpretive mapping from space photographs of Quaternary geomorphic features and soil associations in northern Chihuahua and adjoining New Mexico and Texas, *in* The Border Region: New Mex. Geol. Soc. Guidebook 20, p. 116-129.

Unpublished Graduate Research by Cooperators

- Bailey, O. F., 1967, Water availability and grass root distribution in selected soils (M.S. Thesis): Las Cruces, New Mex. State Univ., Agronomy Department, 67 p.
- Freeman, C. E., 1968, A pollen study of some post-Wisconsin alluvial deposits in Dona Ana County, New Mexico (Ph.D. Dissert.): Las Cruces, New Mex. State Univ., Biology Department.
- Lifshitz-Roffman, Haia, 1971, Natural and experimental weathering of basalts (Ph.D. Dissert.): Socorro, New Mex. Inst. Mining and Technology, 123 p.
- Pease, D. S., 1967, Opal phytoliths as indicators of paleosols (M.S. Thesis): Las Cruces, New Mex. State Univ., Agronomy Department, 81 p.
- Richardson, G. L., 1971, Water table investigation in the Mesilla Valley (M.S. Thesis): Las Cruces, New Mex. State Univ., Civil Engineering Department.
- Taylor, A. W., 1967, Geohydrologic investigations in the Mesilla Valley, New Mexico (M.S. Thesis): Las Cruces, New Mex. State Univ., Civil Engineering Department, 130 p.