

New Mexico Geological Society

Downloaded from: <https://nmgs.nmt.edu/publications/guidebooks/39>



Roadlog References

(Includes references for all roadlogs in this volume.)

in:

Cretaceous and Laramide Tectonic Evolution of Southwestern New Mexico, Mack, G. H.; Lawton, T. F.; Lucas, S. G.; [eds.], New Mexico Geological Society 39th Annual Fall Field Conference Guidebook, 216 p.

<https://doi.org/10.56577/FFC-39>

This is a section from the 1988 NMGS Fall Field Conference Guidebook.

Annual NMGS Fall Field Conference Guidebooks

Every fall since 1950, the New Mexico Geological Society (NMGS) has held an annual [Fall Field Conference](#) that explores some region of New Mexico (or surrounding states). Always well attended, these conferences provide a guidebook to participants. Besides detailed road logs, the guidebooks contain many well written, edited, and peer-reviewed geoscience papers. These books have set the national standard for geologic guidebooks and are an essential geologic reference for anyone working in or around New Mexico.

Free Downloads

NMGS has decided to make peer-reviewed papers from our Fall Field Conference guidebooks available for free download. This is in keeping with our mission of promoting interest, research, and cooperation regarding geology in New Mexico. However, guidebook sales represent a significant proportion of our operating budget. Therefore, only *research papers* are available for download. *Road logs*, *mini-papers*, and other selected content are available only in print for recent guidebooks.

Copyright Information

Publications of the New Mexico Geological Society, printed and electronic, are protected by the copyright laws of the United States. No material from the NMGS website, or printed and electronic publications, may be reprinted or redistributed without NMGS permission. Contact us for permission to reprint portions of any of our publications.

One printed copy of any materials from the NMGS website or our print and electronic publications may be made for individual use without our permission. Teachers and students may make unlimited copies for educational use. Any other use of these materials requires explicit permission.

This page is intentionally left blank to maintain order of facing pages.

ROAD-LOG REFERENCES

- Armstrong, A. K., 1970, Mississippian stratigraphy and geology of the northwestern part of the Klondike Hills, southwestern New Mexico: New Mexico Geological Society, Guidebook 21, p. 59-64.
- Armstrong, A. K., Silberman, M. L., Todd, V. R., Hoggatt, W. C. and Carton, R. B., 1978, Geology of central Peloncillo Mountains, Hidalgo County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 158, 19 p.
- Armstrong, R. L., 1972, Low-angle (denudational) faults, hinterland of the Sevier orogenic belt, eastern Nevada and western Utah: Geological Society of America Bulletin, v. 83, p. 1729-1754.
- Balk, R., 1962, Geologic map of Tres Hermanas Mountains: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 16, scale 1:48,000.
- Bromfield, C. S. and Wrucke, C. T., 1961, Reconnaissance geologic map of the Cedar Mountains, Grant and Luna Counties, New Mexico: U.S. Geological Survey, Field Studies Map MF-159, scale 1:62,500.
- Brookins, D. G., 1974a, Preliminary radiometric age determinations from the Florida Mountains, New Mexico: El Paso Geological Society, Guidebook 8, p. 47-56.
- Brookins, D. G., 1974b, Radiometric age determinations from the Florida Mountains, New Mexico: Geology, v. 2, p. 555-557.
- Brookins, D. G., 1980a, Geochronologic evidence for Paleozoic plutonic activity in Florida Mountains, New Mexico: American Association Petroleum Geologists Bulletin, v. 64, p. 681-682.
- Brookins, D. G., 1980b, Paleozoic plutonism from southern New Mexico: evidence from the Florida Mountains: Geophysical Research Letters, v. 7, p. 741-744.
- Brookins, D. G. and Corbitt, L. L., 1974, Preliminary Rb-Sr study of igneous rocks of the Florida Mountains, New Mexico: EOS, v. 55, p. 470-471.
- Brown, G. A., 1982, Geology of the Mahoney mine-Gym Peak area Florida Mountains, Luna County, New Mexico [M.S. thesis]: Las Cruces, New Mexico State University, 82 p.
- Brown, G. A. and Clemons, R. E., 1983, Florida Mountains section of southwest New Mexico overthrust belt—a re-evaluation: New Mexico Geology, v. 5, p. 26-29.
- Changery, M. J., 1981, National thunderstorm frequencies for the contiguous United States: U.S. Nuclear Regulatory Commission, Report NUREG/CR-2252, 22 p.
- Changery, M. J., 1983, A dust climatology of the Western United States: U.S. Nuclear Regulatory Commission, Report NUREG/CR-3211, 25 p.
- Clemons, R. E., 1982a, Geology of Massacre Peak quadrangle, Luna County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 51, scale 1:24,000.
- Clemons, R. E., 1982b, Geology of Florida Gap quadrangle, Luna County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 52, scale 1:24,000.
- Clemons, R. E., 1982c, Preliminary report on petrography and age of Florida Mountains' plutonic rocks: New Mexico Geology, v. 4, p. 33-38.
- Clemons, R. E., 1984, Geology of Capitol Dome quadrangle, Luna County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 56, scale 1:24,000.
- Clemons, R. E., 1985, Geology of South Peak quadrangle, Luna County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 59, scale 1:24,000.
- Clemons, R. E., 1986a, Petrographic analysis of cuttings and interpretive stratigraphy of Seville-Trident exploration wells near Deming, New Mexico: New Mexico Geology, v. 8, p. 5-11.
- Clemons, R. E., 1986b, The Florida Mountains: revisited: El Paso Geological Society, Field Trip Guidebook, p. 126-140.
- Clemons, R. E., 1987, Mineralization, alteration and igneous activity in the Florida Mountains, southwestern New Mexico: Socorro, Proceedings of New Mexico Geological Society Spring Meeting, p. 42.
- Clemons, R. E., in press, Geology of the Florida Mountains, Luna County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 43.
- Clemons, R. E. and Brown, G. A., 1983, Geology of Gym Peak quadrangle, Luna County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 58, scale 1:24,000.
- Clemons, R. E., Christiansen, P. W. and James, H. L., 1980, Southwestern New Mexico: New Mexico Bureau of Mines and Mineral Resources, Scenic Trips to the Geologic Past No. 10, 119 p.
- Corbitt, L. L., 1971, Structure and stratigraphy of the Florida Mountains, New Mexico [Ph.D. dissertation]: Albuquerque, University of New Mexico, 115 p.
- Corbitt, L. L., 1974, Structure and stratigraphy of the Florida Mountains: El Paso Geological Society, Guidebook 8, p. 16-29.
- Corbitt, L. L., Nials, F. L. and Varnell, R. J., 1977, Structure of Brockman Hills, southwestern New Mexico: American Association of Petroleum Geologists Bulletin, v. 61, p. 601-607.
- Corbitt, L. L., Nials, F. L. and Varnell, R. J., 1978, Laramide thrust faulting, Klondike Hills, southwestern New Mexico: New Mexico Geological Society, Guidebook 29, p. 297-300.
- Darton, N. H., 1916, Geology and underground water of Luna County, New Mexico: U.S. Geological Survey, Bulletin 618, 188 p.
- Darton, N. H., 1917, Geologic atlas of the U.S., Deming folio: U.S. Geological Survey, Folio 207, 15 p.
- Deal, E. G., Elston, W. E., Erb, E. E., Peterson, S. L., Reiter, D. E., Damon, P. E. and Shafiqullah, M., 1978, Cenozoic volcanic geology of the Basin and Range province in Hidalgo County, southwestern New Mexico: New Mexico Geological Society, Guidebook 29, p. 219-229.
- Diaz, T. G. and Navarro, A. G., 1964, Lithology and stratigraphic correlation of the upper Paleozoic in the region of Palomas, Chihuahua: West Texas Geological Society, Publication 64-60, p. 65-84.
- Dickinson, W. R., 1984, Reinterpretation of Lime Peak thrust as a low-angle normal fault: implications for the tectonics of southeastern Arizona: Geology, v. 12, p. 610-613.
- Donnan, G. R., 1987, Stratigraphy and structural geology of the northern part of the Animas Mountains, Hidalgo County, New Mexico [M.S. thesis]: Las Cruces, New Mexico State University, 121 p.
- Donnan, G. T. and Wilson, G. C., 1986, Reinterpretation of structural geology of northern Animas Mountains, Hidalgo County, New Mexico: American Association of Petroleum Geologists Bulletin, v. 70, p. 344.
- Doty, G. C., 1959, Mimbres Valley, Luna County: in Annual water level measurements in observation wells, 1951-1955, and atlas of maps showing changes of water levels for various periods from beginning of record through 1954. New Mexico: New Mexico State Engineer Technical Report no. 13, p. 299-339.
- Drewes, H., 1978, The Cordilleran orogenic belt between Nevada and Chihuahua: Geological Society of America Bulletin, v. 89, p. 641-657.
- Drewes, H., 1982, Geologic map of the Cochise Head quadrangle and adjacent areas, southeastern Arizona: U.S. Geological Survey, Miscellaneous Geologic Investigations Map I-1312, scale 1:24,000.
- Drewes, H., 1986, Geologic map of the northern part of the Animas Mountains, Hidalgo County, New Mexico: U.S. Geological Survey, Miscellaneous Investigations Map I-1686, scale 1:24,000.
- Drewes, H. and Thorman, C. H., 1980a, Geologic map of the Steins quadrangle and the adjacent part of the Vanar quadrangle, Hidalgo County, New Mexico: U.S. Geological Survey, Miscellaneous Geologic Investigations Map I-1220, scale 1:24,000.
- Drewes, H. D. and Thorman, C. H., 1980b, Geologic map of the Cotton City quadrangle and the adjacent part of the Vanar quadrangle, Hidalgo County, New Mexico: U.S. Geological Survey, Miscellaneous Geologic Investigations Map I-1221, scale 1:24,000.
- Drewes, H., Houser, B. B., Hedlund, D. C., Richter, D. H., Thorman, C. H. and Finnell, R. L., 1985, Geologic map of the Silver City 1° × 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey, Miscellaneous Investigation Map I-1310-C, scale 1:125,000.
- Elston, W. E. and Erb, E. E., 1977, Cenozoic volcanic-tectonic setting: in Geology, petroleum source rocks, and thermal metamorphism in KCM No. 1 Forest Federal well, Hidalgo County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 152, p. 53-62.
- Elston, W. E., Erb, E. E. and Deal, E. G., 1979, Tertiary geology of Hidalgo County, New Mexico: New Mexico Geology, v. 1, p. 1-6.
- Elston, W. E., Deal, E. G. and Logsdon, M. J., 1983, Geology and geothermal waters of the Lightning Rock region, Animas Valley and Pyramid Mountains, Hidalgo County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 177, 44 p.
- Erb, E. E., 1979, Petrologic and structural evolution of ash-flow tuff cauldrons and non-cauldron-related volcanic rocks in the Animas and southern Peloncillo Mountains, Hidalgo County, New Mexico [Ph.D. dissertation]: Albuquerque, University of New Mexico, 286 p.
- Evans, K. V. and Clemons, R. E., 1987, U-Pb geochronology of the Florida Mountains, New Mexico: new evidence for latest Cambrian-earliest Ordovician alkalic plutonism: Geological Society of America, Abstracts with Programs, v. 19, p. 657-658.
- Evans, K. V. and Clemons, R. E., 1988, Cambrian-Ordovician (500 Ma) alkalic plutonism in southwestern New Mexico: U-Th-Pb isotopic data from the Florida Mountains: American Journal of Science, v. 288.
- Farnsworth, R. K., Thompson, E. S. and Peck, E. L., 1982, Evaporation atlas for the contiguous 48 United States: National Oceanic and Atmospheric Administration, Technical Report NSW233, 26 p.

- Fleischhauer, H. L. and Stone, W. J., 1982, Quaternary geology of Lake Animas, Hidalgo County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 174, 25 p.
- Frantes, T. J. and Hoffer, J. M., 1982, Palomas volcanic field, southern New Mexico and northern Chihuahua, Mexico: *New Mexico Geology*, v. 4, p. 6–8, 16.
- Gillerman, E., 1958, Geology of the central Peloncillo Mountains, Hidalgo County, New Mexico and Cochise County, Arizona: New Mexico Bureau of Mines and Mineral Resources, Bulletin 57, 152 p.
- Gillerman, E., 1964, Mineral deposits of western Grant County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 83, 213 p.
- Griswold, G. B., 1961, Mineral deposits of Luna County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 72, 157 p.
- Hawley, J. W., 1981, Pleistocene and Pliocene history of the international boundary area, southern New Mexico: *El Paso Geological Society, Field Trip Guidebook*, p. 26–32.
- Hedlund, D. C., 1978a, Geologic map of the Soldiers Farewell Hill quadrangle, New Mexico: U.S. Geological Survey, Miscellaneous Field Studies Map MF-1033, scale 1:24,000.
- Hedlund, D. C., 1978b, Geologic map of the Gold Hill quadrangle, New Mexico: U.S. Geological Survey, Miscellaneous Field Studies Map, MF-1035, scale 1:24,000.
- Hewitt, C. H., 1959, Geology and mineral deposits of the northern Big Burro Mountains-Redrock area, Grant County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 60, 151 p.
- Hoffer, J. M., 1976, Geology of Potrillo basalt field, south-central New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 149, 30 p.
- Holzer, T. L., 1984, Groundfailure induced by groundwater withdrawal from unconsolidated sediments; *in* Man-induced land subsidence: Geological Society of America, *Reviews in Engineering Geology*, v. 6, p. 67–105.
- Homme, F. C. and Rosenzweig, A., 1970, Contact metamorphism in the Tres Hermanas Mountains, Luna County, New Mexico: New Mexico Geological Society, Guidebook 21, p. 141–145.
- Kottowski, F. E., 1960, Summary of Pennsylvanian sections in southwestern New Mexico and southeastern Arizona: New Mexico Bureau of Mines and Mineral Resources, Bulletin 66, 187 p.
- Kottowski, F. E. and Foster, R. W., 1962, Pre-Tertiary strata of Tres Hermanas Mountains, Luna County, New Mexico: *American Association of Petroleum Geologists Bulletin*, v. 46, p. 2090–2098.
- Larson, M. K. and Péwé, T. L., 1986, Origin of land subsidence and earth fissuring, northeast Phoenix, Arizona: *American Association of Engineering Geologists Bulletin*, v. 23, p. 139–161.
- Lasky, S. G., 1947, Geology and ore deposits of the Little Hatchet Mountains, Hidalgo and Grant Counties, New Mexico: U.S. Geological Survey, Professional Paper 208, 100 p.
- Leonard, E. A., 1981, *Rails at the pass of the north*: University of Texas at El Paso, Texas Western Press Monograph No. 63, 60 p.
- Lindgren, W., Graton, L. C. and Gordon, C. H., 1910, The ore deposits of New Mexico: U.S. Geological Survey, Professional Paper 361, p. 289–290.
- Lochman-Balk, 1958, The Capitol Dome section, Florida Mountains: *Roswell Geological Society, Guidebook 11*, p. 47–52.
- Loring, A. K. and Loring, R. B., 1980a, Age of thrust faulting, Little Hatchet Mountains, southwestern New Mexico: *Isochron/West*, no. 27, p. 29–30.
- Loring, A. K. and Loring, R. B., 1980b, K/Ar ages of middle Tertiary igneous rocks from southern New Mexico: *Isochron/West*, no. 28, p. 17–19.
- Mack, G. H. and Clemons, R. E., 1988, Structural and stratigraphic evidence for the Laramide (Early Tertiary) Burro uplift in southwestern New Mexico: New Mexico Geological Society, Guidebook 39.
- Marjaniemi, D., 1968, Tertiary volcanism in the northern Chiricahua Mountains, Cochise County, Arizona: *Arizona Geological Society, Guidebook III*, p. 209–214.
- Marvin, R. G., Naeser, C. W. and Mehnert, H. H., 1978, Tabulation of radiometric ages—including unpublished K-Ar and fission-track ages—for rocks in southeastern Arizona and southwestern New Mexico: New Mexico Geological Society, Guidebook 29, p. 243–252.
- Matheny, R. K. and Brookins, D. G., 1983, Geochronologic studies of igneous rocks from the Florida Mountains, New Mexico: *New Mexico Geology*, v. 5, p. 67.
- Minding, A., 1971, A summary of data relating to land subsidence in Las Vegas Valley: University of Nevada at Reno, Center for Water Resources Research, Desert Research Institute Report, 55 p.
- Murphy, R. E., Corbitt, L. L. and Kinney, E. E., 1970, Third day road log from Deming to Capitol Dome and Mahoney Park in the Florida Mountains: New Mexico Geological Society, Guidebook 21, p. 23–26.
- Myrick, D. F., 1970, New Mexico's railroads: Golden, Colorado, Colorado Railroad Museum, 205 p.
- Nelson, E. P. and Hunter, J., 1986, Laramide thin-skinned deformation in Permian rocks, Fra Cristobal Range, south-central New Mexico: *New Mexico Geological Society, Guidebook 37*, p. 115–121.
- Olsen, S. J., 1972, Osteology for the archaeologist no. 3, the American mastodon and the woolly mammoth: *Papers of the Peabody Museum of Archaeology and Ethnology, Harvard University*, v. 56, 47 p.
- Peterson, S. L., 1976, Geology of the Apache No. 2 mining district, Hidalgo County, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 86 p.
- Prucha, J. J., Graham, J. A. and Nickelson, R. P., 1965, Basement controlled deformation in the Wyoming province of the Rocky Mountain foreland: *American Association of Petroleum Geologists Bulletin*, v. 49, p. 966–992.
- Reynolds, S. J. and Spencer, J. E., 1985, Evidence for large-scale transport on the Bullard detachment fault, west-central Arizona: *Geology*, v. 13, p. 353–356.
- Rupert, M. G., 1986, Structure and stratigraphy of the Klondike Hills, southwestern New Mexico [M.S. thesis]: Las Cruces, New Mexico State University, 138 p.
- Schumann, H. H. and Poland, J. F., 1970, Land subsidence, earth fissures and groundwater withdrawal in south-central Arizona, U.S.A.: *Proceedings, International Association of Scientific Hydrology Publication*, v. 1, p. 295–301.
- Schwennesen, A. R., 1918, Groundwater in the Animas, Playas, Hachita, and San Luis basins, Arizona and New Mexico: U.S. Geological Survey, Water-Supply Paper 422, 152 p.
- Seager, W. R., 1983, Laramide wrench faults, basement-cored uplifts, and complementary basins in southern New Mexico: *New Mexico Geology*, v. 5, p. 69–76.
- Seager, W. R., in press, Geologic map of the southwest quarter of the Las Cruces and northwest part of the El Paso 1 by 2 degree sheets: New Mexico Bureau of Mines and Mineral Resources.
- Seager, W. R. and Clemons, R. E., in press, Geology of Hermanas quadrangle, Luna County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 63, scale 1:24,000.
- Seager, W. R. and Mack, G. H., 1986, Laramide paleotectonics of southern New Mexico: *American Association of Petroleum Geologists, Memoir 41*, p. 669–685.
- Seager, W. R., Shafiqullah, M., Hawley, J. W. and Marvin, R. F., 1984, New K-Ar dates from basalts, and the evolution of the southern Rio Grande rift: *Geological Society of America Bulletin*, v. 95, p. 87–99.
- Shafiqullah, M., Damon, P. E., Lynch, D. J., Kuck, P. H. and Rehrig, W. A., 1978, Mid-Tertiary magmatism in southeastern Arizona: *New Mexico Geological Society, Guidebook 29*, p. 231–242.
- Soule, J. M., 1972, Structural geology of northern part of Animas Mountains, Hidalgo County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 125, 15 p.
- Strongin, O., 1958, Geology and ore deposits of the Apache Hills and northern Sierra Rica, Hidalgo County, New Mexico [Ph.D. dissertation]: New York, Columbia University, 222 p.
- Thompson, S. III, 1982, Oil and gas exploration wells in southwestern New Mexico: Rocky Mountain Association of Geologists, Cordilleran overthrust belt, Texas to Arizona Field Conference, p. 137–153.
- Thompson, S. III and Jacka, A. D., 1981, Pennsylvanian stratigraphy, petrography, and petroleum geology of Big Hatchet Peak section, Hidalgo County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 176, 125 p.
- Thompson, S. III, Tovar, J. C. and Conley, J. N., 1978, Oil and gas exploration wells in the Pedregosa basin: *New Mexico Geological Society, Guidebook 29*, p. 331–342.
- Thorman, C. H., 1977, Geologic map of parts of the Coyote Peak and Brockman quadrangles, Hidalgo and Grant Counties, New Mexico: U.S. Geological Survey, Miscellaneous Field Studies Map MF-924, scale 1:24,000.
- Thorman, C. H. and Drewes, H., 1978, Geologic map of the Gary and Lordsburg quadrangles, Hidalgo County, New Mexico: U.S. Geological Survey, Miscellaneous Investigations Map I-1151, scale 1:24,000.
- Thorman, C. H. and Drewes, H., 1979a, Geologic map of parts of the Grandmother Mountain east and Grandmother Mountain west quadrangles, Luna County, New Mexico: U.S. Geological Survey, Miscellaneous Field Studies Map MF-1088, scale 1:24,000.
- Thorman, C. H. and Drewes, H., 1979b, Geologic Map of The Saltys quadrangle, Grant County, New Mexico: U.S. Geological Survey, Miscellaneous Field Studies Map MF-1137, scale 1:24,000.
- Thorman, C. H. and Drewes, H., 1980, Geologic map of the Victorio Mountains, Luna County, southwestern New Mexico: U.S. Geological Survey, Miscellaneous Field Studies Map MF-1175, scale 1:24,000.
- Thorman, C. H. and Drewes, H., 1981, Geologic map of the Gage SW quad-

- range, Grant and Luna Counties, New Mexico: U.S. Geological Survey, Miscellaneous Investigations Map I-1231, scale 1:24,000.
- Tuan, Y., Everard, C. E. and Widdison, J. G., 1969, The climate of New Mexico: State Planning Office, Report, 169 p.
- Vander Spuy, P. M., 1970, Geologic and geochemical investigations of geophysical anomalies, Sierra Rica, Hidalgo County, New Mexico [M.S. thesis]: Golden, Colorado School of Mines, 156 p.
- Varnell, R. J., 1976, Geology of the Hat Top Mountain quadrangle, Grant and Luna Counties, New Mexico [M.S. thesis]: El Paso, University of Texas at El Paso, 62 p.
- Wade, W. R., 1913, Minerals of the Tres Hermanas district: Engineering and Mining Journal, v. 96, p. 589-590.
- Wernicke, B. and Burchfiel, B. C., 1982, Modes of extensional tectonics: Journal of Structural Geology, v. 4, p. 105-115.
- White, W. N., 1929, Preliminary report on the ground water supply of the Mimbres Valley, New Mexico: New Mexico State Engineer Ninth Biennial Report, p. 131-152.
- Wilson, G. C., 1986, Structural geology of the southern part of the northern Animas Mountains, south-central Hidalgo County, New Mexico [M.S. thesis]: Las Cruces, New Mexico State University, 115 p.
- Wilson, J. L., Madrid-Solis, A. and Malpica-Cruz, R., 1969, Microfacies of Pennsylvanian and Wolfcampian strata in southwestern U.S.A. and Chihuahua, Mexico: New Mexico Geological Society, Guidebook 20, p. 80-90.
- Woodward, L. A. and DuChene, H. R., 1981, Overthrust belt of southwestern New Mexico—comparison with Wyoming—Utah overthrust belt: American Association of Petroleum Geologists Bulletin, v. 65, p. 722-729.
- Zeller, R. A., 1959, Reconnaissance geologic map of Playas fifteen-minute quadrangle: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 7, scale 1:62,500.
- Zeller, R. A., 1962, Southern Animas Mountains, Hidalgo County: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 17, scale 1:62,500.
- Zeller, R. A., 1965, Stratigraphy of the Big Hatchet Mountains area, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 16, 128 p.
- Zeller, R. A., 1970, Geology of the Little Hatchet Mountains, Hidalgo and Grant Counties, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 96, 23 p.
- Zeller, R. A., 1975, Structural geology of Big Hatchet Peak quadrangle, Hidalgo County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 146, 23 p.
- Zeller, R. A. and Alper, A. M., 1965, Geology of the Walnut Wells quadrangle, Hidalgo County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 84, 105 p.