

New Mexico Geological Society

Downloaded from: <http://nmgs.nmt.edu/publications/guidebooks/39>



Copper, gold, silver, lead, zinc production in Dona Ana, southern Grant, Hidalgo and Luna Counties, New Mexico

Virginia T. McLemore, 1988, pp. 199-201

in:

Cretaceous and Laramide Tectonic Evolution of Southwestern New Mexico, Mack, G. H.; Lawton, T. F.; Lucas, S. G.; [eds.], New Mexico Geological Society 39th Annual Fall Field Conference Guidebook, 216 p.

This is one of many related papers that were included in the 1988 NMGS Fall Field Conference Guidebook.

Annual NMGS Fall Field Conference Guidebooks

Every fall since 1950, the New Mexico Geological Society (NMGS) has held an annual [Fall Field Conference](#) that explores some region of New Mexico (or surrounding states). Always well attended, these conferences provide a guidebook to participants. Besides detailed road logs, the guidebooks contain many well written, edited, and peer-reviewed geoscience papers. These books have set the national standard for geologic guidebooks and are an essential geologic reference for anyone working in or around New Mexico.

Free Downloads

NMGS has decided to make peer-reviewed papers from our Fall Field Conference guidebooks available for free download. Non-members will have access to guidebook papers two years after publication. Members have access to all papers. This is in keeping with our mission of promoting interest, research, and cooperation regarding geology in New Mexico. However, guidebook sales represent a significant proportion of our operating budget. Therefore, only *research papers* are available for download. *Road logs, mini-papers, maps, stratigraphic charts*, and other selected content are available only in the printed guidebooks.

Copyright Information

Publications of the New Mexico Geological Society, printed and electronic, are protected by the copyright laws of the United States. No material from the NMGS website, or printed and electronic publications, may be reprinted or redistributed without NMGS permission. Contact us for permission to reprint portions of any of our publications.

One printed copy of any materials from the NMGS website or our print and electronic publications may be made for individual use without our permission. Teachers and students may make unlimited copies for educational use. Any other use of these materials requires explicit permission.

This page is intentionally left blank to maintain order of facing pages.

COPPER, GOLD, SILVER, LEAD AND ZINC PRODUCTION IN DOÑA ANA, SOUTHERN GRANT, HIDALGO AND LUNA COUNTIES, NEW MEXICO

VIRGINIA T. McLEMORE

New Mexico Bureau of Mines and Mineral Resources, Socorro, New Mexico 87801

Abstract—Copper, gold, silver, lead and zinc have been produced from 25 mining districts in Doña Ana, southern Grant, Hidalgo and Luna Counties since 1880. Seven types of base and precious metal deposits occur in these districts: placer, volcanic-epithermal, sedimentary-hydrothermal barite-fluorite-galena (copper/silver), carbonate-hosted lead-zinc, Laramide skarn, Laramide vein and Precambrian vein and replacement deposits. The Lordsburg district in Hidalgo County was the largest producing district with production amounting to more than \$60 million; 229 million pounds of copper; 259,000 ounces of gold; 7.2 million ounces of silver; 11 million pounds of lead; and four million pounds of zinc were produced. Lead production from the Cooke's Peak district in Luna County amounted to over 50 million pounds. The mineral resource potential is high in these and other districts in southwestern New Mexico.

MINING DISTRICTS OF SOUTHWESTERN NEW MEXICO

Copper, gold, silver, lead and zinc have been important to the economy of Doña Ana, southern Grant, Hidalgo and Luna Counties, New Mexico since the mid-1880s. These metals are widely distributed in southwestern New Mexico in a variety of deposit types.

Known and estimated production of copper, gold, silver, lead and zinc is given by district in Table 1. Mining districts are shown in Figure 1. These data come from many sources of varying reliability. The best data are from the U.S. Geological Survey and U.S. Bureau of Mines mineral yearbooks, supplemented by various published and unpublished reports and miscellaneous file data.

Previous publications have incorrectly reported total production for various reasons. These have been resolved to the best of our ability at New Mexico Bureau of Mines and Mineral Resources; however, due to the chaotic nature of some records, we expect continuing updates and corrections as our work in specific districts continues.

Ore deposits in Doña Ana, southern Grant, Hidalgo and Luna Counties occur in seven distinct types (Table 2). It is beyond the scope of this paper to discuss this classification; however, the reader is referred to North and McLemore (1986, 1988).

The mineral resource potential for additional copper, gold, silver,

lead and zinc deposits is excellent in several of these districts, particularly the Organ Mountains, Eureka, Lordsburg and Cooke's Peak districts. Future reports will address the geology and mineral resource potential of these and other areas in New Mexico.

ACKNOWLEDGMENTS

This article is part of several on-going projects at the New Mexico Bureau of Mines and Mineral Resources characterizing and delineating metalliferous deposits in New Mexico. Robert W. Eveleth is acknowledged for his review of this article. Numerous staff at NMBMMR assisted the author and colleague, Robert M. North, in formulating this classification and providing data on mineral deposits in New Mexico. Robert M. North and Shawn Leppert assisted in compiling the production statistics. Their help is greatly appreciated.

REFERENCES

- Anderson, E. C., 1957, The metal resources of New Mexico and their economic future through 1954; New Mexico Bureau of Mines and Mineral Resources, Bulletin 39, 183 p.
- Dunham, C. K., 1935, The geology of the Organ Mountains with an account of the geology and mineral resources of Doña Ana County, New Mexico; New Mexico Bureau of Mines and Mineral Resources, Bulletin 11, 272 p.

TABLE 1. Copper, gold, silver, lead and zinc production in Doña Ana, southern Grant, Hidalgo and Luna Counties, New Mexico. Type of deposit described in Table 2. Estimated production is in parenthesis. *Statistics for specific mines listed under comments. —No data. Small—A minor amount of production, actual figures are not known. Some—Production figures are not known, but actual production could be thousands of pounds or ounces.

District	Period of production	Ore (short tons)	Copper (pounds)	Gold (troy ounces)	Silver (troy ounces)	Lead (pounds)	Zinc (pounds)	Type of deposit	References	Comments
<u>Doña Ana County</u>										
Black Mountain	1883-1900's	--	--	(600)	small	small	--	J,C	Dunham, 1935; North and McLemore, 1986	\$12,000 of gold production from Mountain Chief mine
Doña Ana Mountains	early 1900's	--	small	(100)	(5,000)	--	--	B	North and McLemore, 1986	
Northern Franklin Mountains	1914	--	--	--	small	small	--	C	North and McLemore, 1986	
Organ Mountains	1902-1961 1849-1942 1904-1957	56,456 -- >67,204	1,531,820 (4,526,000) 3,037,100	947 (11,500) 1,130	437,437 (780,000) 756,819	-- 25,000,000 10,398,976	236,701 (1,000,000) 1,675,531	D	USBM files; Jones, 1965; North and McLemore, 1986; Seager, 1981; USBM Mineral Yearbooks	produced about \$1.5 million (Eveleth, 1983)
Portrillo Mountains		--	some	--	some	some	--	C	North and McLemore, 1986	
San Andrecito	1920-1930	--	small	--	--	--	--	C	Anderson, 1957	<\$10,000 produced
San Andres Canyon	early 1900's	--	some	--	--	some	--	C		

TABLE 1 (continued)

District	Period of production	Ore (short tons)	Copper (pounds)	Gold (troy ounces)	Silver (troy ounces)	Lead (pounds)	Zinc (pounds)	Type of deposit	References	Comments
<u>Southern Grant County</u>										
Eureka (Hachita)	1903-1957	83,605	488,261	1,062	445,877	W	W	E,A	USBM files; North and McLemore, 1986; USBM Mineral Yearbooks	
	1880-1957	--	--	(5,000)	(300,000)	--	--			
	1934-1957	38,807	27,000	90	103,226	1,713,300	15,850,000			
Gold Hill	1911-1941	5,686	6,845	1,620	W	W	--	I,A	USBM files; USBM Mineral Yearbooks; North and McLemore, 1986	
	1933-1940	1,074	3,010	493	2,888	15,400	--			
<u>Hidalgo County</u>										
Apache No. 2	1939-1956	807	32,400	41	7,082	111,600	14,300	D	USBM Mineral Yearbooks; North and McLemore, 1986	
		--	--	--	(125,000)	--	--			
Big Hatchet Mountains		--	--	--	small	small	small	D	North and McLemore, 1986	
Fremont	1947-1951	--	some	(10)	(10,000)	some	some	B	North and McLemore, 1986; USBM Mineral Yearbooks	
		279	400	3	377	20,500	--			
Gillespie	1908-1950	3,746	--	--	14,249	1,019,500	--	B	Elston, 1965; North and McLemore, 1986; USBM Mineral Yearbooks	
	1938-1950	--	--	--	(16,000)	--	--			
Granite Gap (San Simon)	1899-1926	(60,000)	some	(250)	(600,000)	19,200,000	--	D	Richter and Lawrence, 1983; USBM Mineral Yearbooks	1899-1926 estimate based on data in Richter and Lawrence (1983)
	1934-1955	16,906	20,400	303	91,652	1,606,750	652,200			
Kimball (Steins Pass)	1875-1950's	--	some	(1,500)	(400,000)	some	some	B	North and McLemore, 1986	
Lordsburg	1902-1961	3,994,911	195,236,059	237,809	6,740,691	11,016,062	4,198,783	F	USBM files; Richter and Lawrence, 1983; USBM Mineral Yearbooks	
	1885-1978	--	--	259,129	7,237,672	--	--			
	1904-1957	3,643,545	173,010,000	222,325	6,151,963	4,816,820	468,600			
McGhee Peak	+1894-1956	100,000	some	(100)	(200,000)	(12,000,000)	(10,000,000)	D	Richter and Lawrence, 1983	* Carbonate Hill mine produced over \$1.5 million
Rincon (Animas)		--	some	some	(>10,000)	some	--	D	North and McLemore, 1986	
Silver T. P. (Bunk Robinson and Whitmore areas)	none	--	--	--	--	--	--	B	North and McLemore, 1986	
Sylvanite	1933-1957	5,982	101,500	1,978	27,483	78,650	--	E,A	North and McLemore, 1986; Johnson, 1972; USBM Mineral Yearbooks	
	1933-1953	--	--	(2,500)	(35,000)	--	--			
	1902-1942	--	--	109	--	--	--			
<u>Luna County</u>										
Carrizalillo			small	small	small	small	--	B	North and McLemore, 1986	
Cooke's Peak	1902-1947	25,148	14,607	43	65,820	7,704,409	5,787,302	D	Jica, 1954; Thompson, 1965; USBM Mineral Yearbooks	estimated \$3 million produced 1880-1908; \$1 million 1900-1947 (Griswold, 1961)
	1876-1965	--	--	--	--	(50,000,000)	--			
	1903-1956	25,331	22,607	672	60,984	7,820,409	6,469,642			
Florida Mountains	1880-1920	--	some	some	some	some	some	C	Griswold, 1961; USBM Mineral Yearbooks	
	1934-1956	116	2,485	<1	411	27,300	--			
		--	--	3	8,034	--	--			
Old Hadley	1880-1929	unknown	some	--	some	some	some	B	Jica, 1954; North and McLemore, 1986	
		--	--	150	533	--	--			
Tres Hermanos	1915-1948	1,566	--	--	1,585	142,892	897,356	D	Griswold, 1961; USBM Mineral Yearbooks	Mahoney area produced \$500,000 estimated
	1934-1951	570	550	7	3,804	90,000	55,000			
Victorio	1904-1957	30,741	32,271	2,477	186,882	6,232,492	52,465	D	Griswold, 1961; Tooker and Vercoutere, 1986; USBM Mineral Yearbooks	\$1.5 million prior to 1904
	to 1959	--	--	(12,200)	--	--	--			




FIGURE 1. Copper, gold, silver, lead and zinc districts in Doña Ana, southern Grant, Hidalgo and Luna Counties, New Mexico.

Elston, W. E., 1965, Mining districts of Hidalgo County, New Mexico: New Mexico Geological Society, Guidebook 16, p. 210-214.
 Eveleth, R. W., 1983, An historical vignette—Stephenson-Bennett mine: New Mexico Geology, v. 5, p. 9-13, 15.
 Griswold, G. B., 1961, Mineral deposits of Luna County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 72, 157 p.

TABLE 2. Classification of copper, gold, silver, lead and zinc deposits of New Mexico (from North and McLemore, 1986, 1988).

A	Placer deposits (Tertiary-Quaternary)
B	Volcanic-epithermal deposits (Late Cretaceous-Pliocene)
C	Sedimentary-hydrothermal barite-fluorite-galena (copper/silver) deposits (early Tertiary?)
D	Carbonate-hosted lead-zinc (copper, silver) deposits (Eocene-Oligocene)
E	Laramide skarn deposits (Late Cretaceous-Eocene)
F	Laramide vein deposits (Late Cretaceous-Eocene)
G	Precambrian vein and replacement deposits (Proterozoic)

Jicha, H. L., Jr., 1954, Geology and mineral deposits of Lake Valley quadrangle, Grant, Luna and Sierra Counties, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 37, 93 p.
 Johnson, M. G., 1972, Placer gold deposits of New Mexico: U.S. Geological Survey, Bulletin 1348, 46 p.
 Jones, W. R., 1965, Copper: New Mexico Bureau of Mines and Mineral Resources, Bulletin 87, p. 160-176.
 North, R. M. and McLemore, V. T., 1986, Silver and gold occurrences in New Mexico: New Mexico Bureau of Mines and Mineral Resources, Resource Map 15, 32 p., scale 1:1,000,000.
 North, R. M. and McLemore, V. T., 1988, A classification of the precious metal deposits of New Mexico; in Bulk mineable precious metal deposits of the western United States: Symposium Volume, Geological Society of Nevada, in press.
 Richter, D. H. and Lawrence, V. A., 1983, Mineral deposit map of the Silver City 1° × 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey, Miscellaneous Investigations Series Map I-1310-B, scale 1:250,000.
 Seager, W. R., 1981, Geology of the Organ Mountains and southern San Andres Mountains, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 36, 97 p.
 Thompson, A. J., 1965, Lead: New Mexico Bureau of Mines and Mineral Resources, Bulletin 87, p. 154-159.
 Tooker, E. W. and Vercoutere, T. L., 1986, Gold in the conterminous United States, perspective of 1986—Preliminary map of selected geographic, economic, and geologic attributes of productive (>10,000 oz) gold districts: U.S. Geological Survey, Open-file Report 86-209, 32 p.



Southern end of Little Hatchet Mountains, looking northeast from Hatchet Gap. View is N18°E. Low, small hill on right composed of Bliss Formation resting on Precambrian granite which forms the southern end of the Little Hatchet Mountains. The coarsely crystalline, porphyritic granite contains ovoid phenocrysts of orthoclase and microperthite in matrix of potassium and sodium feldspars, quartz and biotite with accessory apatite, zircon, sphene and magnetite (Lasky, 1947). Zeller (1965) reported Ph-alpha ages of 605 and 640 Ma on zircons from this granite. M. Shafiqullah (written commun. 1983) reported Rb/Sr ages of 1063 Ma on an aplite in the granite and 776 Ma on the granite. Rills and gullies on piedmont fans are accentuated by the low sun angle. In the foreground and middle distance the flat floor of Playas Valley is sparsely covered by a nearly pure stand of saltbush. Camera station is west of NM Highway 81 in the northeast part of T30S, R16W. Altitude about 1341 m. W. Lambert photograph No. 87L60. 25 July 1987, 7:40 p.m., MDT.