



## ***Roadlog References***

*(Includes references for all roadlogs in this volume.)*

*in:*

*Southeastern Colorado Plateau*, Anderson, O. J.; Lucas, S. G.; Love, D. W.; Cather, S. M.; [eds.], New Mexico Geological Society 40<sup>th</sup> Annual Fall Field Conference Guidebook, 345 p. <https://doi.org/10.56577/FFC-40>

---

*This is a section from the 1989 NMGS Fall Field Conference Guidebook.*

---

## **Annual NMGS Fall Field Conference Guidebooks**

Every fall since 1950, the New Mexico Geological Society (NMGS) has held an annual [Fall Field Conference](#) that explores some region of New Mexico (or surrounding states). Always well attended, these conferences provide a guidebook to participants. Besides detailed road logs, the guidebooks contain many well written, edited, and peer-reviewed geoscience papers. These books have set the national standard for geologic guidebooks and are an essential geologic reference for anyone working in or around New Mexico.

### **Free Downloads**

NMGS has decided to make peer-reviewed papers from our Fall Field Conference guidebooks available for free download. This is in keeping with our mission of promoting interest, research, and cooperation regarding geology in New Mexico. However, guidebook sales represent a significant proportion of our operating budget. Therefore, only *research papers* are available for download. *Road logs*, *mini-papers*, and other selected content are available only in print for recent guidebooks.

### **Copyright Information**

Publications of the New Mexico Geological Society, printed and electronic, are protected by the copyright laws of the United States. No material from the NMGS website, or printed and electronic publications, may be reprinted or redistributed without NMGS permission. Contact us for permission to reprint portions of any of our publications.

One printed copy of any materials from the NMGS website or our print and electronic publications may be made for individual use without our permission. Teachers and students may make unlimited copies for educational use. Any other use of these materials requires explicit permission.

*This page is intentionally left blank to maintain order of facing pages.*

## ROAD-LOG REFERENCES

- Adler, H. H., 1970, Interpretation of color relations in sandstone as a guide to uranium exploration and ore genesis; in *Uranium exploration geology*: Vienna, International Atomic Energy Agency, Proceedings, p. 331-344.
- Akers, J. P., Cooley, N. E. and Repenning, C. A., 1958, Moenkopi and Chinle formations of Black Mesa and adjacent areas: New Mexico Geological Society, Guidebook 9, p. 88-94.
- Aldrich, M. J., Jr., Chapin, C. E. and Laughlin, A. W., 1986, Stress history and tectonic development of the Rio Grande rift, New Mexico: *Journal of Geophysical Research*, v. 91, p. 6199-6211.
- Aldrich, M. J. and Laughlin, A. W., 1984, A model for tectonic development of the southeastern Colorado Plateau boundary: *Journal of Geophysical Research*, v. 89, p. 10207-10218.
- Anderson, O. J., 1983, Preliminary report on redefinition of the Zuni Sandstone, west-central New Mexico: *New Mexico Geology*, v. 5, p. 55-59.
- Anderson, O. J., 1987, Geology and coal resources of the Atarque Lake 1:50,000 quadrangle, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 61.
- Anderson, O. J., 1989, Geology and mineral resources of the Vanderwagen quadrangle, McKinley County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 64, scale 1:24,000.
- Anderson, O. J. and Reddy, R., 1986, Some geological observations at Carbon Coal Company's No. 2 mine—a small but unique operation: *New Mexico Geology*, v. 8.
- Anderson, O. J. and Wolberg, D. L., 1987, The economics of coal production cycles in New Mexico: *New Mexico Geology*, v. 9.
- Angelier, J., Colletta, B. and Anderson, R. E., 1985, Neogene paleostress changes in the Basin and Range: a case study at Hoover Dam, Nevada-Arizona: *Geological Society of America Bulletin*, v. 96, p. 347-361.
- Anonymous, 1959, Uranium deposits in the Datil Mountains-Bear Mountains region, New Mexico: New Mexico Geological Society, Guidebook 10, p. 135-143.
- Ash, S. R., 1978, Summary of the fossils in the Ciniza Lake Beds; in *Geology, paleontology, and paleoecology of a Late Triassic lake, western New Mexico*: Brigham Young University Geology Studies, v. 25.
- Aubele, J. C., 1978, Geology of Cerros del Rio volcanic field; in Hawley, J. W., compiler, Guidebook to Rio Grande rift in New Mexico and Colorado: New Mexico Bureau of Mines and Mineral Resources, Circular 163, p. 198-201.
- Aubrey, W. M., 1988, The Encinal Canyon Member, a new member of the Upper Cretaceous Dakota Sandstone in the southern and eastern San Juan Basin, New Mexico: U.S. Geological Survey, Bulletin 1633C, p. 59-69.
- Bachman, G. O., Marvin, R. F., Mehnert, H. H. and Merritt, V., 1975, K-Ar dates of Los Lunas and Albuquerque basalts: *Isochron/West*, no. 13, p. 3-4.
- Bachman, G. O. and Mehnert, H. H., 1978, New K-Ar dates and the late Pliocene to Holocene geomorphic history of the central Rio Grande region, New Mexico: *Geological Society of America Bulletin*, v. 89, p. 283-292.
- Baker, A. A. and Reeside, J. B., Jr., 1929, Correlation of the Permian of southern Utah, northern Arizona, northwestern New Mexico, and southwestern Colorado: *American Association of Petroleum Geologists Bulletin*, v. 13, p. 1413-1449.
- Baldrige, W. S., Bartov, Y. and Kron, A., 1983, Geologic map of the Rio Grande rift and southeastern Colorado Plateau, New Mexico and Arizona; in Riecker, R. E., ed., *Rio Grande rift: tectonics and magmatism*, Washington, D.C., American Geophysical Union.
- Baldrige, W. S., Damon, P. E., Shafiqullah, M. and Bridwell, R. J., 1980, Evolution of the central Rio Grande rift, New Mexico—new potassium-argon ages: *Earth and Planetary Science Letters*, v. 51, p. 309-321.
- Baldrige, W. S., Perry, F. V. and Shafiqullah, M., 1987, Late Cenozoic volcanism of the southeastern Colorado Plateau, I. Volcanic geology of the Lucero area, New Mexico: *Geological Society of America Bulletin*, v. 99, p. 463-470.
- Baldrige, W. S. et al., 1989, Excursion 8A: magmatism associated with lithospheric extension: middle to late Cenozoic magmatism of the southeastern Colorado Plateau and central Rio Grande rift, New Mexico and Arizona: *New Mexico Bureau of Mines and Mineral Resources, Memoir 46*, p. 187-202.
- Basset, W. A., Kerr, P. F., Schaeffer, O. A. and Stoenner, R. W., 1963a, Potassium-argon ages of volcanic rocks north of Grants; in Kelley, V. C., compiler, *Geology and technology of the Grants uranium region*: New Mexico Bureau of Mines and Mineral Resources, Memoir 15, p. 214-216.
- Basset, W. A., Kerr, P. F., Schaeffer, O. A. and Stoenner, R. W., 1963b, Potassium-argon ages of volcanic rocks near Grants, New Mexico: *Geological Society of America Bulletin*, v. 74, p. 221-226.
- Beaumont, E. C., 1971, Stratigraphic distribution of coal in San Juan basin; in Shomaker, J., Beaumont, E. C. and Kottowski, F. E., eds., *Strippable low-sulfur coal resources of the San Juan basin in New Mexico and Colorado*: New Mexico Bureau of Mines and Mineral Resources, Memoir 25.
- Beaumont, E. C., Dane, C. H. and Sears, J. D., 1956, Revised nomenclature of Mesaverde Group in San Juan Basin, New Mexico: *American Association of Petroleum Geologists Bulletin*, v. 40, no. 9, p. 2149-2162.
- Bilodeau, W. L., 1986, Mesozoic Mogollon highland and Early Cretaceous rift basin in southeastern Arizona: *Journal of Geology*, v. 94, p. 734-749.
- Birkeland, P. W., 1974, *Pedology, weathering and geomorphological research*: New York, Oxford University Press, 285 p.
- Black, B. A., 1982, Oil and gas exploration in the Albuquerque Basin: *New Mexico Geological Society, Guidebook 33*, p. 313-323.
- Blakey, R. C., 1974, Stratigraphy and depositional analysis of the Moenkopi Formation, southeastern Utah: *Utah Geological Survey, Bulletin 104*, 81 p.
- Blakey, R. C. and Gubitosa, R., 1984, Controls of sandstone body geometry and architecture in the Chinle Formation (Upper Triassic), Colorado Plateau: *Sedimentary Geology*, v. 38, p. 51-86.
- Bowman, S. A. B., Bowman, J. T. and Drake, R. E., 1986, Interpretation of the Morrison Formation as a time-transgressive unit: *Fourth North American Paleontological Convention, Abstracts with Programs*, p. 5.
- Bowring, S. A. and Condie, K. C., 1982, U-Pb zircon ages from northern and central New Mexico: *Geological Society of America, Abstracts with Programs*, v. 14, p. 304.
- Bowring, S. A., Condie, K. C. and Sumner, W., 1983, Geology and U-Pb geochronology of Proterozoic rocks in the vicinity of Socorro, New Mexico: *New Mexico Geological Society, Guidebook 34*, p. 137-142.
- Brookins, D. G., 1980, Geochronologic studies in the Grants mineral belt: *New Mexico Bureau of Mines and Mineral Resources, Memoir 38*, p. 52-58.
- Brown, 1984, Basement involved tectonics, foreland areas: *American Association of Petroleum Geologists, Continuing Education Course Notes, series #26*.
- Bryan, K. and McCann, F. T., 1937, The Ceja del Rio Puerco—a border feature of the Basin and Range province in New Mexico, part I, stratigraphy and structure: *Journal of Geology*, v. 45, p. 801-828.
- Callender, J. F. and Zilinski, R. E., 1976, Kinematics of Tertiary and Quaternary deformation along the eastern edge of the Lucero uplift, central New Mexico: *New Mexico Geological Society, Special Publication 6*, p. 53-61.
- Campbell, F. W., 1981, Geology and coal resources of The Dyke and Cerro Prieto quadrangles: *New Mexico Bureau of Mines and Mineral Resources, Open-file Report 144*.
- Campbell, J. A., 1967, Geology and structure of a portion of the Rio Puerco fault zone, western Bernalillo County, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 89 p.
- Carden, J. R. and Laughlin, A. W., 1974, Petrochemical variations within the McCarty's basalt flow, Valencia County, New Mexico: *Geological Society of America Bulletin*, v. 85, p. 1479-1484.
- Cather, S. M., 1988, Jemez-derived pumice near San Antonio, New Mexico: depositional processes and implications: *New Mexico Geology*, v. 10, p. 65-66.
- Cather, S. M. and Johnson, B. D., 1984, Eocene tectonics and depositional setting of west-central New Mexico and eastern Arizona: *New Mexico Bureau of Mines and Mineral Resources, Circular 192*.
- Chamberlin, R. M., 1981, Uranium potential of the Datil Mountains-Pie Town area, Catron County, New Mexico: *New Mexico Bureau of Mines and Mineral Resources, Open-file Report 138*, 51 p.
- Chamberlin, R. M., 1983, Cenozoic domino-style crustal extension in the Lemitar Mountains, New Mexico: a summary: *New Mexico Geological Society, Guidebook 34*, p. 111-118.
- Chapin, C. E., 1971, The Rio Grande rift, part I: modifications and additions: *New Mexico Geological Society, Guidebook 22*, p. 191-201.
- Chapin, C. E., 1988, Axial basins of the northern and central Rio Grande rift; in Sloss, L. L., ed., *Sedimentary Cover—North American Craton*: Boulder, Geological Society of America.
- Chapin, C. E. and Cather, S. M., 1981, Eocene tectonics and sedimentation in the Colorado Plateau-Rocky Mountain area: *Arizona Geological Society, Digest*, v. 14, p. 173-198.
- Cobban, W. A., 1961, The Ammonite family Binneyitidae Reeside in the Western Interior of the U.S.: *Journal of Paleontology*, v. 35, p. 737-758.
- Cobban, W. A., 1977, Characteristic marine molluscan fossils from the Dakota Sandstone and intertongued Mancos Shale, west-central New Mexico: *U.S. Geological Survey, Professional Paper 1009*, 27 p., 21 pls.
- Cobban, W. A., 1984, Mid-Cretaceous ammonite zones, Western Interior, United States: *Bulletin of the Geological Society of Denmark*, v. 33, p. 71-89.

- Cobban, W. A. and Hook, S. C., 1983, Mid-Cretaceous (Turonian) ammonite fauna from Fence Lake area of west-central New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 41.
- Collinson, J. D. and Thompson, D. B., 1982, Sedimentary structures: London, George Allen and Unwin, 194 p.
- Cooley, M. E., 1957, Geology of the Chinle Formation in the upper Little Colorado drainage area, Arizona and New Mexico [M.S. thesis]: Tucson, University of Arizona, 317 p.
- Cooley, M. E., 1959, Triassic stratigraphy of the state line region of west-central New Mexico and east-central Arizona: New Mexico Geological Society, Guidebook 10, p. 66-73.
- Crumpler, L. S., 1982, Volcanism in the Mount Taylor region: New Mexico Geological Society, Guidebook 33, p. 291-298.
- Dane, C. H. and Bachman, G. O., 1965, Geologic map of New Mexico. Denver, U.S. Geological Survey, scale 1:500,000.
- Darton, N. H., 1915, Guidebook to the western United States, part C, the Santa Fe route: U.S. Geological Survey, Bulletin 613, p. 81-100.
- Darton, N. H., 1928, "Red beds" and associated formations in New Mexico: U.S. Geological Survey, Bulletin 794, p. 37.
- Davidow-Henry, B., 1987, New metoposaurs from the southwestern United States and their phylogenetic relationships [M.S. thesis]: Lubbock, Texas Tech University, 75 p.
- Davis, G. H., 1978, Monocline fold pattern of the Colorado Plateau: Geological Society of America, Memoir 151, p. 215-233.
- Davis, G. H., 1981, Regional strain analysis of the superposed deformations in southeastern Arizona and the eastern Great Basin; in Relations of tectonics to ore deposits in the southern Cordillera: Arizona Geological Society, Digest, v. 144, p. 155-171.
- Dethier, D. P., Aldrich, M. H., Jr. and Shafiqullah, M., 1986, New K-Ar ages for Miocene volcanic rocks from the northeastern Jemez Mountains and Tejana Mesa, New Mexico: Isochron/West, no. 47, p. 12-14.
- Douglass, D. N. and Johnson, G. D., 1984, Isochronous interpretation of fluvial-lacustrine paleoenvironments, Morrison and Cloverly formations (Jurassic-Cretaceous), central Wyoming; in Reif, W. E. and Westphal, F., eds., Third symposium on Mesozoic terrestrial ecosystems: Tübingen, Attempto Verlag, p. 79-84.
- Dutton, C. E., 1885, Mt. Taylor and the Zuni Plateau: U.S. Geological Survey, 6th Annual Report.
- Edmonds, R. J., 1961, Geology of the Nutria monocline, McKinley County, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico.
- Ferguson, T. J., 1981, The emergence of modern Zuni culture and society: a summary of Zuni tribal history; in Wilcox, D. R. and Masse, W. B., eds., The protohistoric period in the North American southwest, AD 1450-1700: Arizona State University, Anthropological Research Papers, no. 24, p. 336-353.
- Ferguson, T. J. and Mills, B. J., 1987, Settlement and growth of Zuni Pueblo: an architectural history: The Kiva, v. 52, p. 243-264.
- Foster, R. W. and Ostrander, R. E., 1962, Road log from Gallup, New Mexico to Globe, Arizona: New Mexico Geological Society, Guidebook 13.
- Friend, P. F., Slater, M. J. and Williams, R. C., 1979, Vertical and lateral building of river sandstone bodies, Ebro basin, Spain: Journal of the Geological Society of London, v. 136, p. 39-46.
- Galloway, W. E., 1980, Deposition and early hydrologic evolution of Westwater Canyon wet alluvial-fan system: New Mexico Bureau of Mines and Mineral Resources, Memoir 38, p. 59-69.
- Geissman, J. W., Harlan, S. S., Brown, L., Turrin, B. and McFadden, L. D., 1989, Bruhnes Chron geomagnetic excursion recorded during the late Pleistocene, Albuquerque Volcanoes, New Mexico, U.S.A.; in Lowes, F. J. et al., eds., Geomagnetism and paleomagnetism: Kluwer Academic publishers, p. 123-136.
- Goddard, E. N., 1966, Geologic map and sections of the Zuni Mountains fluorspar district, Valencia (now Cibola) County, New Mexico: U.S. Geological Survey, Map I-454.
- Goddard, E. N., Trask, P. D., DeFord, R. K., Rove, O. N., Singewald, J. T., Jr. and Overbeck, R. M., 1984, Rock-color chart: Boulder, Geological Society of America.
- Green, M. W., 1974, The Iyanbito Member (a new stratigraphic unit) of the Jurassic Entrada Sandstone, Gallup-Grants area, New Mexico: U.S. Geological Survey, Bulletin 1395-D, 12 p.
- Gregory, J. T., 1980, The otic notch of metoposaurid labyrinthodonts; in Jacobs, L. L., ed., Aspects of vertebrate history: essays in honor of Edwin Harris Colbert: Flagstaff, Museum of Northern Arizona Press, p. 125-136.
- Grimm, J., 1985, Late Cenozoic geomorphic history of the Lobo Canyon area of the Mount Taylor volcanic field, Cibola County, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 159 p.
- Gulinger, D. R., 1982, Geology and uranium potential of the Tejana Mesa-Hubbell Draw area, Catron County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Open-file Report 176, 129 p.
- Hallam, A., Hancock, J. M., LaBrecque, J. L., Lowrie, W. and Channell, J. E. T., 1985, Jurassic to Paleogene: part I, Jurassic and Cretaceous geochronology and Jurassic to Paleogene magnetostratigraphy; in Snelling, N. J., ed., The chronology of the geological record: Oxford, Blackwell Scientific Publications, p. 118-140.
- Harrison, R. E., 1969, Shaded relief map of the United States: U.S. Geological Survey, National Atlas, sheet no. 56.
- Harshbarger, J. W., Repenning, C. A. and Irwin, J. H., 1957, Stratigraphy of the uppermost Triassic and Jurassic rocks of the Navajo Country: U.S. Geological Survey, Professional Paper 291, 74 p.
- Hawley, J. W., 1982, Second-day road logs: New Mexico Geological Society, Guidebook 33.
- Hayden, S. N. and Lucas, S. G., 1988a, Stratigraphy of the Middle Triassic Moenkopi Formation: Lucero uplift, west-central New Mexico: New Mexico Geology, v. 10, p. 67.
- Hayden, S. N. and Lucas, S. G., 1988b, Stratigraphy of the Permo-Triassic boundary in northern New Mexico: Abstracts of 41st Symposium on Southwestern Geology and Paleontology, Museum of Northern Arizona, Flagstaff, AZ, p. 5.
- Henderson, J., 1934, Some new Mesozoic molluscs from the Rocky Mountain region and Arizona: Journal of Paleontology, v. 8, p. 259-263.
- Herrick, C. L., 1900, Report of a geological reconnaissance in western Socorro and Valencia counties, New Mexico: American Geologist, v. 25.
- Hilpert, L. S., 1969, Uranium resources of northwestern New Mexico: U.S. Geological Survey Professional Paper 603, 116 p.
- Hook, S. C. and Cobban, W. A., 1980, Extension of the intertongued Dakota Sandstone-Mancos Shale terminology into the southern Zuni Basin: New Mexico Geology, v. 2, p. 42.
- Hook, S. C., Molenaar, C. M. and Cobban, W. A., 1983, Stratigraphy and revision of nomenclature of Upper Cenomanian to Turonian rocks of west-central New Mexico; in Hook, S. C., compiler, Contributions to mid-Cretaceous paleontology and stratigraphy of New Mexico, Part II: New Mexico Bureau of Mines and Mineral Resources, Circular 185.
- Howell, P. W., 1959, The Cenozoic geology of the Chetoh country, Arizona and New Mexico [Ph.D. dissertation]: Tucson, University of Arizona, 148 p.
- Huffman, A. C. and Condon, S. M., 1984, Jurassic stratigraphy and depositional environments, southern and western San Juan basin; in Brew, D. C., ed., 37th Annual Meeting of Rocky Mountain Section of Geological Society of America, Field Trip Guidebook.
- Hunt, A. P. and Lucas, S. G., 1987, Southernmost outcrops of the Morrison Formation in the Carthage area, Socorro County, New Mexico: New Mexico Geology, v. 9, p. 58-62.
- Izett, G. A. and Wilcox, R. E., 1982, Map showing localities and inferred distributions of the Huckleberry Ridge, Mesa Falls, and Lava Creek ash beds (Pearlette family ash beds) of Pliocene and Pleistocene age in the western United States and southern Canada: U.S. Geological Survey, Miscellaneous Investigation Series, Map I-1325, scale 1:4,000,000.
- Jicha, H. L., Jr., 1958, Geology and mineral resources of Mesa del Oro quadrangle, Socorro and Valencia counties, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 56, 67 p.
- Johnston, H. C., Jr., 1953, Geology of East Grants Ridge, Valencia County, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 51 p.
- Kelley, K. C., 1987, Palynologic investigation of Moreno Hill Formation (Upper Cretaceous), west-central New Mexico [M.S. thesis]: East Lansing, Michigan State University, 101 p.
- Kelley, V. C., 1955, Monoclines of the Colorado Plateau: Geological Society of America Bulletin, v. 66, p. 789.
- Kelley, V. C., 1977, Geology of the Albuquerque basin, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 33, 59 p.
- Kelley, V. C. and Kudo, A. M., 1978, Volcanoes and related basalts of the Albuquerque Basin, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 156, 30 p.
- Kelley, V. C. and Wood, G. H., 1946, Lucero uplift, Valencia, Socorro, and Bernalillo counties, New Mexico: U.S. Geological Survey, Oil and Gas Investigations Preliminary Map, OM-47.
- Kent, D. V. and Gradstein, F. M., 1985, A Cretaceous and Jurassic geochronology: Geological Society of America Bulletin, v. 96, p. 1419-1427.
- Kerr, P. F. and Wilcox, J. T., 1963, Structure and volcanism, Grants Ridge; in Kelley, V. C., compiler, Geology and mineral technology of the Grants uranium region: New Mexico Bureau of Mines and Mineral Resources, Memoir 15, p. 205-218.
- Kiersh, G. A., 1955, Nonmetallic minerals—geology, evaluation, and uses:

- Mineral resources of the Navajo-Hopi Indian Reservations. Tucson, University of Arizona Press, 213 p.
- Kietzke, K. K., 1988, The calcareous microfauna of the Moenkopi Formation (Triassic Scythian or Anisian) of central New Mexico: *New Mexico Geology*, v. 10, p. 64–65.
- King, P. B. and Beikman, H. M., 1974, Geologic map of the United States: U.S. Geological Survey, scale 1:2,500,000.
- Kowallis, B. J., 1986, Fission track dating of bentonites and bentonitic mudstones from the Morrison Formation, Utah and Colorado: Fourth North American Paleontological Convention, Abstracts with Programs, p. 26.
- Kowallis, B. J. and Heaton, J. S., 1987, Fission-track dating of bentonites and bentonitic mudstones from the Morrison Formation in central Utah: *Geology*, v. 15, p. 1138–1142.
- Kues, B. S., 1985, Nonmarine mollusks from the Chinle Formation, Dockum Group (Upper Triassic) of Bull Canyon, Guadalupe County, New Mexico: *New Mexico Geological Society, Guidebook 36*, p. 185–196.
- Kues, B. S. and Lucas, S. G., 1987, Cretaceous stratigraphy and pelontology of the dry Cimarron Valley, New Mexico, Colorado, and Oklahoma: *New Mexico Geological Society, Guidebook 37*.
- Lambert, P. W., 1968, Quaternary stratigraphy of the Albuquerque area, New Mexico [Ph.D. dissertation]: Albuquerque, University of New Mexico, 329 p.
- Lambert, P. W., 1974, Map showing present and potential sources of blowing sand in La Mesita Negra NE quadrangle, Bernalillo County: U.S. Geological Survey, Miscellaneous Field Studies Map MF-600, scale 1:24,000.
- Lambert, P. W., Hawley, J. W. and Wells, S. G., 1982, Supplemental road-log segment III-S: Urban and environmental geology of the Albuquerque area: *New Mexico Geological Society, Guidebook 33*, p. 97–119.
- Landis, E. R., Dane, C. H. and Cobban, W. A., 1973, Stratigraphic terminology of the Dakota Sandstone and Mancos Shale, west-central New Mexico: U.S. Geological Survey, Bulletin 1372-J, 44 p.
- Laughlin, A. W., Brookins, D. G., Kudo, A. M. and Causey, J. D., 1971, Chemical and strontium isotope investigations of ultramafic inclusions and basalt, Bandera Crater, New Mexico: *Geochimica et Cosmochimica Acta*, v. 35.
- Laughlin, A. W., Brookins, D. G. and Causey, J. D., 1972, Late Cenozoic basalts from the Bandera lava field, Valencia County, New Mexico: *Geological Society of America Bulletin*, v. 83.
- Laughlin, A. W., Brookins, D. G., Damon, P. E. and Shafiqullah, M., 1979, Late Cenozoic volcanism of the central Jemez zone, Arizona–New Mexico: *Isochron/West*, no. 25, p. 5–8.
- Laughlin, A. W., Aldrich, M. J., Jr., Ander, M. E., Heiken, G. H. and Vaniman, D. T., 1982, Tectonic setting and history of Late Cenozoic volcanism in west-central New Mexico: *New Mexico Geological Society, Guidebook 33*, p. 279–284.
- Laughlin, A. W., Aldrich, M. J., Jr. and Vaniman, D. T., 1983, Tectonic implications of mid-Tertiary dikes in west-central New Mexico: *Geology*, v. 11, p. 45–48.
- Lee, M. H. and Brookins, D. G., 1978, Rubidium-strontium minimum ages of sedimentation, uranium mineralization, and provenance, Morrison Formation (Upper Jurassic), Grants mineral belt, New Mexico: *American Association of Petroleum Geologists Bulletin*, v. 62, p. 1673–1683.
- Leopold, L. B., 1943, Climatic character of the interval between the Jurassic and Cretaceous in New Mexico and Arizona: *Journal of Geology*, v. 51, p. 56–62.
- Leopold, L. B. and Snyder, C. T., 1951, Alluvial fills near Gallup, New Mexico: U.S. Geological Survey, Water-supply Paper 1110-A.
- Lipman, P. W. and Mehnert, H. H., 1980, Potassium-argon ages from the Mount Taylor volcanic field, New Mexico: U.S. Geological Survey, Professional Paper 1124-B, 8 p.
- Long, R. and Ballew, K. L., 1985, Aetosaur dermal armor from the Late Triassic of southwestern North America, with special reference to material from the Chinle Formation of Petrified Forest National Park: *Museum of Northern Arizona Bulletin*, v. 54, p. 45–68.
- Love, D. W., 1986, A geological perspective of sediment storage and delivery along the Rio Puerco, central New Mexico; in Hadley, R. F., ed., *Drainage basin sediment delivery*: International Association of Hydrological Sciences, Publication 159, p. 305–322.
- Lucas, S. G. and Kisucky, M. J., 1988, Type and reference sections of the Tucumcari, Mesa Rica, and Pajarito Formations, Cretaceous of east-central New Mexico: *New Mexico Geology*, v. 10, p. 82–89.
- Lucas, S. G., Allen, B. D. and Hayden, S. N., 1987, Type section of the Triassic Correo Sandstone Bed, Chinle Formation, Cibola County, New Mexico: *New Mexico Journal of Science*, v. 27, p. 87–93.
- Lucas, S. G., Oakes, W. and Froehlich, J. W., 1985, Triassic microvertebrate locality, Chinle Formation, east-central New Mexico: *New Mexico Geological Society, Guidebook 36*, p. 205–212.
- Luedke, R. G. and Smith, R. L., 1978, Map showing distribution, composition, and age of Late Cenozoic volcanic centers in Arizona and New Mexico: U.S. Geological Survey, Miscellaneous Map Series, I-1091A.
- Machette, M. N., 1978, Dating Quaternary faults in the southwestern United States using buried calcic paleosols: U.S. Geological Survey, *Journal of Research*, v. 6, p. 369–381.
- Machette, M. N., 1985, Calcic soils of the southwestern United States: *Geological Society of America, Special Paper 203*, p. 1–21.
- Maxwell, C. H., 1976a, Geologic map of the Acoma Pueblo quadrangle, New Mexico: U.S. Geological Survey, Geologic Quadrangle Map GQ-1298, scale 1:24,000.
- Maxwell, C. H., 1976b, Stratigraphy and structure of the Acoma region, New Mexico: *New Mexico Geological Society, Special Publication 6*, p. 95–101.
- Maxwell, C. H., 1977, Preliminary geologic map of the Cubero quadrangle, Valencia [Cibola] County, New Mexico: U.S. Geological Survey, Open-file Report 77-241.
- Maxwell, C. H., 1977a, Preliminary geologic map of the Crow Point quadrangle, Valencia County, New Mexico: U.S. Geological Survey, Open-file Report 77-323.
- Maxwell, C. H., 1977b, Preliminary geologic map of the McCartys quadrangle, Valencia County, New Mexico: U.S. Geological Survey, Open-file Report 77-380.
- Maxwell, C. H., 1979, Geologic map of the East Mesa quadrangle, Valencia County, New Mexico: U.S. Geological Survey, Geologic Quadrangle Map GQ-1520, scale 1:24,000.
- Maxwell, C. H., 1982a, Mesozoic stratigraphy in the Laguna-Grants region: *New Mexico Geological Society, Guidebook 33*, p. 261–265.
- Maxwell, C. H., 1982b, El Malpais: *New Mexico Geological Society, Guidebook 33*, p. 299–301.
- Maxwell, C. H., 1986, Geologic map of El Malpais lava field and surrounding areas, Cibola County, New Mexico: U.S. Geological Survey, Miscellaneous Investigations Series Map I-1595.
- Maxwell, C. H., 1988a, Geologic map of the Cerro de Oro quadrangle, Cibola County, New Mexico: U.S. Geological Survey, Miscellaneous Field Studies Map MF-2033, scale 1:24,000.
- Maxwell, C. H., 1988b, Geologic map of the Marmon Ranch quadrangle, Cibola County, New Mexico: U.S. Geological Survey, Miscellaneous Field Studies Map MF-2049, scale 1:24,000.
- McCann, F. T., 1938, Ancient erosion surface in the Gallup-Zuni area, New Mexico: *American Journal of Science*, v. 33.
- McIntosh, W. C., Sutter, J. F., Chapin, C. E., Osburn, G. R. and Ratté, J. C., 1986, A stratigraphic framework for the eastern Mogollon-Datil volcanic field based on paleomagnetism and high-precision  $^{40}\text{Ar}/^{39}\text{Ar}$  dating of ignimbrites—a progress report: *New Mexico Geological Society, Guidebook 37*, p. 183–196.
- McKee, E. D., 1954, Stratigraphy and history of the Moenkopi Formation of Triassic age: *Geological Society of America, Memoir 61*, 133 p.
- McKee, E. D. and Elston, D. P., 1980, Reversal chronology from a 7.9–11.5 m. y.-old volcanic sequence in central Arizona: comparison with ocean floor polarity record: *Journal of Geophysical Research*, v. 85, p. 327–337.
- McLellan, M. W., Haschke, L. R., Robinson, L. N., Carter, M. D. and Medlin, A., Middle Turonian and younger Cretaceous rocks, northern Salt Lake coal field, Cibola County, New Mexico: *in Hook, S. C., compiler, Contributions to mid-Cretaceous paleontology and stratigraphy of New Mexico, part II*: New Mexico Bureau of Mines and Mineral Resources, Circular 185.
- McLellan, M. W., Robinson, L. N., Haschke, L. R., Carter, M. D. and Medlin, A., 1982, Fence Lake Formation (Tertiary), west-central New Mexico: *New Mexico Geology*, v. 4, p. 53–55.
- McLemore, V. T., 1983, Uranium and thorium occurrences in New Mexico: distribution, geology, production, and resources, with selected bibliography: *New Mexico Bureau of Mines and Mineral Resources, Open-file Report 183*, 180 p.
- McLemore, V. T., Broadhead, R. F., Roybal, G. H., Chenoweth, W. L., Barker, J. M., North, R. M., Hingtgen, J. S., Murray, D., Klein, K., Brown, K. B. and Austin, G. S., 1986, A preliminary minerals-resources potential of Cibola County, northwestern New Mexico: *New Mexico Bureau of Mines and Mineral Resources, Open-file Report 230*, 403 p.
- Miall, A. D., 1984, *Principals of sedimentary basin analysis*: Springer-Verlag, New York, 490 p.
- Miller, J. F., Frederick, R. H. and Tracey, R. J., 1973, *Precipitation-frequency atlas of the Western United States*: National Oceanographic and Atmospheric Administration, Atlas 2, v. IV—New Mexico, 43 p.
- Moench, R. H. and Schlee, J. S., 1967, Geology and uranium deposits of the

- Laguna district, New Mexico: U.S. Geological Survey, Professional Paper 519, 117 p.
- Molenaar, C. M., 1973, Sedimentary facies and correlation of the Gallup Sandstone and association formations, northwestern New Mexico: Four Corners Geological Society, Memoir, p. 85-110.
- Molenaar, C. M., 1983, Principal reference section of Gallup Sandstone, northwestern New Mexico: *in* Hook, S. C., compiler, Contributions to mid-Cretaceous paleontology and stratigraphy of New Mexico, part II: New Mexico Bureau of Mines and Mineral Resources, Circular 185.
- Moore, S. L., 1989, in press, Geologic map of the Blue Mesa quadrangle, Cibola County, New Mexico: U.S. Geological Survey, Geologic Quadrangle Map.
- Nichols, R. L., 1946, McCarty's basalt flow, Valencia [Cibola] County, New Mexico: Geological Society of America Bulletin, v. 57, p. 1049-1066.
- Northrop, S. A., 1982, Earthquakes of the Albuquerque Country: New Mexico Geological Society, Guidebook 33, p. 171-178.
- Nummendal, D., Wright, R. and Swift, D. J. P., 1988, Sequence stratigraphy of Upper Cretaceous strata of San Juan Basin, New Mexico: AAPG-SEPM 73rd annual meeting field guide, 216 p.
- Ogg, J. G. and Lowrie, W., 1986, Magnetostratigraphy of the Jurassic/Cretaceous boundary: *Geology*, v. 14, p. 547-550.
- Pearce, T. M., 1965, New Mexico place names, a geographical dictionary: Albuquerque, University of New Mexico Press, 187 p.
- Peirce, H. W., 1985, Arizona's backbone: the transition zone: Arizona Bureau of Geology and Mineral Technology, Fieldnotes, v. 15, p. 1-6.
- Pipiringos, G. N. and O'Sullivan, R. B., 1978, Principal unconformities in Triassic and Jurassic rocks, Western Interior United States—a preliminary survey: U.S. Geological Survey, Professional Paper 1035-A, p. 1-29.
- Poole, F. G., 1961, Stream directions in the Triassic of Colorado: U.S. Geological Survey, Professional Paper 424-C.
- Ramsay, J. G. and Huber, J. M., 1983, The techniques of modern structural geology, v. 1: strain analysis. New York, Academic Press Inc., 307 p.
- Renault, J., 1970, Major element variations in the Potrillo, Carrizozo, and McCarty's basalt fields, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 113.
- Repenning, C. A. and Irwin, J. H., 1954, Bidahochi Formation of Arizona and New Mexico: American Association of Petroleum Geologists Bulletin, v. 38, p. 1821-1826.
- Reynolds, S. J., 1988, Geologic map of Arizona (scale 1:1,000,000): Arizona Geological Survey, Map 26.
- Risser, D. W. and Lyford, F. P., 1983, Water resources on the Pueblo of Laguna, west-central New Mexico: U.S. Geological Survey, Water-Resources Investigations Report 83-4083, 308 p.
- Roybal, G. H. and Campbell, F. W., 1981, Stratigraphic sequence in drilling data from the Salt Lake coal field: New Mexico Bureau of Mines and Mineral Resources, Open-file Report 145.
- Schlee, J. S. and Moench, R. H., 1963, Geologic map of the Mesita quadrangle, New Mexico: U.S. Geological Survey, Geologic Quadrangle Map GQ-210.
- Sears, J. D., 1925, Geology and coal resources of the Gallup-Zuni basin, New Mexico: U.S. Geological Survey, Bulletin 767, 53 p.
- Sears, J. D., 1934, Geology and fuel resources of the southern part of the San Juan Basin, New Mexico, part I: U.S. Geological Survey, Bulletin 860-A.
- Shaler, M. K., 1907, A reconnaissance survey of the western part of the Durango-Gallup coal field of Colorado and New Mexico: U.S. Geological Survey, Bulletin 316-F.
- Shomaker, J. W., Beaumont, E. C. and Kottowski, F. E., 1971, Strippable low sulfur coal resources of the San Juan Basin, New Mexico and Colorado: New Mexico Bureau of Mines and Mineral Resources, Memoir 25, 189 p.
- Silver, Caswell, 1948, Jurassic overlap in western New Mexico: American Association of Petroleum Geologists Bulletin, v. 32, p. 68-81.
- Simpson, G. G., 1926, The age of the Morrison Formation: *American Journal of Science*, v. 12, p. 198-216.
- Slack, P. B. and Campbell, J. A., 1976, Structural geology of the Rio Puerco fault zone and its relationship to central New Mexico tectonics: New Mexico Geological Society, Special Publication 6, p. 46-52.
- Smith, C. T., 1954, Geology of the Thoreau quadrangle, McKinley and Valencia counties, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 31.
- Smith, C. T., Foster, R. W. and Ostrander, R., 1959, Supplemental road log Ramah to McGaffey: New Mexico Geological Society, Guidebook 10, p. 49.
- Smith, R. L., Bailey, R. A. and Ross, C. S., 1970, Geologic map of Jemez Mountains, New Mexico: U.S. Geological Survey, Miscellaneous Investigations Series Map I-571, scale 1:125,000.
- Stewart, H. H., Poole, P. G. and Wilson, R. F., 1972a, Stratigraphy and origin of the Chinle Formation and related strata in the Colorado Plateau region: U.S. Geological Survey, Professional Paper 690.
- Stewart, J. H., Poole, F. G. and Wilson, R. F., 1972b, Stratigraphy and origin of the Triassic Moenkopi Formation and related strata in the Colorado Plateau region: U.S. Geological Survey, Professional Paper 691, 195 p.
- Sylvester, A. G., 1988, Strike-slip faults: *Geological Society of America Bulletin*, v. 100, p. 1666-1703.
- Thaden, R. E., Merrin, S. and Raup, O. B., 1967a, Geologic map of the Grants SE quadrangle, Valencia County [now Cibola County], New Mexico: U.S. Geological Survey, Geologic Quadrangle Map GQ-682, scale 1:24,000.
- Thaden, R. E., Santos, E. S. and Raup, O. B., 1967b, Geologic map of the Grants quadrangle, Valencia County [now Cibola County], New Mexico: U.S. Geological Survey, Geologic Quadrangle Map GQ-618, scale 1:24,000.
- Thompson, G. A. and Zoback, M. L., 1979, Regional geophysics of the Colorado Plateau: *Tectonophysics*, v. 61, p. 149-181.
- Tuan, Y., Everard, C. E. and Widdison, J. G., 1969, The climate of New Mexico: State Planning Office, Report, 169 p.
- Ward, L. F., 1901, Geology of the Little Colorado Valley: *American Journal of Science* (4), v. 12, p. 401.
- Weber, R. H. and Austin, G. S., 1982, Perlite in New Mexico; *in* Austin, G. S., compiler, Industrial rocks and minerals of the Southwest: New Mexico Bureau of Mines and Mineral Resources, Circular 1982, p. 97-101.
- Wells, S., Bullard, T. F., Condit, C. D., Jercinovic, M., Lozinsky, R. P. and Rose, D. E., 1982, Geomorphic processes on the alluvial valley floor of the Rio Puerco: New Mexico Geological Society, Guidebook 33.
- Wengerd, S. A., 1950, Triassic of northwestern New Mexico and southwestern Colorado: New Mexico Geological Society, Guidebook 1, p. 67-75.
- Wengerd, S. A., 1959, Regional geology as related to the petroleum potential of the Lucero region, west-central New Mexico: New Mexico Geological Society, Guidebook 10, p. 121-134.
- Williams, G. H., Turner, F. J. and Gilbert, G. M., 1982, Petrography (2nd edition): San Francisco, W. H. Freeman and Company, 344 p.
- Wilpolt, R. H. and Wanek, A. A., 1951, Geology of the region from Socorro and San Antonio east to Chupadera Mesa, Socorro County, New Mexico: U.S. Geological Survey, Oil and Gas Investigations Map, OM-121.
- Woodward, L. A., 1982, Tectonic framework of Albuquerque Country: New Mexico Geological Society, Guidebook 33, p. 141-146.
- Wright, H. E., Jr., 1943, Cerro Colorado, an isolated non-basaltic volcano in central New Mexico: *American Journal of Science*, v. 241, p. 43-56.
- Wright, H. E., Jr., 1946, Tertiary and Quaternary geology of the lower Rio Puerco area, New Mexico: *Geological Society of America Bulletin*, v. 57, p. 383-456.
- Zoback, M. L., 1988, State of stress in the Rocky Mountain region: *Geological Society of America, Abstracts with Programs*, v. 20, p. A12.