

New Mexico Geological Society

Downloaded from: <https://nmgs.nmt.edu/publications/guidebooks/44>



Roadlog References

(Includes references for all roadlogs in this volume.)

in:
Carlsbad Region (New Mexico and West Texas), Love, D. W.; Hawley, J. W.; Kues, B. S.; Austin, G. S.; Lucas, S. G.; [eds.], New Mexico Geological Society 44th Annual Fall Field Conference Guidebook, 357 p.
<https://doi.org/10.56577/FFC-44>

This is a section from the 1993 NMGS Fall Field Conference Guidebook.

Annual NMGS Fall Field Conference Guidebooks

Every fall since 1950, the New Mexico Geological Society (NMGS) has held an annual [Fall Field Conference](#) that explores some region of New Mexico (or surrounding states). Always well attended, these conferences provide a guidebook to participants. Besides detailed road logs, the guidebooks contain many well written, edited, and peer-reviewed geoscience papers. These books have set the national standard for geologic guidebooks and are an essential geologic reference for anyone working in or around New Mexico.

Free Downloads

NMGS has decided to make peer-reviewed papers from our Fall Field Conference guidebooks available for free download. This is in keeping with our mission of promoting interest, research, and cooperation regarding geology in New Mexico. However, guidebook sales represent a significant proportion of our operating budget. Therefore, only *research papers* are available for download. *Road logs*, *mini-papers*, and other selected content are available only in print for recent guidebooks.

Copyright Information

Publications of the New Mexico Geological Society, printed and electronic, are protected by the copyright laws of the United States. No material from the NMGS website, or printed and electronic publications, may be reprinted or redistributed without NMGS permission. Contact us for permission to reprint portions of any of our publications.

One printed copy of any materials from the NMGS website or our print and electronic publications may be made for individual use without our permission. Teachers and students may make unlimited copies for educational use. Any other use of these materials requires explicit permission.

This page is intentionally left blank to maintain order of facing pages.

ROAD-LOG REFERENCES

- Adams, J. E., 1944, Upper Permian Ochoa series of Delaware Basin, west Texas and southeastern New Mexico: *American Association of Petroleum Geologists Bulletin*, v. 28, p. 1596-1625.
- Adams, J. E., 1965, Stratigraphic-tectonic development of the Delaware Basin: *American Association of Petroleum Geologists Bulletin*, v. 49, p. 2140-2148.
- Adams, J. E., 1988, Historic Guadalupe Pass: West Texas Geological Society, Guidebook 88-84, p. 191-196.
- Adams, J. E. and Frenzel, H. N., 1950, Capitan barrier reef, Texas and New Mexico: *Journal of Geology*, v. 58, p. 289-312.
- Adkins, W. S., 1927, The geology and mineral resources of the Fort Stockton quadrangle: University of Texas, Bureau of Economic Geology, Bulletin 2738, 166 p.
- Alexander, J. I. D. and Watkinson, A. J., 1989, Microfolding in the Permian Castile Formation: *Geological Society of America Bulletin*, v. 101, p. 742-750.
- Allen, B. D. and Hawley, J. W., 1991, Lake Estancia basin tour: New Mexico Bureau of Mines and Mineral Resources, Bulletin 137, p. 130-134.
- Anderson, R. Y., 1981, Deep-seated salt dissolution in the Delaware Basin, Texas and New Mexico: *New Mexico Geological Society, Special Publication* 10, p. 133-145.
- Anderson, R. Y., 1982a, A long geoclimatic record from the Permian: *Journal of Geophysical Research*, v. 87, p. 7285-7294.
- Anderson, R. Y., 1982b, Deformation-dissolution potential of bedded salt, Waste Isolation Pilot Project Site, Delaware Basin, New Mexico: *Fifth International Symposium of Scientific Basis of Radioactive Waste Management*, Berlin, 10 p.
- Anderson, R. Y. and Dean, W. E. (in press), Filling the Delaware Basin: hydrologic and climatic controls on the Permian Castile evaporite; *in* Scholle, P. A. and Peryt, T. M., eds., *The Permian of the northern continents: facies, faunas and paleogeography*: Heidelberg, Springer-Verlag.
- Anderson, R. Y. and Kirkland, D. W., 1980, Dissolution of salt deposits by brine density flow: *Geology*, v. 8, p. 66-69.
- Anderson, R. Y. and Kirkland, D. W., 1987, Banded evaporites, Delaware Basin, New Mexico: *Geological Society of America, Rocky Mountain Section, Centennial Field Guide*, p. 455-458.
- Anderson, R. Y., Kietzke, K. K. and Rhodes, D. J., 1978, Development of dissolution breccias, Northern Delaware Basin, New Mexico and Texas: *New Mexico Bureau of Mines and Mineral Resources, Circular* 159, p. 47-52.
- Anderson, R. Y., Dean, W. E. Jr., Kirkland, D. W. and Snider, H. I., 1972, Permian varved Castile evaporite sequence, west Texas and New Mexico: *Geological Society of America Bulletin* 83, p. 59-86.
- Aristarian, L. F., 1970, Chemical analyses of caliche profiles from the High Plains, New Mexico: *Journal of Geology*, v. 78, p. 201-212.
- Ash, S. R., 1963, Ground-water conditions in northern Lea County, New Mexico: U.S. Geological Survey, *Hydrologic Investigations Atlas* HA-62, 2 sheets, scale 1:250,000.
- Ashbaugh, K. M. and Metcalf, A. L., 1986, Fossil molluscan faunas from four spring-related deposits in the northern Chihuahua Desert, southern New Mexico and westernmost Texas: *New Mexico Bureau of Mines and Mineral Resources, Circular* 200, 25 p.
- Assereto, R. and Kendall, C. G., 1977, Nature, origin and classification of peritidal tepee structures and related breccias: *Sedimentology*, v. 24, p. 153-210.
- Axelrod, D. K. and Bailey, H. P., 1976, Tertiary vegetation, climate and altitude of the Rio Grande depression, New Mexico-Colorado: *Paleobiology*, v. 2, p. 235-254.
- Babcock, J. A., 1974, The role of algae in the formation of the Capitan limestone (Permian, Guadalupian), Guadalupe Mountains, west Texas-New Mexico [Ph.D. dissertation]: Madison, University of Wisconsin, 241 p.
- Bachman, G. O., 1976, Cenozoic deposits of southeastern New Mexico and an outline of the history of evaporite dissolution: U.S. Geological Survey, *Journal of Research*, v. 4, p. 135-149.
- Bachman, G. O., 1980, Regional geology and Cenozoic history of Pecos region, southeastern New Mexico: U.S. Geological Survey, Open-file Report 80-1099, 116 p.
- Bachman, G. O., 1981, Geology of Nash Draw, Eddy County, New Mexico: U.S. Geological Survey, Open-file Report 81-31, 8 p.
- Bachman, G. O., 1984, Regional geology of Ochoan evaporites, northern part of Delaware Basin: *New Mexico Bureau of Mines and Mineral Resources, Circular* 184, 22 p.
- Bachman, G. O., 1987, Karst in evaporites in southeastern New Mexico: Sandia National Laboratories, Contractor Report SAND86-7078, 82 p.
- Bachman, G. O., 1989, Annotated bibliography of paleoclimate studies relevant to the Waste Isolation Pilot Plant, southeastern New Mexico: Sandia National Laboratories, Sandia Report SAND89-7087•UC-721, 32 p.
- Bachman, G. O. and Machette, M. N., 1977, Calcic soils and calcretes in the southwestern United States: U.S. Geological Survey, Open-file Report 77-794, 163 p.
- Bailey, L. R., ed., 1963, The A. B. Gray report; survey of a route on the 32nd Parallel for the Texas Western Railroad, 1854: Los Angeles, Westernlore Press, 240 p.
- Baker, C. L., 1915, Geology and underground waters of the northern Llano Estacado, Texas: University of Texas Bulletin 57, 224 p.
- Baldwin, B. and Muehlberger, W. R., 1959, Geologic studies of Union County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 63, 171 p.
- Baltz, E. H., 1965, Stratigraphy and history of the Raton Basin and notes on the San Luis Basin, Colorado-New Mexico: *American Association of Petroleum Geologists Bulletin*, v. 49, p. 2041-2075.
- Barker, C. E., 1993, Calibration of a vitrinite reflectance geothermometer using peak temperature from fluid inclusions: *Geochemistry Division, American Chemical Society, 206th annual meeting, Abstracts* (in press).
- Barker, C. E. and Pawlewicz, M. J., 1987, The effects of igneous intrusions and higher heat flow on the thermal maturity of Leonardian and younger rocks, western Delaware Basin, Texas; *in* Cromwell, D. W., ed., *Glass Mountains Guidebook*: Society of Economic Paleontologists and Mineralogists, p. 69-83.
- Barker, D. E., Long, L. E., Hoops, G. K. and Hodges, F. N., 1977, Petrology and Rb-Sr isotope geochemistry of intrusions in the Diablo Plateau, northern Trans-Pecos magmatic province, Texas and New Mexico: *Geological Society of America Bulletin*, v. 88, p. 1437-1446.
- Barker, J. M., 1983, Preliminary investigation of the origin of the Riley travertine, Socorro County, New Mexico: *New Mexico Geological Society, Guidebook* 34, p. 269-276.
- Bartsch-Winkler, S., ed., 1992, Mineral and energy resources of the BLM Roswell Resource Area, east-central New Mexico: U.S. Geological Survey, Open-file Report 92-261, 153 p.
- Bartsch-Winkler, S. (in press), Mineral and energy resources of the Roswell Resource Area, east-central New Mexico: U.S. Geological Survey, *Miscellaneous Investigations Map* 1-2400, scale 1:500,000.
- Bates, R. L. and Jackson, J. A., 1980, *Glossary of geology*, 2nd edition: American Geological Institute, p. 89, 191.
- Baumgardner, R. W. Jr., Hoadley, A. D. and Goldstein, A. G., 1982, Formation of the Wink Sink, a salt dissolution and collapse feature, Winkler County, Texas: *Texas Bureau of Economic Geology, Report of Investigations* 114, 38 p.
- Beauheim, R. L. and Holt, R. M., 1990, Hydrogeology of the WIPP site; *in* Geological and hydrological studies of evaporites in the northern Delaware Basin for the Waste Isolation Pilot Plant (WIPP), New Mexico: Dallas Geological Society-Geological Society of America, Field Trip 14, p. 131-179.
- Betancourt, J. L., Van Devender, T. R. and Martin, P. S., eds., 1990, *Packrat middens: the last 40,000 years of biotic change*: Tucson, The University of Arizona Press, 467 p.
- Bieber, R. P., ed., 1938, *Journal of W. H. C. Whiting; in* *Southwestern Trails, 1846-1854*: Glendale, CA, Arthur H. Clark Company, p. 328.
- Biot, M. A., 1965, Further development of the theory of internal buckling of multilayers: *Geological Society of America Bulletin*, v. 76, p. 833-840.
- Birkeland, P. W., 1984, *Soils and geomorphology*: New York, Oxford University Press, 372 p.
- Birkeland, P. W., Machette, M. N. and Haller, K. M., 1991, Soils as a tool for applied Quaternary geology: *Utah Geological and Mineral Survey, Miscellaneous Publication* 91-3, 63 p.
- Bishop, S. W. and Dixon, L. P., 1968, Sulfur occurrences in the Rustler Springs Sulfur District, Culberson and Reeves Counties, Texas; *in* Silver B. A., ed., *Guadalupe facies, Apache Mountains area West Texas, symposium and guidebook, 1968 field trip: Permian Basin Section, Society of Economic Paleontologists and Mineralogists, Publication* 68-11, p. 91-93.
- Bjorklund, L. H., 1957, Reconnaissance of ground-water conditions in Crow Flats area, Otero County, New Mexico: *New Mexico State Engineer, Technical Report* no. 8, 19 p.
- Black, B. A., 1975, Geology and oil and gas potential of the northeast Otero platform area, New Mexico: *New Mexico Geological Society, Guidebook* 26, p. 323-332.
- Boms, D. J., 1983, Petrographic study of evaporite deformation near the Waste Isolation Pilot Plant (WIPP): *Sandia Report SAND83-066*, 55 p.
- Boms, D. J., 1987, The geologic structures observed in drill hole DOE-2 and their possible origins: *Waste Isolation Plant: SAND86-1495*, Sandia National Laboratories, Albuquerque, New Mexico, 24 p.
- Bose, E., 1910, *Monografía geológica y paleontológica del Cerro de Muleros*: Instituto Geológico de Mexico, Boletín 25, 191 p.

- Boyd, D. W., 1955, Stratigraphy of the Brokeoff Mountains: Permian Field Conference, Guadalupe Mountains, Permian Basin Section, Society of Economic Paleontologists and Mineralogists Guidebook, p. 47-51.
- Boyd, D. W., 1958, Permian sedimentary facies, central Guadalupe Mountains, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 49, 100 p.
- Boyd, F. M. and Kreider, C. W., 1987, Hydrogeology of a gypsum playa, northern Salt Basin, Texas: Bureau of Economic Geology, University of Texas at Austin, Report of Investigations 158, 37 p.
- Brand, J. P. and DeFord, R. K., 1962, Geology of eastern half of Kent Quadrangle, Culberson, Reeves and Jeff Davis Counties, Texas: The University of Texas at Austin, Bureau of Economic Geology, Geologic Quadrangle Map GQ-24, scale 1:63,360.
- Bredhoeft, J. D., Cooper, H. H. Jr. and Papadopoulos, I. S., 1965, Inertia and storage effects in well-aquifer systems: an analog investigation: Water Resources Research, v. 2, p. 697-707.
- Bretz, J. H., 1949, Carlsbad Caverns and other caves of the Guadalupe block, New Mexico: Journal of Geology, v. 57, p. 447-463.
- Bretz, J. H. and Horberg, L. H., 1949a, Caliche of southeastern New Mexico: Journal of Geology, v. 57, p. 492-511.
- Bretz, J. H. and Horberg, L. H., 1949b, The Ogalalla Formation west of the Llano Estacado: Journal of Geology, v. 57, p. 477-490.
- Brewer, R., 1976, Fabric and mineral analysis of soils: Huntington, New York: R. E. Krieger Publishing Company, 482 p.
- Brewster, J., 1979, \$52.5 million project, Washington Ranch to convert to storage: Drill Bit Magazine, v. 28, no. 7, p. 22-23.
- Brooks, R. P. Jr., 1964, Delaware Basin exploration: west Texas: Rinehart Oil News Company, Dallas, p. A1-E105.
- Brown, A. and Loucks, R., 1988, Castles in the Castile Formation: West Texas Geological Society, Publication 88-84, p. 114-116.
- Budding, A. J., 1964, Geologic outline of the Jicarilla Mountains, Lincoln County, New Mexico: New Mexico Geological Society, Guidebook 15, p. 82-86.
- Bullington, N. R., 1968, Geology of the Carlsbad Caverns; *in* Delaware Basin Exploration, West Texas Geological Society, Guidebook 68-55, p. 20-23. Bureau of Economic Geology, 1974, Geologic atlas of Texas, Brownfield Sheet (NM-TX): The University of Texas at Austin, scale 1:250,000.
- Bureau of Economic Geology, 1976a, Geologic atlas of Texas, Hobbs Sheet (NM-TX): The University of Texas at Austin, scale 1:250,000.
- Bureau of Economic Geology, 1976b, Geologic atlas of Texas, Pecos Sheet: The University of Texas at Austin, scale 1:250,000.
- Bureau of Economic Geology, 1978, Geologic atlas of Texas, Clovis Sheet (NM-TX): The University of Texas at Austin, scale 1:250,000.
- Bureau of Economic Geology, 1983, Geologic atlas of Texas, Van Horn-El Paso Sheet: The University of Texas at Austin, scale 1:250,000.
- Bureau of Land Management, 1984, Preliminary map showing distribution of potash resources, Carlsbad mining district, Eddy and Lea Counties, New Mexico: scale 1:63,360.
- Calzia, J. P. and Hiss, W. L., 1978, Igneous rocks in northern Delaware Basin, New Mexico and Texas: New Mexico Bureau of Mines and Mineral Resources, Circular 159, p. 39-45.
- Carlisle, D., Merifield, P. M., Orme, A. R., Kohl, M. S. and Kolker, O., 1978, The distribution of calcrites and gyperetes in southwestern United States and their uranium favorability based on deposits in western Australia and southwest Africa (Namibia): U.S. Department of Energy, Open-file Report GJBS-29(78), 274 p.
- Cauffman, T. L., LaVenue, A. M. and McCord, J. P., 1990, Ground water flow modeling of the Culebra Dolomite: Sandia National Laboratory Report SAND89-7068, v. 2, appendices A-H.
- Chapin, C. E., 1988, Axial basins of the northern and central Rio Grande rift; *in* Sloss, L. S. et al., eds., Sedimentary cover-North American craton (U.S.): Geological Society of America, Geology of North America, v. D-2, p. 165-170.
- Cobbold, P. R., 1976, Fold shapes as functions of progressive strain: Royal Society of London Philosophical Transactions, v. 283, p. 129-138.
- Collins, E. W. and Raney, S. A., 1991, Tertiary and Quaternary structure and paleotectonics of the Hueco Basin, Trans-Pecos Texas and Chihuahua, Mexico: The University of Texas at Austin, Bureau of Economic Geology, Geological Circular GC 91-2, 44 p.
- Conkling, R. P. and Conkling, M. B., 1947, Butterfield Overland Mail, 1857-1869, Vols. I, II, III: Glendale, CA, Arthur H. Clark Publishing Company.
- Cooper, J. B. and Glanzman, V. M., 1971, Geohydrology of Project Gnome site, Eddy County, New Mexico: U.S. Geological Survey, Professional Paper 712-A, 24 p.
- Coppersmith, K. L., 1991, Seismic source characterization for engineering seismic hazard analyses: Fourth International Conference on Seismic Zonation, v. 1, p. 3-62.
- Cornell University Department of Agronomy, 1986, Designations of master horizons and layers in soils: Soil Management Support Service, Soil Conservation Service, Washington, DC, 16 p.
- Cox, E. R., 1967, Geology and hydrology between Lake McMillan and Carlsbad Springs, Eddy County, New Mexico: Washington, U.S. Government Printing Office, 48 p.
- Crawford, J. E., 1990, Geology and Frasch-mining operations of the Culberson sulphur mine, Culberson County, West Texas; *in* Industrial minerals resources of the Delaware Basin: Texas and New Mexico Society of Economic Geologists (SEG) Guidebook Series, v. 8, p. 141-162.
- Curl, R. L., 1974, Deducing flow velocity in cave conduits from scallops: National Speleological Society Bulletin, v. 26, p. 74.
- Cys, J. M., 1978, Transitional nature and significance of the Castile-Bell Canyon contact: New Mexico Bureau of Mines and Mineral Resources, Circular 159, p. 53-56.
- Dane, C. H. and Bachman, G. O., 1965, Geologic map of New Mexico: U.S. Geological Survey, scale 1:500,000.
- Darton, N. H., 1928a, "Red beds" and associated formations within New Mexico with outline of the geology of the state: U.S. Geological Survey, Bulletin 794, 356 p.
- Darton, N. H., 1928b, Geologic map of New Mexico: U.S. Geological Survey, scale 1:500,000.
- Davis, D. G., 1973, Sulfur in Cottonwood Cave, Eddy County, New Mexico: National Speleological Society Bulletin, v. 35, p. 89-95.
- Davis, D. G., 1980, Cave development in the Guadalupe Mountains—a critical review of recent hypotheses: National Speleological Society Bulletin, v. 42, p. 42-48.
- Davis, J. B. and Kirkland, D. W., 1970, Native sulfur deposition in the Castile Formation, Culberson County, Texas: Economic Geology, v. 65, p. 107-121.
- Davis, J. B. and Kirkland, D. W., 1979, Biopigenetic sulfur deposits: Economic Geology, v. 74, p. 462-468.
- Davis, J. B., Stanley, J. P. and Custard, H. C., 1970, Evidence against oxidation of hydrogen sulfide by sulfate ions to produce elemental sulfur in salt domes: American Association of Petroleum Geologists Bulletin, v. 54, p. 2444-2447.
- Dean, W. E. and Anderson, R. Y., 1978, Salinity cycles: evidence for sub-aqueous deposition of the Castile Formation and lower part of the Salado Formation, Delaware Basin Texas and New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 159, p. 15-20.
- Department of the Interior, 1986, Oil, gas and potash leasing and development within the designated potash area of Eddy and Lea Counties, New Mexico: Federal Register, v. 51, no. 208, p. 39,425-39,427.
- Dodd, B. and Humphries, L., 1988, Hazards assessment of worst case transportation accidents involving typical radioactive material shipments: Health Physics, v. 55, p. 963-983.
- DOE/WIPP, 1990, Vibratory ground motion: Waste Isolation Pilot Plant, Final Safety Analysis Report WP 02-9, v. II, p. 2.8.1-2.8.74.
- Doser, D. I., Baker, M. R., Luo, M., Marroquin, P., Ballesteros, L., Kingwell, J., Diaz, H. L. and Kaip, G. (in press), The not so simple relationship between seismicity and oil production in the Permian Basin, West Texas: Journal of Pure and Applied Geophysics.
- DuChene, H. R. and McLean, J. S., 1989, The role of hydrogen sulfide in the evolution of caves in the Guadalupe Mountains of southeastern New Mexico; *in* Harris, P. M. and Grover, E., eds., Subsurface and outcrop examination of the Capitan shelf margin, northern Delaware Basin: Society of Economic Paleontologists and Mineralogists, Core Workshop 13, p. 475-481.
- Dunham, R. J., 1972, Capitan reef, New Mexico and Texas: Facts and questions to aid interpretation and group discussion: Permian Basin Section, Society of Economic Paleontologists and Mineralogists, Publication 72-14, variously paged.
- Eager, G. P., 1983, Core from the lower Dewey Lake, Rustler, and upper Salado Formation, Culberson County, Texas: Permian Basin Section, Society of Economic Paleontologists and Mineralogists, Core Workshop 2, p. 273-283.
- Egemeier, S. J., 1981, Cavern development by thermal waters: National Speleological Society Bulletin, v. 43, p. 31-51.
- Egemeier, S. J., 1987, A theory for the origin of Carlsbad Cavern: National Speleological Society Bulletin, v. 49, p. 73-76.
- Engwall, C., 1977, Washington Ranch Morrow (gas): The oil and gas fields of southeast New Mexico: Roswell Geological Society, p. 214-215.
- EPA, 1990, Radiation monitoring around United States nuclear test areas, calendar year 1990: U.S. Environmental Protection Agency, Offsite Environmental Monitoring Report EPA/600/4-90, 95 p.
- Estaban, M., 1976, Vadose pisolite and caliche: American Association of Petroleum Geologists Bulletin, v. 60, p. 2048-2057.
- Estaban, M., 1977, Locality guide, Stop V, Quaternary caliche, near Carlsbad Airport; *in* Upper Guadalupian facies, Permian reef complex, Guadalupe

Mountains, New Mexico and west Texas: Permian Section, Society of
Eco-

- conomic Paleontologists and Mineralogists, Publication 77-16, v. 2, p. G-73-G-77.
- Esteban, M. and Pray, L. C., 1977, Origin of the pisolite facies of the shelf crest; *in* Hileman, M. E. and Mazzullo, S. J., eds., Upper Guadalupian facies, Permian Reef Complex, Guadalupe Mountains, New Mexico and west Texas: Permian Basin Section, Society of Economic Paleontologists and Mineralogists, Field Conference Guidebook 77-16, v. 1, p. 479-484.
- Fiedler, A. G. and Nye, S. S., 1933, Geology and ground-water resources of the Roswell artesian basin: U.S. Geological Survey, Water Supply Paper 639, 372 p.
- Fischer, A. G. and Sarnthein, M., 1988, Airborne silts and dune-derived sands in the Permian of the Delaware Basin: *Journal of Sedimentary Petrology*, v. 58, p. 637-643.
- Fitchen, W. M., 1992, Sequence stratigraphy of the upper San Andres Formation and Cherry Canyon Tongue (Permian, Guadalupian), southern Brokeoff Mountains, New Mexico [M.A. thesis]: Austin, The University of Texas, 155 p.
- Ford, D. C. and Ewers, R. O., 1978, The development of limestone cave systems in the dimensions of length and depth: *Canadian Journal of Earth Sciences*, v. 15, p. 1783-1798.
- Ford, D. C. and Hill, C. A., 1989, Dating results from Carlsbad Cavern and other caves in the Guadalupe Mountains, New Mexico: *Ischron/West*, v. 54, p. 3-7.
- Frenzel, H. N., 1988, The Indian Basin Upper Pennsylvanian Gas Field, Eddy County, New Mexico: West Texas Geological Society, 1988 Field Seminar, West Texas Geological Society Publication 88-84, p. 169-170.
- Frye, J. C., Glass, H. D., Leonard, A. B. and Coleman, D. D., 1974, Caliche and clay mineral zonation of Ogallala Formation, central-eastern New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 144, 16 p.
- Gallegos, A. F. and Channell, J. K., 1990, Risk analysis of the transport of contact handled transuranic (CH-TRU) waste to WIPP along selected highway routes in New Mexico using Radtran IV: Environmental Evaluation Group, EEG-46, 55 p.
- Gard, L. M. Jr., 1968, Geologic studies, Project Gnome, Eddy County, New Mexico: U.S. Geological Survey, Professional Paper 589, 33 p.
- Gardner, L. R., 1972, Origin of the Mormon Mesa caliche, Clark County, Nevada: *Geological Society of America Bulletin*, v. 83, p. 143-156.
- Garza, S. and Wesselman, J. B., 1959, Geology and ground-water resources of Winkler County, Texas: Texas Board of Water Engineers, Bulletin 5916, 200 p.
- Gates, J. S., White D. E., Stanley, W. D. and Ackerman, J. D., 1980, Availability of fresh and slightly saline ground water in the basins of westernmost Texas: Austin, Texas Department of Water Resources, Report 256, 108 p.
- Gile, L. H., 1961, A classification of Ca horizons in soils of a desert region, Dofia Ana County, New Mexico: *Soil Science Society of America Proceedings*, v. 25, p. 52-61.
- Gile, L. H., 1975, Holocene soils and soil-geomorphic relations in an arid region of southern New Mexico: *Quaternary Research*, v. 5, p. 321-360.
- Gile, L. H., 1977, Holocene soils and soil-geomorphic relations in a semi-arid region of southern New Mexico: *Quaternary Research*, v. 7, p. 112-132.
- Gile, L. H., 1987, Book review of Weide, D. L., ed., Soils and Quaternary geology of the southwestern United States: *Quaternary Research*, v. 27, p. 335-336.
- Gile, L. H. and Grossman, R. B., 1979, The Desert Project soil monograph: National Technical Information Service, Document PB80-1 3534, Springfield, Virginia, 984 p.
- Gile, L. H., Hawley, J. W. and Grossman, R. B., 1981, Soils and geomorphology in the Basin and Range area of southern New Mexico-guidebook to the Desert Project: New Mexico Bureau of Mines and Mineral Resources, Memoir 39, 222 p.
- Gile, L. H., Peterson, F. F. and Grossman, R. B., 1965, The K horizon-master soil horizon of carbonate accumulation: *Soil Science*, v. 99, p. 74-82.
- Gile, L. H., Peterson, F. F. and Grossman, R. B., 1966, Morphological and genetic sequence of carbonate accumulation in desert soils: *Soil Science*, v. 101, 347-360.
- Good, J. M., 1957, Non-carbonate deposits of Carlsbad Caverns: *National Speleological Society Bulletin*, v. 19, p. 11-23.
- Goudie, A., 1973, *Duricrusts in tropical and subtropical landscapes*: Oxford, England: Clarendon Press, 174 p.
- Gould, C. N., 1902, General geology of Oklahoma, Second Biennial Report: Department of Geology and Natural History, Oklahoma Territory, p. 17-74.
- Gregory, K. M. and Chase, C. G., 1992, Tectonic significance of paleobotanically estimated climate and altitude of late Eocene erosion surface, Colorado: *Geology*, v. 20, p. 581-585.
- Guilinger, J. R. and Nestlerode, E. L., 1992, The geology and development of the Phillips Ranch sulfur deposit; *in* Wessel, G. R. and Wimberly, B. H., eds., Native sulfur: developments in geology and exploration: Society for Mining, Metallurgy and Exploration, Littleton, Colorado, 192 p.
- Gustayson, T. C., ed., 1990, Geologic framework and regional hydrology: upper Cenozoic Blackwater Draw and Ogallala Formations, Great Plains: Bureau of Economic Geology, The University of Texas at Austin, 244 p.
- Gustayson, T. C., Baumgardner, R. W. Jr., Caran, S. C., Holliday, V. T., Mehnert, H. H., O'Neill, J. M. and Reeves, C. C. Jr., 1991, Quaternary geology of the Southern Great Plains and an adjacent section of the Rolling Plains; *in* Morrison, R. B., ed., Quaternary non-glacial geology; conterminous U.S.: Boulder, Colorado, Geological Society of America, The Geology of North America, v. K-2, p. 477-501.
- Harms, J. D., 1974, Brushy Canyon Formation, Texas—a deep-water density current deposit: *Geological Society of America Bulletin*, v. 85, p. 1763-1784.
- Harris, A. H., 1987, Reconstruction of mid-Wisconsin environments in southern New Mexico: *National Geographic Research*, v. 3, p. 142-151.
- Harris, A. H., 1989, The New Mexican late Wisconsin-east versus west: *National Geographic Research*, v. 5, p. 205-217.
- Harris, M. T., 1987, Sedimentology of the Cutoff Formation (Permian), western Guadalupe Mountains, west Texas and New Mexico: *New Mexico Geology*, v. 9, p. 74-79.
- Hawley, J. W., 1978, compiler, Guidebook to Rio Grande rift in New Mexico and Colorado: New Mexico Bureau of Mines and Mineral Resources, Circular 163, 241 p.
- Hawley, J. W., 1984, The Ogallala Formation in eastern New Mexico; *in* Whetstone, G. A., ed., Proceedings, Ogallala aquifer symposium II: Lubbock, Texas Tech University Water Resources Center, p. 157-176.
- Hawley, J. W., 1993, Geomorphic setting and late Quaternary history of pluvial-lake basins in the southern New Mexico region: New Mexico Bureau of Mines and Mineral Resources, Open-file Report 391, 28 p.
- Hawley, J. W. and Lozinsky, R. P., 1992, Hydrogeologic framework of the Mesilla Basin in New Mexico and western Texas: New Mexico Bureau of Mines and Mineral Resources, Open-file Report 323, 55 p.
- Hawley, J. W., Bachman, G. O. and Manley, K., 1976, Quaternary stratigraphy in the Basin and Range and Great Plains provinces, New Mexico and western Texas; *in* Mahaney, W. C., ed., Quaternary stratigraphy of North America: Stroudsburg, Pennsylvania, Dowden, Hutchinson and Ross, Inc., p. 235274.
- Hayes, P. T., 1957, Geology of the Carlsbad Caverns East quadrangle, New Mexico: U.S. Geological Survey, Geological Quadrangle Map GQ-98, scale 1:62,500.
- Hayes, P. T., 1964, Geology of the Guadalupe Mountains, New Mexico: U.S. Geological Survey, Professional Paper 446, 69 p.
- Hayes, P. T., 1983, Mineral resource potential and geologic map of the Little Dog and Pup Canyons roadless area, Otero County, New Mexico: U.S. Geological Survey, Miscellaneous Field Studies Map MF-1468, scale 1:50,000.
- Hayes, P. T. and Bachman, G. O., 1979, Examination and reevaluation of evidence for a Barrera fault, Guadalupe Mountains, New Mexico: U.S. Geological Survey, Open-file Report 79-1520, 9 p.
- Hayes, P. T. and Koogler, R. L., 1958, Geology of the Carlsbad Caverns west quadrangle, New Mexico-Texas: U.S. Geological Survey, Geologic Quadrangle Map GQ-112, scale 1:62,500.
- Hendrickson, G. E. and Jones, R. S., 1952, Geology and ground-water resources of Eddy County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Ground-Water Report 3, 169 p.
- Henry, C. D., 1979, Geologic setting and geochemistry of thermal water and geothermal assessment, Trans-Pecos Texas: Texas Bureau of Economic Geology, Report of Investigations 96, 48 p.
- Henry, C. D. and Price, J. G., 1985, The Van Horn Mountain caldera, Trans-Pecos Texas-geology and development of a small (10 km) ash-flow caldera: Austin, University of Texas, Bureau of Economic Geology, Report of Investigations 149, 40 p.
- Henry, C. D. and Price, J. G., 1989, Geology; *in* Bedinger, M. S., Sargent, K. A. and Langer, W. H., Studies of geology and hydrology in the Basin and Range province, southwestern United States, for isolation of high-level radioactive waste-characterization of the Trans-Pecos region, Texas: U.S. Geological Survey, Professional Paper 1370-B, p. 4-22.
- Henry, J. B., 1974, The status of Morrow gas sand exploration in Eddy County, New Mexico: *Petroleum Engineering Magazine*, v. 46, n. 14, p. 36-50.
- Hentz, T. F. and Henry, C. D., 1989, Evaporite-hosted native sulfur in Trans-Pecos Texas: relation to late-phase Basin and Range deformation: *Geology*, v. 17, p. 400-403.
- Hill, C. A., 1987, Geology of Carlsbad Cavern and other caves in the Guadalupe Mountains, New Mexico and Texas: New Mexico Bureau of Mines and Mineral Resources, Bulletin 117, 150 p.

Hill, C. A., 1990, Sulfuric acid speleogenesis of Carlsbad Cavern and its re-

- relationship to hydrocarbons, Delaware Basin, New Mexico and Texas: American Association of Petroleum Geologists Bulletin, v. 74, p. 1685-1694.
- Hill, C. A., 1992, Isotopic values of native sulfur, barite, celestite and calcite: their relationship to sulfur deposits and to the evolution of the Delaware Basin (preliminary results); in Wessel, G. R. and Wimberly, B. H., eds., Native sulfur-developments in geology and exploration: Littleton, Colorado, Society for Mining, Metallurgy and Exploration, p. 147-157.
- Hill, C. A., 1993, Sulfide/barite/fluorite ore deposits, Guadalupe Mountains, New Mexico and West Texas: New Mexico Geology, v. 15 (in press).
- Hill, C. A. and Gillette, D. D., 1987, A uranium-series date for the Shasta ground sloth, *Nothrotheriops shastensis* from Carlsbad Cavern, New Mexico: Journal of Mammalogy, v. 68, p. 718-719.
- Hills, J. M., 1972, Late Pleistocene sedimentation in west Texas Permian Basin: American Association of Petroleum Geologists Bulletin, v. 56, p. 2303-2322.
- Hills, J. M., 1984, Sedimentation, tectonism and hydrocarbon generation in Delaware Basin, west Texas and southeastern New Mexico: American Association of Petroleum Geologists Bulletin, v. 68, p. 250-267.
- Hiss, W. L., 1973, Capitan aquifer observation well network, Carlsbad to Jal, New Mexico: New Mexico State Engineer Report 38, 76 p.
- Hiss, W. L., 1975a, Stratigraphy and ground-water hydrology of the Capitan aquifer, southeastern New Mexico and western Texas [Ph.D. dissertation]: Boulder, University of Colorado, 501 p.
- Hiss, W. L., 1975b, Thickness of the Permian Guadalupian Capitan aquifer, southeast New Mexico and west Texas: New Mexico Bureau of Mines and Mineral Resources, Resource Map 5, scale 1 inch= -8 mi.
- Hiss, W. L., 1975c, Chloride-ion concentration in ground water in Permian Guadalupian rocks, southeast New Mexico and west Texas, New Mexico Bureau of Mines and Mineral Resources, Resource Map 4, scale 1:500,000.
- Hiss, W. L., 1976a, Structure of the Permian (Guadalupian) Capitan aquifer, southeast New Mexico and west Texas: New Mexico Bureau of Mines and Mineral Resources, Resource Map 6, scale 1 inch= -8 mi.
- Hiss, W. L., 1976b, Structure of the Permian Ochoan Rustler Formation, southeast New Mexico and west Texas: New Mexico Bureau of Mines and Mineral Resources, Resource Map 7, scale 1:500,000.
- Hiss, W. L., 1980, Movement of ground water in Permian Guadalupian aquifer systems, southeastern New Mexico and western Texas: New Mexico Geological Society, Guidebook 31, p. 289-294.
- Holt, R. M., 1988, Depositional environments of the Rustler Formation [M.S. thesis]: El Paso, The University of Texas, p. 208.
- Holt, R. M. and Powers, D. W., 1986, Rustler Formation: evaporite end stages of a continental basin: Abstract, 12th International Sedimentological Congress, p. 141-142.
- Holt, R. M. and Powers, D. W., 1987, The Permian Rustler Formation at the WIPP Site, southeastern New Mexico; in Powers, D. W. and James, W. C., eds., Geology of the western Delaware Basin, west Texas and southeastern New Mexico: El Paso Geological Society Guidebook 18, p. 140-148.
- Holt, R. M. and Powers, D. W., 1990a, Geologic mapping of the air intake shaft at the Waste Isolation Pilot Plant: Carlsbad, New Mexico, U.S. Department of Energy, DOE-WIPP 90-051, appendices, 78 p.
- Holt, R. M. and Powers, D. W., 1990b, Halite sequences within the later Permian Salado Formation in the vicinity of the Waste Isolation Pilot Plant, southeastern New Mexico; in Geological and hydrological studies of evaporites in the northern Delaware Basin for the Waste Isolation Pilot Plant (WIPP), New Mexico: Dallas Geological Society-Geological Society of America, Field Trip 14, p. 45-78.
- Holt, R. M. and Powers, D. W., 1990c, The Late Permian Dewey Lake Formation at the Waste Isolation Pilot Plant, New Mexico: Dallas Geological Society-Geological Society of America, Field Trip 14, p. 107-129.
- Holt, R. M. and Powers, D. W., 1991, Water table controlled syndepositional alteration textures and fabrics in salt pan halite: modern analogues and ancient examples (abstract): American Association of Petroleum Geologists, Bulletin, v. 75, p. 596-597.
- Horak, R. E., 1975, Tectonic relationship of the Permian Basin to the Basin and Range Province; in Hills, J. S., ed., Exploration from the mountains to the basin: American Association of Petroleum Geologists, Southwest Section, Joint Meeting Transactions, El Paso Geological Society, p. 60-94.
- Horak, R. E., 1985, Tectonic and hydrocarbon maturation history in the Permian Basin: Oil and Gas Journal, v. 83, no. 21, p. 124-129.
- Horberg, L. H., 1949, Geomorphic history of the Carlsbad Caverns area, New Mexico: Journal of Geology, v. 57, p. 464-476.
- Hovorka, S. D., 1990, Sedimentary processes controlling halite deposition, Permian Basin, Texas [Ph.D. dissertation]: Austin, University of Texas, 393 p.
- Hovorka, S., 1992, Halite pseudomorphs after gypsum in bedded anhydrite-clue to gypsum-anhydrite relationships: Journal of Sedimentary Petrology, v. 62, p. 1098-1129.
- Hussain, M., Rohn, D. M. and Warren, J. K., 1988, Depositional environments and facies in a Quaternary continental sabkha, West Texas; in Guadalupe Mountains revisited, Texas and New Mexico: West Texas Geological Society, Publication 88-84, p. 177-185.
- Jacka, A. D., 1988, Contributions to the road log: third day-Carlsbad to Dark Canyon, Sitting Bull Falls, and Rocky Arroyo: West Texas Geological Society, Publication 88-84, p. 93, 94, 97-99.
- Jacka, A. D., Beck, R. H., St. Germain, L. C. and Harrison, S. C., 1968, Permian deep sea fans of the Delaware Mountain Group (Guadalupian), Delaware Basin; in Guadalupian facies, Apache Mountains area, west Texas: Permian Basin Section, Society of Economic Paleontologists and Mineralogists, Symposium and Guidebook, Publication 68-11, p. 49-90.
- Jacka, A. D., Thomas, C. M., Beck, R. H., Williams, K. W. and Harrison, S. C., 1972, Guadalupian depositional cycles; in Elam, J. G. and Chuber, S., eds., Cyclic sedimentation in the Permian Basin: West Texas Geological Society, p. 151-195.
- Jagnow, D. H., 1977, Geologic factors influencing speleogenesis in the Capitan reef complex, New Mexico and Texas [M.S. thesis]: Albuquerque, University of New Mexico, 197 p.
- Jagnow, D. H., 1979, Cavern development in the Guadalupe Mountains: Columbus, Ohio, Cave Research Foundation, 115 p.
- Jagnow, D. H., 1988, The geology of Lechuguilla Cave: National Speleological Society News, v. 46, p. 422-425.
- Jagnow, D. H. and Jagnow, R. R., 1992, Stories from stones: the geology of the Guadalupe Mountains: Carlsbad Caverns-Guadalupe Mountains Association, 40 p.
- Johnson, J. H., 1942, Permian lime-secreting algae from the Guadalupe Mountains, New Mexico: Geological Society of America Bulletin, v. 53, p. 195-226.
- Johnson, K. S., 1981, Dissolution of salt on the east flank of the Permian Basin in the southwestern U.S.A.: Journal of Hydrology, v. 54, p. 75-93.
- Johnson, K. S., 1986, Salt dissolution and collapse at the Wink Sink in west Texas: Columbus, Ohio, Batelle Memorial Institute, BMI/ONW 1-598, 83 p.
- Johnson, K. S., 1989, Development of the Wink Sink in west Texas due to salt dissolution and collapse: Environmental Geology and Water Sciences, v. 14, p. 81-92.
- Jones, C. L., 1954, The occurrence and distribution of potassium minerals in southeastern New Mexico: New Mexico Geological Society, Guidebook 5, p. 107-112.
- Jones, C. L., 1972, Permian basin potash deposits, southwestern United States; in Geology of saline deposits: UNESCO, Earth Science Series, no. 7, p. 191-201.
- Jones, C. L., 1973, Salt deposits of Los Medanos area, Eddy and Lea Counties, New Mexico: U.S. Geological Survey, Open-file Report 4339-72, 67 p.
- Jones, C. L., Bowles, C. G. and Bell, K. G., 1960, Experimental drill hole logging in potash deposits of the Carlsbad District, New Mexico: U.S. Geological Survey, Open-file Report 60-84, 22 p.
- Jones, C. L. and Madsen, B. M., 1959, Observations on igneous intrusions in late Permian evaporites, southeastern New Mexico: Geological Society of America Bulletin, v. 70, p. 1625-1626.
- Kabala, Z. J., Pinder, G. F. and Milly, P. C., 1985, Analysis of well response to a slug test: Water Resources Research, v. 21, p. 1433-1436.
- Kelley, V. C., 1971, Geology of the Pecos country, southeastern New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 24, 75 p.
- Kelley, V. C., 1980, Gafugia Formation (Late Cenozoic), Pecos Valley, New Mexico and Trans-Pecos Texas: New Mexico Geological Society, Guidebook 31, p. 213-217.
- Kennedy, J. W., 1991, Preoperational radiation surveillance of the WIPP project by EEG during 1990: Environmental Evaluation Group, EEG-49, 81 p.
- Kennedy, J. W., 1992, Preoperational radiation surveillance of the WIPP project by EEG during 1991: Environmental Evaluation Group, EEG-51, 77 p.
- Kennedy, J. W. and Ballard, S. C., 1990, Preoperational radiation surveillance of the WIPP project by EEG during 1989: Environmental Evaluation Group, EEG-47, 77 p.
- Kennedy, J. W., Rodgers, J., Chapman, J. and Shenk, K., 1990, Preoperational radiation surveillance of the WIPP project by EEG, 1985-1988: Environmental Evaluation Group, EEG-43, 158 p.
- Kerans, C. and Nance, H. S., 1991, High frequency cyclicity and regional depositional patterns of the Grayburg Formation, Guadalupe Mountains, New Mexico; in Meader-Roberts, S., Candelaria, M. P. and Moore, G. E., eds., Sequence stratigraphy, facies and reservoir geometries of the San Andres, Grayburg and Queen Formations, Guadalupe Mountains, New Mexico and Texas: Permian Basin Section-Society of Economic Paleontologists and Mineralogists Annual Field Trip, Publication 91-32, p. 53-69.
- King, P. B., 1942, Permian of west Texas and southeastern New Mexico: American Association of Petroleum Geologists Bulletin, v. 26, p. 535-763.

- King, P. B., 1948, Geology of the southern Guadalupe Mountains, Texas: U.S. Geological Survey, Professional Paper 215, 183 p.
- King, W. E. and Harder, V. M., 1985, Oil and gas potential of the Tularosa Basin-Otero platform-Salt Basin graben area, New Mexico and Texas: New Mexico Bureau of Mines and Mineral Resources, Circular 198, 36 p.
- Kipp, K. L., 1985, Type curve analysis of inertial effects in the response of a well to a slug test: *Water Resource Research*, v. 21, p. 1397-1408.
- Kirkland, D. W. and Anderson, R. Y., 1970, Microfolding in the Castile and Todilto evaporites, Texas and New Mexico: *Geological Society of America Bulletin*, v. 81, p. 3259-3282.
- Kirkland, D. W. and Evans, R., 1976, Origin of limestone buttes, Gypsum Plain, Culberson County, Texas: *American Association of Petroleum Geologists Bulletin*, v. 60, p. 2005-2018.
- Kirkland, D. W. and Evans, R., 1980, Origin of castles on the Gypsum Plain of Texas and New Mexico: *New Mexico Geological Society, Guidebook 31*, p. 173-178.
- Klemmick, G. F., 1992, Geology and mineralization of the Pokorny sulfur deposit, Culberson County, Texas; in Wessel, G. R. and Wimberly, B. H., eds., *Native sulfur-developments in geology and exploration*: Littleton, Colorado, Society for Mining, Metallurgy and Exploration, p. 109-123.
- Kreitler, C. W. and Sharp, J. M. Jr., 1990, Hydrogeology of Trans-Pecos Texas; in Kreitler, C. W. and Sharp, J. M. Jr., eds., *Hydrogeology of Trans-Pecos Texas: The University of Texas at Austin, Bureau of Economic Geology, Guidebook 25*, 120 p.
- Kreitler, C. W., Mullican, W. F. and Nativ, R., 1990, Hydrogeology of the Diablo Plateau, Trans-Pecos Texas; in Kreitler, C. W. and Sharp, J. M. Jr., eds., *Hydrogeology of Trans-Pecos Texas: The University of Texas at Austin, Bureau of Economic Geology, Guidebook 25*, p. 49-58.
- Lambert, P. W., 1978, Upper Santa Fe stratigraphy and geomorphic features of the Llano de Albuquerque: *New Mexico Bureau of Mines and Mineral Resources, Circular 163*, p. 151.
- Lambert, S. J., 1983, Dissolution of evaporites in and around the Delaware Basin, southeastern New Mexico and west Texas: SAND82-0461, Sandia National Laboratories, Albuquerque, New Mexico, 96 p.
- Lamplugh, G. W., 1902, Calcrete: *Geological Magazine*, v. 9, p. 75.
- Lang, W., 1935, Upper Permian formation of Delaware Basin of Texas and New Mexico: *American Association of Petroleum Geologists Bulletin*, v. 19, p. 262-270.
- Lang, W. B., 1938, Geology of the Pecos River between Laguna Grande de la Sal and Pierce Canyon; in Robinson, T. W. and Lang, W. B., eds., *Geology and ground-water conditions of the Pecos River Valley in the vicinity of Laguna Grande de la Sal, New Mexico; with special reference to the salt content of the river water*: *New Mexico State Engineer 12th and 13th Biennial Reports*, p. 80-86.
- Lang, W. B., 1947, Occurrence of Comanche rocks in Black River valley, New Mexico: *American Association of Petroleum Geologists Bulletin*, v. 31, p. 1472-1478.
- Lattman, L. H., 1973, Calcium carbonate cementation of alluvial fans in southern Nevada: *Geological Society of America Bulletin*, v. 84, p. 3013-3028.
- Lee, W. T., 1925, Erosion by solution and fill: *U.S. Geological Survey, Bulletin 760-D*, p. 107-121.
- Leonard, A. B. and Frye, J. C., 1962, Pleistocene molluscan faunas and physiographic history of Pecos Valley in Texas: *The University of Texas at Austin, Bureau of Economic Geology, Report of Investigations 45*, 42 p.
- Lindsay, R. F., 1991, Grayburg Formation (Permian-Guadalupian): comparison of reservoir characteristics and sequence stratigraphy in the northwest central basin platform with outcrops in the Guadalupe Mountains, New Mexico; in Meader-Roberts, S., Candelaria, M. P. and Moore, G. E., eds., *Sequence stratigraphy, facies and reservoir geometries of the San Andres, Grayburg and Queen Formations, Guadalupe Mountains, New Mexico and Texas: Permian Basin Section-SEPM, Publication 91-32*, p. 111-118.
- Liu, B. Y. H. and Pui, D. Y. H., 1981, Aerosol sampling inlets and inhalable particles: *Atmospheric Environment*, v. 15, p. 589-600.
- Logan, H. H., 1984, A ground-water recharge project associated with a flood protection plan in Hudspeth County, Texas-supportive geologic applications [M.S. thesis]: Fort Worth, Texas Christian University, 110 p.
- Loucks, R. and Brown, B., 1988, Shattuck Sandstone outcrop: *West Texas Geological Society, 1988, Field Seminar, Publication 88-84*, p. 96-97.
- Lovelace, A. D., 1972, Aggregate resources in central eastern New Mexico: *New Mexico Geological Society, Guidebook 23*, p. 187-191.
- Lowenstein, T. K., 1988, Origin of depositional cycles in a Permian "saline giant": the Salado (McNutt zone) evaporites of New Mexico and Texas: *Geological Society of America Bulletin*, v. 100, p. 592-608.
- Lozinsky, R. P. and Tedford, R. H., 1991, Geology and paleontology of the Santa Fe Group, southwestern Albuquerque Basin, Valencia County, New Mexico: *New Mexico Bureau of Mines and Mineral Resources, Bulletin 132*, 35 p.
- Lozinsky, R. P., Hawley, J. W. and Love, D. W., 1991, Geologic overview and Pleistocene-Quaternary history of the Albuquerque basin, central New Mexico: *New Mexico Bureau of Mines and Mineral Resources, Bulletin 137*, p. 157-162.
- Machette, M. N., 1978, Preliminary geologic map of the Socorro 1° by 2° quadrangle, central New Mexico: *U.S. Geological Survey, Open-file Report 78-607*.
- Machette, M. N., 1985, Calcic soils of the southwestern United States; in Weide, D. L., ed., *Quaternary soils and geomorphology of the American Southwest*: *Geological Society of America, Special Paper 203*, p. 1-21.
- Mack, G. H., James, W. C. and Monger, H. C., 1993a, Classification of paleosols: *Geological Society of America Bulletin*, v. 105, p. 129-136.
- Mack, G. H., Salyards, S. L. and James, W. C., 1993b, Magnetostratigraphy of the Plio-Pleistocene Camp Rice and Palomas Formations in the Rio Grande rift of southern New Mexico: *American Journal of Science*, v. 293, p. 4977.
- Magaritz, M., Anderson, R. Y., Holser, W. T., Saltzman, E. S. and Garber, J., 1983, Isotope shifts in Late Permian of the Delaware Basin, Texas, precisely timed by varved sediments: *Earth and Planetary Science Letters*, v. 66, p. 111-124.
- Maley, V. C. and Huffington, R. M., 1953, Cenozoic fill and evaporite solution in the Delaware Basin, Texas and New Mexico: *Geological Society of America Bulletin*, v. 64, p. 539-546.
- Martini, J., 1986, The trays; an excellent example of evaporation-controlled speleothems: *South African Speleological Association Bulletin*, v. 27, no. 1, p. 46-51.
- Mazzullo, S. J., 1986, Mississippi Valley-type sulfides in lower Permian dolomites, Delaware Basin, Texas: implications for basin evolution: *American Association of Petroleum Geologists Bulletin*, v. 70, p. 943-952.
- McFarland, A. R., Ortiz, C. A. and Rodgers, J. C., 1990, Performance evaluation of continuous air monitor (CAM) sampling heads: *Health Physics*, v. 58, p. 275-281.
- McGrath, D. A. and Hawley, J. W., 1987, Geomorphic evolution and soil-geomorphic relationships in the Socorro area, central New Mexico; in McLemore, V. T. and Bowie, M. R., compilers, *Guidebook to the Socono area, New Mexico*: *New Mexico Bureau of Mines and Mineral Resources*, p. 55-67.
- McNeal, R. P., 1965, Hydrodynamics of the Permian Basin; in *Fluids in subsurface environments*: *American Association of Petroleum Geologists, Memoir 4*, p. 308-326.
- Meader-Roberts, S., Candelaria, M. P. and Moore, G. E., eds., 1991, Sequence stratigraphy, facies and reservoir geometries of the San Andres, Grayburg and Queen Formations, Guadalupe Mountains, New Mexico and Texas: *Permian Basin Section-Society of Economic Paleontologists and Mineralogists Annual Field Trip, Publication 91-32*, 141 p.
- Meinzer, O. E., Renich, B. C. and Bryan, K., 1926, Geology of No. 3 reservoir site of the Carlsbad irrigation project, New Mexico with respect to water tightness: *U.S. Geological Society, Water-Supply Paper 580*, p. 12-13.
- Mercer, J. W. and Hiss, W. L., 1978, Solution of Permian Ochoan evaporites, northern Delaware Basin, New Mexico: *New Mexico Bureau of Mines and Mineral Resources, Circular 159*, p. 86.
- Miller, D. N., 1955, Petrology of the Pierce Canyon Formation, Delaware Basin, Texas and New Mexico [Ph.D. dissertation]: Austin, The University of Texas.
- Miller, D. N. Jr., 1966, Petrology of Pierce Canyon red beds, Delaware Basin, Texas and New Mexico: *American Association of Petroleum Geologists Bulletin*, v. 50, p. 283-307.
- Miller, F. C., 1975, Washington Ranch Morrow Field: exploration from the mountains to the basin: *El Paso Geological Society*, p. 145.
- Miller, F. C., 1981, Washington Ranch Morrow Field: case history in frontier exploration: *American Association of Petroleum Geologists Bulletin*, v. 65, p. 766.
- Miller, R. R., 1981, Coevolution of deserts and pupfishes (Genus *Cyprinodon*) in the American Southwest; in Naiman, R. J. and Soltz, D. L., eds., *Fishes in North America deserts*: *New York, John Wiley and Sons*, p. 39-94.
- Monger, H. C. and Daugherty, L. A., 1991a, Pressure solution: possible mechanism for silicate grain dissolution in a petrocalcic horizon: *Soil Science Society of America Journal*, v. 55, p. 1625-1629.
- Monger, H. C. and Daugherty, L. A., 1991b, Neof ormation of palygorskite in a southern New Mexico Aridisol: *Soil Science Society of America Journal*, v. 55, p. 1646-1650.
- Monger, H. C., Daugherty, L. A. and Gile, L. H., 1991, A microscopic examination of pedogenic calcite in an Aridisol of southern New Mexico; in Occurrence, characteristics and genesis of carbonate, gypsum and silica accumulation in soils: *Soil Science Society of America, Special Publication 26*, P. 37-60.
- Monger, H. C., Daugherty, L. A., Lindemann, W. C. and Liddell, C. M., 1991, Microbial precipitation of pedogenic calcite: *Geology*, v. 19, p. 997-1000.

- Monroe, W. H., 1970, A glossary of karst terminology: U.S. Geological Survey, Water Supply Paper 1899K, p. K1-K26.
- Morgan, A. M., 1938, Geology and shallow-water resources of the Roswell artesian basin: New Mexico State Engineer 12th and 13th Biennial Reports, p. 155-249.
- Morgan, A. M., 1942, Solution phenomena in the Pecos basin in New Mexico: American Geophysical Union Transactions, v. 23, p. 27-35.
- Morgan, A. M. and Sayre, A. N., 1942, Geology and ground water; *in* The Pecos River Joint Investigation, Part II, Section 2: Natural Resources Planning Board, p. 28-38.
- Motts, W. S., 1962, Geology of the West Carlsbad Quadrangle, New Mexico: U.S. Geological Survey, Geologic Quadrangle Map GQ-167, scale 1:62,500.
- Mruk, D. H., 1985, Cementation and dolomitization of the Capitan Limestone (Permian), McKittrick Canyon, West Texas [M.S. thesis]: Boulder, University of Colorado, 155 p.
- New Mexico Oil Conservation Commission, 1987, Statement of agreement between the potash industry and oil and gas industry on concurrent operations in Eddy and Lea Counties, New Mexico: Exhibit "B," Case No. 9316, Order No. R-111-P, p. 2-9.
- New Mexico Oil Conservation Commission, 1988, Order Number R-111-P: p. 4-11.
- Newell, N. D., Rigby, J. K., Fischer, A. G., Whiteman, A. J., Hickox, J. E. and Bradley, J. S., 1953, The Permian reef complex of the Guadalupe Mountains region, Texas and New Mexico: San Francisco, W. H. Freeman and Company, 236 p.
- Nicholson, A. and Clebsch, A. Jr., 1961, Geology and ground-water conditions in southern Lea County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Ground-water Report 6, 123 p.
- Nye, S. S., 1933, Physiography; *in* Fiedler, A. G. and Nye, S. S., Geology and ground-water resources of the Roswell artesian basin, New Mexico: U.S. Geological Survey, Water Supply Paper 639, p. 7-18.
- Obermier, S. R., Gohn, G. S., Weems, R. E., Gelin, R. L. and Rubin, M., 1985, Geologic evidence for moderate and large earthquakes near Charleston, South Carolina: Science, v. 227, p. 408-412.
- Olive, W. W., 1957, Solution-subsidence troughs, Castile Formation of Gypsum Plain, Texas and New Mexico: Geological Society of America Bulletin, v. 68, p. 351-358.
- Page, L. R. and Adams, J. E., 1940, Stratigraphy of eastern Midland Basin, Texas: American Association of Petroleum Geologists Bulletin, v. 24, p. 52-64.
- Pearce, T. M., 1966, New Mexico Place Names: Albuquerque, University of New Mexico Press, 187 p.
- Pipeliner Magazine Editorial, 1972: Happiness is finding a new gas field in your own backyard, v. 35, n. 6, p. 18-21.
- Powers, D. W. and Holt, R. M., 1984, Depositional environments and dissolution in the Rustler Formation (Permian), southeastern New Mexico: Geological Society of America, Abstracts with Programs, v. 16, p. 627.
- Powers, D. W. and Holt, R. M., 1990, Sedimentology of the Rustler Formation near the Waste Isolation Pilot Plant (WIPP) Site; *in* Geological and hydrological studies of evaporites in the northern Delaware Basin for the Waste Isolation Pilot Plant (WIPP), New Mexico: Dallas Geological Society-Geological Society of America, Field Trip 14, p. 79-106.
- Powers, D. W. and James, W. C., 1987, First day road log, El Paso, Texas to Carlsbad, New Mexico: El Paso Geological Society, Guidebook 18, p. 1-23.
- Powers, D. W., Holt, R. M. and Hoffer, J. M., 1987, Preliminary studies of near-surface sediments, Salt Flat graben, west Texas: El Paso Geological Society, Guidebook 18, p. 184-194.
- Powers, D., Holt, R., Beauheim, R. L. and Rempe, N., eds., 1990, Geological and hydrological studies of evaporites in the northern Delaware Basin for the Waste Isolation Pilot Plant (WIPP), New Mexico: Dallas Geological Society-Geological Society of America, Field Trip No. 14, 186 p.
- Powers, D. W., Lambert, S. J., Shaffer, S. E., Hill, L. R. and Weart, D. W., eds., 1978, Geological characterization report, Waste Isolation Pilot Plant (WIPP) site, southeastern New Mexico: Sandia National Laboratories, SAND78-1596, 2 vols., variously paged.
- Powers, D. W. and Martin, M. L., 1990, Second and third day road logs; *in* Geological and hydrological studies of evaporites in the northern Delaware Basin for the Waste Isolation Pilot Plant (WIPP), New Mexico: Dallas Geological Society-Geological Society of America, Field Trip 14, p. 9-20.
- Powers, D. W., Martin, M. and Holt, R. M., 1988, Siliciclastic-rich units of the Permian Salado Formation, southeastern New Mexico: Geological Society of America, Abstracts with Programs, v. 20, no. 7, p. A 174.
- Pratt, E., 1954, Evidence of igneous activity in the northwestern part of the Delaware Basin: New Mexico Geological Society, Guidebook 5, p. 143-147.
- Pray, L. C., 1988, The western escarpment of the Guadalupe Mountains, Texas and Day two of the field seminar; *in* Reid, S. T., Bass, R. O. and Welch, P., eds., Guadalupe Mountains revisited-Texas and New Mexico: West Texas Geological Society Publication 88-84, p. 23-39.
- Pray, L. C. and Crawford, G. A., 1988, Supplemental trail guide: Day two; *in* Reid, S. T., Bass, R. O. and Welch, P., eds., Guadalupe Mountains revisited-Texas and New Mexico: West Texas Geological Society Publication 88-84, p. 61-75.
- Pray, L. C. and Estaban, M., 1977, Upper Guadalupian facies, Permian Reef Complex, Guadalupe Mountains, New Mexico and west Texas: 1977 Field Conference Guidebook, v. 2, roadlogs and locality guides, Permian Basin Section, Society of Economic Paleontologists and Mineralogists, Publication 77-16, 194 p.
- Price, J. G., Henry, C. D. and Standen, A. R., 1983, Annotated bibliography of mineral deposits in Trans-Pecos Texas: Texas Bureau of Economic Geology, Texas Mining and Mineral Research Institute, Mineral Resources Circular 73, 108 p.
- Ramsay, J. G. and Huber, M. I., 1987, The techniques of modern structural geology, v. 2: New York, Academic Press, p. 308-700.
- Randall, W. S., Crawley, M. E. and Lyon, M. L., 1988, Annual water quality data report for the Waste Isolation Pilot Plant: U.S. Department of Energy, Waste Isolation Pilot Plant, DOE/WIPP 88-006.
- Reddy, G. R., 1961, Geology of the Queen Lake domes near Malaga, Eddy County, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 84 p.
- Reeves, C. C. Jr., 1970, Origin, classification and geologic history of caliche on the southern High Plains, Texas and eastern New Mexico: Journal of Geology, v. 78, p. 352-362.
- Reeves, C. C. Jr., 1972, Tertiary-Quaternary stratigraphy and geomorphology of west Texas and southeastern New Mexico: New Mexico Geological Society, Guidebook 23, p. 108-117.
- Reith, C. C., Prince, K., Fischer, T., Rodriguez, A., Uhland, D. and Winstanley, D., 1986, Annual site environmental monitoring report for the Waste Isolation Pilot Plant calendar year 1985: U.S. Department of Energy, Waste Isolation Pilot Plant, DOE-WIPP-86-002, 81 p.
- Richey, S. F., Wells, J. G. and Stephens, K. T., 1985, Geohydrology of the Delaware Basin and vicinity, Texas and New Mexico: U.S. Geological Survey, Water-Resources Investigations Report 84-4077, 99 p.
- Robertson, J. Q. and Powers, D. W., 1987, A elastic deposit within the Lower Castile Formation, western Delaware Basin, New Mexico: El Paso Geological Society, Guidebook 18, p. 69-79.
- Rodgers, J., 1987, Exhaust stack monitoring issues at the Waste Isolation Pilot Plant: Environmental Evaluation Group, EEG-37, 101 p.
- Ruckmick, J. C., Wimberly, B. H. and Edwards, A. F., 1979, Classification and genesis of biogenic sulfur deposits: Economic Geology, v. 74, p. 469-474.
- Sanford, A., Balch, R., Jaksha, L. and Delap, S., 1993, Location and fault mechanism of the 2 January 1992 Rattlesnake Canyon Earthquake in southeastern New Mexico: New Mexico Institute of Mining and Technology, Geophysics Open-file Report 70, 10 p.
- Sares, S. W., 1984, Hydrologic and geomorphic development of low-relief evaporite karst drainage basin, southeastern New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 123 p.
- Sares, S. W. and Wells, S. G., 1986, Geomorphic and hydrologic development of the Gypsum Plain karst, Delaware Basin, New Mexico; *in* Jagnow, D. H. and DuChene, H. R., eds., Geology field trip guidebook: National Speleological Society Convention, Tularosa, New Mexico, June 22-28, 1986, p. 11-31.
- Sarg, J. F., 1976, Sedimentology of the carbonate-evaporite facies transition of the Seven Rivers Formation (Guadalupian, Permian) in southeast New Mexico [Ph.D. dissertation]: Madison, University of Wisconsin, 313 p.
- Sarg, J. F., 1977, Sedimentology of the carbonate-evaporite facies transition of the Seven Rivers Formation (Guadalupian, Permian) in southeast New Mexico; *in* Hileman, M. E. and Mazzullo, S. J., eds., Upper Guadalupian facies, Permian Reef Complex, Guadalupe Mountains, New Mexico and Texas: Permian Basin Section, Society of Economic Paleontologists and Mineralogists, Publication 77-16, p. 451-478.
- Sarg, J. F., 1988, A discussion of central Rocky Arroyo: West Texas Geological Society, Publication 88-84, p. 94-96.
- Sarg, J. F. and Lehmann, P. F., 1986, Lower-middle Guadalupian facies and stratigraphy, San Andres and Grayburg Formations, Permian Basin, Guadalupe Mountains, New Mexico and Texas: Permian Basin Section, Society of Economic Paleontologists and Mineralogists Guidebook 86-25, p. 1-36, 83-94.
- Scalapino, R. A., 1950, Development of ground water for irrigation in the Dell City area, Hudspeth County, Texas: Texas Board of Water Engineers, Bulletin 5004, 41 p.
- Schiel, K. A., 1988, The Dewey Lake Formation: End state deposit of a peripheral foreland basin [M.S. thesis]: El Paso, The University of Texas, 181 p.

- Schreiber, B. C. and Walker, D., 1992, Halite pseudomorphs after gypsum: a suggested mechanism: *Journal of Sedimentary Petrology*, v. 62, p. 61-70.
- Seager, W. R., Hawley, J. W., Kottlowski, F. E. and Kelley, R. E., 1987, Geologic map of east half of Las Cruces and northeast El Paso 1° x 2° sheets, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 57, scale 1:125,000, 3 sheets.
- Sellards, E. H., Adkins, W. S. and Plummer, F. B., 1932, The geology of Texas: Volume 1, stratigraphy: The University of Texas at Austin, Bureau of Economic Geology, Bulletin 3232, 1007 p.
- Seni, S. J., 1980, Sand-body geometry and depositional systems, Ogallala Formation, Texas: University of Texas, Bureau of Economic Geology, Report of Investigations 105, 36 p.
- Shaller, W. T. and Henderson, E. P., 1932, Mineralogy of drill cores from the potash field of New Mexico and Texas: U.S. Geological Survey, Bulletin 833, 124 p.
- Sharp, J. M. Jr., 1989, Regional ground-water systems in northern Trans-Pecos Texas; in *Structural geology and stratigraphy of Trans-Pecos Texas*: American Geophysical Union, 28th International Geological Congress, Guidebook T-317, p. 123-130.
- Shinn, E. A., 1983, Tidal flat; in Scholle, P. A., Bebout, D. G. and Moore, C. H., eds., *Carbonate depositional environments*: American Association of Petroleum Geologists Memoir 33, p. 171-210.
- Smith, A. R., 1978, Sulfur deposits in Ochoan rocks of southeast New Mexico and west Texas: New Mexico Bureau of Mines and Mineral Resources, Circular 159, p. 71-77.
- Smith, A. R., 1980, Sulfur deposits in Ochoan rocks of the Gypsum Plain, southeastern New Mexico and west Texas: New Mexico Geological Society, Guidebook 31, p. 277-283.
- Smith, M. L. and Miller, R. R., 1986, The evolution of the Rio Grande Basin as inferred from its fish fauna; in Hocutt, C. H. and Wiley, E. O., eds., *Zoogeography of North American freshwater fishes*: New York, John Wiley and Sons, p. 457-485.
- Snyder, R. P. and Gard, L. M. Jr., 1982, Evaluation of breccia pipes in southeastern New Mexico and their relation to the Waste Isolation Pilot Plant (WIPP) site. With a section on drillstem tests, WIPP-31 by J. W. Mercer: U.S. Geological Survey, Open-file Report 82-968, 73 p.
- Society of Economic Paleontologists and Mineralogists-Permian Basin Section, 1991, Sequence stratigraphy, facies, and reservoir geometries of the San Andres, Grayburg, and Queen Formations, Guadalupe Mountains, New Mexico and Texas: Permian Basin Section-SEPM Annual Field Trip, Publication 91-32, 114 p.
- Soil Survey Staff, 1975, Soil taxonomy—a basic system of soil classification for making and interpreting soil surveys: U.S. Department of Agriculture, Soil Conservation Service, Handbook 436, 753 p.
- Soil Survey Staff, 1981, Examination and description of soils in the field; in *Soil survey manual*: U.S. Department of Agriculture, Soil Conservation Service, Handbook 430, Chapter 4, p. 4-14-107.
- Sonnenfeld, M. D., 1991, High-frequency cyclicity within shelf-margin and slope strata of the upper San Andres sequence, Last Chance Canyon; in Meader-Roberts, S., Candelaria, M. P. and Moore, G. E., eds., *Sequence stratigraphy, facies and reservoir geometries of the San Andres, Grayburg and Queen Formations, Guadalupe Mountains, New Mexico and Texas*: Permian Basin Section-SEPM Annual Field Trip, Publication 91-32, p. 11-51.
- Sowers, J. M. et al., 1988, Geomorphology and pedology on the Kyle Canyon alluvial fan, southern Nevada; in Weide, D. L. and Farber, M. L., eds., *This extended land-geological journeys in the southern Basin and Range*: Las Vegas, Department of Geoscience, University of Nevada, p. 137-157.
- Spiegler, P., 1984, Proposed preoperational environmental monitoring program for WIPP: Environmental Evaluation Group, EEG-26, 26 p.
- Spinoza, C., Furnish, W. M. and Glenister, B. F., 1975, The Xenodiscidae Permian ceratoid ammonoids: *Journal of Paleontology*, v. 49, p. 239-265.
- Spirakis, C. S. and Cunningham, K. I., 1992, Genesis of sulfur deposits in Lechuguilla Cave, Carlsbad Caverns National Park, New Mexico; in Wessel, G. and Wimberley, B., eds., *Native sulfur—developments in geology and exploration*: Littleton, Colorado, Society for Mining, Metallurgy and Exploration, p. 139-145.
- Stach, E., Mackowsky, M.-T., Teichmüller, M., Taylor, G. H., Chandra, D. and Teichmüller, R., 1982, *Stach's textbook of coal petrology*, 3rd ed.: Berlin, Gebrüder Borntraeger, 535 p.
- Stipp, T. F., 1960, Major structural features and geologic history of southeastern New Mexico; in Sweeney, H. N. et al., eds., *The oil and gas fields of southeastern New Mexico*: Roswell Geological Society, p. xxvii-xxx.
- Strain, W. S., 1976, New formation names in the Cretaceous at Cerro de Cristo Rey, Dofia Ana County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 31, p. 77-82.
- Sweeting, M. M., 1973, *Karst landforms*: New York, Columbia University Press, 362 p.
- Swift, P. N., 1993, Long-term climate variability at the Waste Isolation Pilot Plant, southeastern New Mexico, USA: *Environmental Management*, v. 17, p. 83-97.
- Texas Water Development Board, 1972, A survey of the subsurface saline water of Texas: Texas Water Development Board, Report 157, v. 1, 113 p.
- Tissot, B. P. and Welte, D. H., 1984, *Petroleum formation and occurrence*, 2nd ed.: New York, Springer-Verlag, 699 p.
- Toomey, D. F. and Babcock, J. A., 1983, Precambrian and Paleozoic algal carbonates, west Texas-southern New Mexico: Colorado School of Mines, Professional Contributions, no. 11, 345 p.
- Toomey, D. F. and Cys, J. M., 1977, Rock/biotic relationships of the Permian Tansill-E1 Capitan facies exposed on the north side of the entrance to Dark Canyon, Guadalupe Mountains, southeast New Mexico: Permian Basin Section, Society of Economic Paleontologists and Mineralogists, Guidebook 7716, p. 133-150.
- U.S. Atomic Energy Commission, 1961, Background information on Project Gnome: U.S. Atomic Energy Commission, Pamphlet 3100-1, 38 p.
- U.S. Department of Energy, Waste Isolation Pilot Plant, 1989a, Evaluation of the station A effluent monitoring system in the underground exhaust ventilation system at the Waste Isolation Pilot Plant: DOE/WIPP 89-026, 34 p.
- U.S. Department of Energy, Waste Isolation Pilot Plant, 1989b, Annual site environmental report for the Waste Isolation Pilot Plant calendar year 1988: DOE/WIPP 89-005.
- U.S. Department of Energy, Office of Environmental Restoration and Waste Management, 1990a, Final supplement environmental impact statement: DOE/EIS 0026-FS, v. 2.
- U.S. Department of Energy, Waste Isolation Pilot Plant, 1990b, Waste Isolation Pilot Plant site environmental report for calendar year 1989: DOE/WIPP 90-003.
- U.S. Department of Energy, Waste Isolation Pilot Plant, 1991, Waste Isolation Pilot Plant site environmental report for calendar year 1990: DOE/WIPP 91-008.
- U.S. Environmental Protection Agency, 1985, Quality assurance handbook for air pollution measurement systems, volume III—ambient air specific methods: EPA 600/4-77-027a.
- van der Kamp, G., 1976, Determining aquifer transmissivity by means of well response tests—the underdamped case: *Water Resource Research*, v. 12, p. 71-77.
- Vertrees, C. D., ed., 1963, Cross section through Delaware and Val Verde Basins from Lea County, New Mexico to Edwards County, Texas: West Texas Geological Society, Publication 64-49, text, horizontal scale 1:250,000.
- Vine, J. D., 1960, Recent domal structures in southeastern New Mexico: American Association of Petroleum Geologists Bulletin, v. 44, p. 1903-1911.
- Vine, J. D., 1963, Surface geology of the Nash Draw quadrangle, Eddy County, New Mexico: U.S. Geological Survey, Bulletin 1141-B, 46 p.
- Vines, R. A., 1960, *Trees, shrubs and woody vines of the Southwest*: Austin, University of Texas Press, 1104 p.
- Watkinson, A. J., 1976, Fold propagation and interference in a single multilayer unit: *Tectonophysics*, v. 34, p. T37-T42.
- Watkinson, A. J. and Alexander, J. I. D., 1979, The importance of geometric systems in multilayer folding; in Cobbold, P. R. and Ferguson, C. C., eds., *Conference report on spatial periodicity in geologic structures*: *Journal of Structural Geology*, v. 1, p. 95.
- Webernck, N. E., 1952, Gypsum karst, Culberson County, Texas [M.S. thesis]: Austin, University of Texas, 53 p.
- West Texas Geological Society Roadlog Committee, 1988, *Road Log: Fourth Day, Carlsbad Caverns National Park and Walnut Canyon*: West Texas Geological Society, Publication 88-84, p. 101-102.
- Wilde, G. L., 1986, Stratigraphic relationships of the San Andres and Cutoff Formations, northern Guadalupe Mountains, New Mexico and Texas: Permian Basin Section, Society of Economic Paleontologists and Mineralogists, Publication 86-25, p. 49-64.
- Wollkind, D. J. and Alexander, J. I. D., 1982, Kelvin-Helmholtz instability in a layered Newtonian fluid model of the geological phenomenon of rock folding: *SIAM Journal of Applied Mathematics*, v. 42, p. 1276-1295.
- Wright, H. E. Jr., 1946, Tertiary and Quaternary geology of the lower Puerco area, New Mexico: *Geological Society of America Bulletin*, v. 57, p. 383-456.