

# New Mexico Geological Society

Downloaded from: <https://nmgs.nmt.edu/publications/guidebooks/46>



## ***Roadlog References***

*(Includes references for all roadlogs in this volume.)*

*in:*

*Geology of the Santa Fe Region*, Bauer, P. W.; Kues, B. S.; Dunbar, N. W.; Karlstrom, K. E.; Harrison, B.; [eds.], New Mexico Geological Society 46<sup>th</sup> Annual Fall Field Conference Guidebook, 338 p. <https://doi.org/10.56577/FFC-46>

---

*This is a section from the 1995 NMGS Fall Field Conference Guidebook.*

---

## **Annual NMGS Fall Field Conference Guidebooks**

Every fall since 1950, the New Mexico Geological Society (NMGS) has held an annual [Fall Field Conference](#) that explores some region of New Mexico (or surrounding states). Always well attended, these conferences provide a guidebook to participants. Besides detailed road logs, the guidebooks contain many well written, edited, and peer-reviewed geoscience papers. These books have set the national standard for geologic guidebooks and are an essential geologic reference for anyone working in or around New Mexico.

### **Free Downloads**

NMGS has decided to make peer-reviewed papers from our Fall Field Conference guidebooks available for free download. This is in keeping with our mission of promoting interest, research, and cooperation regarding geology in New Mexico. However, guidebook sales represent a significant proportion of our operating budget. Therefore, only *research papers* are available for download. *Road logs*, *mini-papers*, and other selected content are available only in print for recent guidebooks.

### **Copyright Information**

Publications of the New Mexico Geological Society, printed and electronic, are protected by the copyright laws of the United States. No material from the NMGS website, or printed and electronic publications, may be reprinted or redistributed without NMGS permission. Contact us for permission to reprint portions of any of our publications.

One printed copy of any materials from the NMGS website or our print and electronic publications may be made for individual use without our permission. Teachers and students may make unlimited copies for educational use. Any other use of these materials requires explicit permission.

*This page is intentionally left blank to maintain order of facing pages.*

## ROAD LOG REFERENCES

- Aberts, D.E., 1984. Rebels on the Rio Grande: the Civil War journals of A. B. Peticolas: University of New Mexico Press, Albuquerque, p. 169–179.
- Abbott, J.C. and Goodwin, L.B., 1995, A spectacular exposure of the Tijeras fault, with evidence for Quaternary motion: New Mexico Geological Society, Guidebook 46.
- Abbott, J.C., Cather, S.M. and Goodwin, L.G., 1995, Paleogene synorogenic sedimentation in the Galisteo Basin related to the Tijeras-Cañoncito fault system: New Mexico Geological Society, Guidebook 46.
- Akright, R.L., 1979, Geology and mineralogy of the Cerrillos copper deposit, Santa Fe County, New Mexico: New Mexico Geological Society, Guidebook 30, p. 257–260.
- Aldrich, M.J. Jr. and Dethier, D.P., 1990, Stratigraphic and tectonic evolution of the northern Española basin, Rio Grande rift, New Mexico: Geological Society of America Bulletin, v. 102, p. 1695–1705.
- Alloway, B.J., ed., 1990, Heavy metals in soils: John Wiley & Sons, Inc., New York, 339 p.
- Anderson, E.C., 1938, The aerial tramway as used at the Pecos mine [M.S. thesis]: Socorro, New Mexico School of Mines, 15 p.
- Anderson, O.J., 1995, San Rafael Group—Morrison Formation contact, Ghost Ranch, New Mexico: New Mexico Geological Society, Guidebook 46.
- Anderson, O.J. and Lucas, S.G., 1992, The Middle Jurassic Summerville Formation, northern New Mexico: New Mexico Geology, v. 14, p. 79–92.
- Anderson, O.J. and Lucas, S.G., 1994, Middle Jurassic stratigraphy, sedimentation and paleogeography in the southern Colorado Plateau and southern High Plains; in Caputo, M.V., Peterson, J.A. and Franczyk, K.J., eds., Mesozoic systems of the Rocky Mountain region: Denver, RMS-SEPM, p. 299–314.
- Anschuetz, K.F., 1980, Rowe Pueblo archaeological site survey: preliminary report: Department of Anthropology, University of New Mexico. Report on file at the New Mexico Cultural Resource Information System. Laboratory of Anthropology, Museum of New Mexico, Santa Fe.
- Anschuetz, K.F., 1986, Archaeological excavation of two human burials within the U.S. 285 right-of-way at Pojoaque Pueblo, Santa Fe County, New Mexico: Laboratory of Anthropology Note No. 353, Museum of New Mexico, Santa Fe.
- Armstrong, A.K. and Mamet, B.L., 1974, Biostratigraphy of the Arroyo Peñasco Group, Lower Carboniferous (Mississippian), north-central New Mexico: New Mexico Geological Society, Guidebook 25, p. 145–158.
- Aubel, J.C., 1978, Geology of the Cerros del Rio volcanic field, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 136 p.
- Austin, G.S., 1990, Adobe and related building materials in New Mexico, USA: 6th International Conference on the Conservation of Earthen Architecture: Adobe 90 Preprints, Getty Conservation Institute, Santa Monica, CA, p. 417–423.
- Austin, G.S., 1994, Construction materials: adobe and similar materials; in Carr, D. D., ed., Industrial Minerals and Rocks, 6th ed.: Society for Mining, Metallurgy, and Exploration, Littleton, Colorado, p. 279–286.
- Bachman, G.O., 1953, Geology of a part of northwestern Mora County, New Mexico: U.S. Geological Survey, Oil and Gas Investigations Map OM-137.
- Bachman, G.O., 1975, Geologic map of the Madrid quadrangle, Santa Fe and Sandoval Counties, New Mexico: U.S. Geological Survey, Geologic Quadrangle Map GQ-1268, scale 1:62,500.
- Bachman, G.O., 1976, Cretaceous rocks in the area of Madrid coal field, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 154, p. 41–43.
- Bachman, G.O. and Mehnert, H.H., 1978, New K-Ar dates and the late Pliocene to Holocene geomorphic history of the central Rio Grande region, New Mexico: Geological Society of America Bulletin, v. 89, p. 283–292.
- Bailey, R.A., Smith R.L. and Ross, C.S., 1969, Stratigraphic nomenclature of volcanic rocks in the Jemez Mountains, New Mexico: U.S. Geological Survey, Bulletin 1274-P, 19 p.
- Baldrige, W.S., 1979, Petrology and petrogenesis of Plio-Pleistocene basaltic rocks from the central Rio Grande rift, New Mexico, and their relation to rift structure; in Reicker, R.E., ed., Rio Grande rift: tectonics and magmatism: American Geophysical Union, Special Publication, p. 323–353.
- Baldrige, W.S., Damon, P.E., Shafiqullah, M. and Bridwell, R.J., 1980, Evolution of the central Rio Grande rift, New Mexico: new potassium-argon dates: Earth and Planetary Science Letters, v. 51, p. 309–321.
- Baldrige, W.S., Ferguson, J.F., Braille, L.W., Wang, B., Eckhardt, K., Evans, D., Schultz, C., Gilpin, B., Jiracek, G.R. and Biehler, S., 1994, The western margin of the Rio Grande rift in northern New Mexico: an aborted boundary?: Geological Society of America Bulletin, v. 105, p. 1538–1558.
- Baltz, E.H., 1959, Distribution and facies of Pennsylvanian rocks of the Sangre de Cristo Mountains and Raton basin, New Mexico: American Association of Petroleum Geologists Bulletin, v. 43, p. 1093–1094.
- Baltz, E.H., 1972, Geologic map and cross sections of the Gallinas Creek area, Sangre de Cristo Mountains, San Miguel County, New Mexico: U.S. Geological Survey, Miscellaneous Geologic Investigations Map, I-673, scale 1:24,000.
- Baltz, E.H., 1978, Resume of Rio Grande depression in north-central New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 163, p. 210–228.
- Baltz, E.H. and O'Neill, J.M., 1984, Geologic map and sections of the Mora River area, Sangre de Cristo Mountains, New Mexico: U.S. Geological Survey, Miscellaneous Investigations Map I-1456, scale 1:24,000.
- Baltz, E.H. and O'Neill, J.M., 1986, Geologic map and sections of the Sapello River area, Sangre de Cristo Mountains, New Mexico: U.S. Geological Survey, Miscellaneous Investigations Map I-1575, scale 1:24,000.
- Baltz, E.H. and Read, C.B., 1960, Rocks of Mississippian and probable Devonian age in Sangre de Cristo Mountains, New Mexico: American Association of Petroleum Geologists Bulletin, v. 44, p. 1749–1774.
- Barden, L., 1971, The influence of structure on deformation and failure in clay soils: Geotechnique, v. 22, p. 159–163.
- Barghoorn, S., 1981, Magnetic-polarity stratigraphy of the Miocene type Tesuque Formation, Santa Fe Group, in the Española Valley, New Mexico: Geological Society of America Bulletin, v. 92, Part I, p. 1027–1041.
- Barker, F., 1958, Precambrian and Tertiary geology of the Las Tablas Quadrangle, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 45, 104 p.
- Bauer, P.W., 1993, Proterozoic tectonic evolution of the Picuris Mountains, northern New Mexico: Journal of Geology, v. 101, p. 483–500.
- Bauer, P.W. and Pollock, T.R., 1992, Compilation for Precambrian isotopic ages in New Mexico: New Mexico Bureau of Mines and Mineral Resources, Openfile Report 389, 130 p.
- Bauer, P.W. and Williams, M.L., 1994, The age of Proterozoic orogenesis in New Mexico, U.S.A.: Precambrian Research v. 67, p. 349–356.
- Bauer, P.W. and Ralser, S., 1995, The Picuris-Pecos fault—repeatedly reactivated from Proterozoic to Neogene: New Mexico Geological Society, Guidebook 46.
- Bemis, H.D., 1932, Milling methods and costs at the Pecos concentrator of the American Metal Co., Terro, New Mexico: U.S. Bureau of Mines, Information Circular 6605, 23 p.
- Berman, D.S., 1993, Lower Permian vertebrate localities of New Mexico and their assemblages: New Mexico Museum of Natural History and Science, Bulletin 2, p. 11–21.
- Biehler, S., Ferguson, J., Baldrige, W.S., Jiracek, G.R., Aldren, J.L., Martinez, M., Fernandez, R., Romo, J., Gilpin, B., Braille, L.W., Hersey, D.R., Luyendyk, B.P. and Aiken, C.L., 1991, A geophysical model of the Española Basin, Rio Grande rift, New Mexico: Geophysics, v. 56, p. 340–353.
- Borton, R.L., 1974, General geology and ground water conditions in the Truchas-Española-Velarde area of Rio Arriba County, New Mexico: New Mexico Geological Society, Guidebook 25, p. 351–358.
- Bowring, S.A. and Condie, K.C., 1982, U-Pb zircon ages from northern and central New Mexico: Geological Society of America, Abstracts with Programs, v. 14, p. 304.
- Brill, K.G. Jr., 1952, Stratigraphy in the Permo-Pennsylvanian zeugoseosyncline of Colorado and northern New Mexico: Geological Society of America Bulletin, v. 63, p. 809–880.
- Broomfield, R.E., 1977, Structural geology and igneous petrology of the Canones area, Rio Arriba County, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 75 p.
- Bryan, K., 1938, Geology and ground water conditions of the Rio Grande depression in Colorado and New Mexico: Rio Grande Joint Investigations in Upper Rio Grande Basins, vol. 1, pt. 2., sec. 1, p. 196–225.
- Budding, A.J., 1972, Geology of the Glorieta quadrangle, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 24, scale 1:24,000.
- Cabot, E.C., 1938, Fault border of the Sangre de Cristo Mountains north of Santa Fe New Mexico: Journal of Geology, v. 46, p. 88–105.
- Cather, S.M., 1992, Suggested revisions to the Tertiary tectonic history of north-central New Mexico: New Mexico Geological Society, Guidebook 43, p. 109–122.
- Cavazza, W., 1989, Sedimentation patterns of a rift-filling unit, Tesuque Formation (Miocene), Española Basin, Rio Grande rift, New Mexico: Journal of Sedimentary Petrology, v. 59, p. 287–296.
- Chapin, C.E. and Cather, S.M., 1981, Eocene tectonics and sedimentation on the Colorado Plateau-Rocky Mountain area: Arizona Geological Society Digest, v. 16, p. 118–126.
- Chapin, C.E. and Cather, S.M., 1994, Tectonic setting of the axial basins of the northern and central Rio Grande rift: Geological Society of America, Special Paper 291, p. 5–26.
- Clemence, S.P. and Finbarr, A.O., 1981, Design considerations for collapsing soils: Journal of Soil Mechanics and Foundation Engineering, GT3, v. 107, p. 305–317.

- Colbert, E.H., 1947, Studies of the phytosaurs *Machaerops* and *Rutiodon*: Bulletin of the American Museum of Natural History, v. 88, p. 58–96.
- Colbert, E.H., 1964, The Triassic dinosaur genera *Podokesaurus* and *Coelophysis*: American Museum Novitates, no. 2168, 12 p.
- Colbert, E.H., 1974, The Triassic paleontology of Ghost Ranch: New Mexico Geological Society, Guidebook 25, p. 175–178.
- Colbert, E.H., 1989, The Triassic dinosaur *Coelophysis*: Museum of Northern Arizona Bulletin, v. 57, 160 p.
- Coons, L.M. and Kelly, T.E., 1984, Regional hydrogeology and the effect of structural control of the flow of ground water in the Rio Grande trough, northern New Mexico: New Mexico Geological Society, Guidebook 35, p. 241–244.
- Cope, E.D., 1887a, The dinosaurian genus *Coelurus*: American Naturalist, v. 21, p. 367–369.
- Cope, E.D., 1887b, A contribution to the history of the Vertebrata of the Trias of North America: Proceedings of the American Philosophical Society, v. 24, p. 209–228.
- Cordell, L., 1979, Gravimetric expression of graben faulting in Santa Fe country and the Española Basin, New Mexico: New Mexico Geological Society, Guidebook 30, p. 59–64.
- Corrigan, J.D., 1991, Deriving thermal history information from apatite fission-track data: Journal of Geophysical Research, v. 96, p. 10,347–10,360.
- Crouse, D.L., Hultgren, M.C. and Woodward, L.A., 1992, Geology of French Mesa quadrangle, Rio Arriba County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map GM-67, 1:24,000.
- Crowley, K.D., Cameron, M. and Schaefer, R.L., 1991, Experimental studies of annealing of etched fission tracks in fluorapatite: Geochemica et Cosmochimica Acta, v. 55, p. 1449–1465.
- Daniel, C.G., 1995, An overview of the Proterozoic geology in the Thompson Peak-Glorieta Baldy area, Santa Fe County, New Mexico: New Mexico Geological Society, Guidebook 46.
- Denny, C.S., 1940, Santa Fe Formation in the Española Valley, New Mexico: Geological Society of America Bulletin, v. 51, p. 677–694.
- Dethier, D.P. and Manley, K., 1985, Geologic map of the Chili Quadrangle, Rio Arriba County, New Mexico: U.S. Geological Survey Miscellaneous Field Studies Map MF-1814, scale 1:24,000.
- Dethier, D.P. and McCoy, W.D., 1993, Aminostratigraphic relations and age of Quaternary deposits, northern Española basin, New Mexico: Quaternary Research, v. 39, p. 222–230.
- Dethier, D.P., Aldrich, M.J. Jr. and Shafiqullah, M., 1986, New K-Ar ages for Miocene volcanic rocks from the northeastern Jemez Mountains and Tejana Mesa, New Mexico: Isochron/West, no. 47, p. 12–14.
- Dethier, D.P., Harrington, C.D. and Aldrich, M.J., 1988, Late Cenozoic rates of erosion in the western Española basin, New Mexico: evidence from geologic dating of erosion surfaces: Geological Society of America Bulletin, v. 100, p. 928–937.
- Dickinson, W.R., 1989, Tectonic setting of Arizona through time: Arizona Geological Society Digest, v. 17, p. 1–16.
- Disbrow, A.E. and Stoll, W.C., 1957, Geology of the Cerrillos area, Santa Fe County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 48, 73 p.
- Doell, R.R., Dalrymple, G.B., Smith, R.L. and Bailey, R.A., 1968, Paleomagnetism, potassium-argon ages, and geology of rhyolites and associated rocks of the Valle Caldera, New Mexico: Geological Society of America, Memoir 116, 211–248.
- Dubiel, R.F., 1989, Depositional environments of the Upper Triassic Chinle Formation in the eastern San Juan Basin and vicinity, New Mexico: U.S. Geological Survey, Bulletin 1808, 22 p.
- Duncker, K.E., 1988, Trace-element geochemistry and stable isotope constraints on the petrogenesis of Cerros del Rio lavas, Jemez Mountains, New Mexico [M.S. thesis]: Arlington, University of Texas, 158 p.
- Earp, D., 1985, Groundwater quality in the El Llano area of the Española Valley: New Mexico Environmental Improvement Division, Ground Water/Hazardous Waste Bureau, Special Report, 72 p.
- Ekas, L.M., Ingersoll, R.V., Baldridge, W.S. and Shafiqullah, M., 1984, The Chama-El Rito Formation, Española Basin, New Mexico: New Mexico Geological Society, Guidebook 35, p. 137–143.
- Elder, J. and Weber, D.J., eds., Trading in Santa Fe: John M. Kingsbury's correspondence with James Josiah Webb 1853–1861: Southern Methodist University Press, Dallas. From Kingsbury Letters, in the manuscript collection, Southern Methodist University Library, in press.
- Elston, W.E., 1967, Summary of the mineral resources of Bernalillo, Sandoval, and Santa Fe Counties, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 81, 81 p.
- Erskine, D.W. and Smith, G.A., 1993, Compositional characterization of volcanic products from a primarily sedimentary record: Geological Society of America Bulletin, v. 105, p. 1214–1222.
- Fliedner, D., 1981, Society in space and time, an attempt to provide a theoretical foundation from an historical geographic point of view: Selbstverlag des Geographischen Instituts der Universität des Saarlandes, Saarbrücken.
- Forbes, J.D., 1960, Apache, Navajo, and Spaniard: University of Oklahoma Press, Norman, 304 p.
- Galusha, T. and Blick, J.C., 1971, Stratigraphy of the Santa Fe Group, New Mexico: American Museum of Natural History Bulletin, v. 144, article 1, 127 p.
- Gardner, J.N. and Goff, F., 1984, Potassium-argon dates from the Jemez volcanic field: implications for tectonic activity in the north-central Rio Grande rift: New Mexico Geological Society, Guidebook 35, p. 75–81.
- Gardner, J.N., Goff, F., Garcia, S. and Hagan, R.C., 1986, Stratigraphic relations and lithologic variations in the Jemez volcanic field: Journal of Geophysical Research, v. 91, p. 1763–1778.
- Giles, D. L., 1991, Gold mineralization in the Cerrillos District, New Mexico: Geological Society of America, Abstracts with Programs, v. 23, no. 4, p. 24.
- Giles, D.L., 1995, Cerrillos mining district: New Mexico Geological Society, Guidebook 46.
- Goff, F. and Shevenell, L., 1987, Travertine deposits of Soda Dam, New Mexico, and their implications for the age and evolution of the Valles caldera hydrothermal system: Geological Society of America Bulletin, v. 99, p. 292–302.
- Golombek, M.P., McGill, G.E. and Brown, L., 1983, Tectonic and geologic evolution of the Española Basin, Rio Grande rift: structure, rate of extension, and relation to the state of stress in the western United States: Tectonophysics, v. 94, p. 483–507.
- Gonzalez, M.A., 1993, Geomorphic and neotectonic analysis along a margin of the Colorado Plateau and Rio Grande rift in northern New Mexico [Ph.D. thesis]: Albuquerque, University of New Mexico, 302 p.
- Gonzalez, M.A. and Dethier, D.P., 1991, Geomorphic and neotectonic evolution along the margin of the Colorado Plateau and Rio Grande rift, northern New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 137, p. 29–45.
- Goodman, L.J. and Levine, D.F., 1990, The mines of the Cerrillos district, New Mexico: myths and realities: El Palacio (Museum of New Mexico, Santa Fe), v. 96, no. 1, p. 20–39.
- Grambling, J.A., Williams, M.L., Smith, R.F. and Mawer, C.K., 1989, The role of crustal extension in the metamorphism of Proterozoic rocks in northern New Mexico: Geological Society of America, Special Paper 235, p. 87–110.
- Griggs, R. L. and Read, C.B., 1959, Revisions in stratigraphic nomenclature in Tucumcari-Sabinoso area, northeastern New Mexico: American Association of Petroleum Geologists Bulletin, v. 43, p. 2003–2007.
- Hammond, G.P. and Agapito, R., 1953, Don Juan de Oñate—colonizer of New Mexico 1595–1628: University of New Mexico Press, Albuquerque, 1187 p.
- Harbottle, G. and Weigand, P.C., 1992, Turquoise in pre-Columbian America, Scientific American, vol. 266, no. 2, p. 78–85.
- Harland, W.B., Armstrong, R.L., Cox, A.V., Craig, L.E., Smith, A.G. and Smith, D.G., 1990, A geologic time scale 1989: Cambridge, Cambridge University Press, 263 p.
- Harley, G.T., 1940, The geology and ore deposits of northeastern New Mexico (exclusive of Colfax County): New Mexico Bureau of Mines and Mineral Resources, Bulletin 15, 104 p.
- Hawley, J.W. and Galusha, T., 1978, Southern Rift Guide 2, Socorro—Santa Fe, New Mexico: Bernalillo to south of San Ysidro: New Mexico Bureau of Mines and Mineral Resources, Circular 163, p. 177–183.
- Hayden, F.V., 1869, Preliminary field report of the United States Geological Survey of Colorado and New Mexico, 155 p.
- Hearne, G.A., 1980, Mathematical model of the Tesuque aquifer system underlying Pojoaque River basin and vicinity: U.S. Geological Survey, Open-file Report 80-1023, 181 p.
- Hickson, R.J., 1981, Heap leaching practices at Ortiz gold mine, Santa Fe County, New Mexico: Society of Mining Engineers of AIME, Preprint No. 81-347, p. 12.
- Holden, J., 1955, A preliminary report on Arrowhead Ruin: El Palacio, v. 62, p. 102–119.
- Hubbell, A.H., 1976, Pecos mine: a new lead-zinc project: Engineering and Mining Journal, v. 122, p. 1004–1012.
- Hunt, A.P. and Lucas, S.G., 1989, Late Triassic vertebrate localities in New Mexico; in Lucas, S.G. and Hunt, A.P., eds., Dawn of the age of dinosaurs in the American Southwest: Albuquerque, New Mexico Museum of Natural History, p. 72–101.
- Hunt, A.P. and Lucas, S.G., 1991, *Rioarribasaurus*, a new name for a Late Triassic dinosaur from New Mexico (USA): Palaeontology, v. 34, p. 487–501.
- Hunt, A.P., Lucas, S.G. and Huber, P., 1990, Early Permian footprint fauna from the Sangre de Cristo Formation of northeastern New Mexico: New Mexico Geological Society, Guidebook 41, p. 291–303.
- Ingersoll, R.V. and Cavazza, W., 1991, Reconstruction of Oligo-Miocene volcanoclastic dispersal patterns in north-central New Mexico using sandstone

- petrofacies; in Fisher, R.V. and Smith, G.A., eds., Sedimentation in volcanic settings: SEPM (Society for Sedimentary Geology) Special Publication 45, p. 227–236.
- Ingersoll, R.V., Cavazza, W., Baldrige, W.S. and Shafiqullah, M., 1990, Cenozoic sedimentation and paleotectonics of north-central New Mexico: implications for initiation and evolution of the Rio Grande rift: Geological Society of America Bulletin, v. 102, p. 1288–1296.
- Izett, G.A. and Naeser, C.W., 1981, Fission-track ages of air-fall tuffs in Miocene sedimentary rocks of the Española basin, Santa Fe County, New Mexico: U.S. Geological Survey, Open File Report 81–161, 6 p.
- Johnpeer, G.D., Love, D.W., Hawley, J.W., Bobrow, D.J., Hemingway, M. and Reimers, R.F., 1985a, El Llano and vicinity geotechnical study—interim report, preliminary results of ground subsidence investigation: New Mexico Bureau of Mines and Mineral Resources, Open-file Report 225, 4 v., 413 p., 21 appendices.
- Johnpeer, G.D., Love, D.W., Hawley, J.W., Bobrow, D.J., Hemingway, M. and Reimers, R.F., 1985b, El Llano and vicinity geotechnical study—final report: New Mexico Bureau of Mines and Mineral Resources, Open-file Report 226, 4 v., 578 p., 23 appendices.
- Johnson, P.S. and Deeds, J.L., 1995, Summary of environmental issues at El Molino Mill, north-central New Mexico: New Mexico Geological Society, Guidebook 46.
- Johnson, R.B., 1969, Pecos National Monument: its geologic setting: U.S. Geological Survey, Bulletin 1271-E, 11 p.
- Johnson, R.B., 1970, Geologic map of the Villanueva quadrangle, San Miguel County, New Mexico: U.S. Geological Survey, Geologic Quadrangle Map GQ-869, scale 1:62,500.
- Johnson, R.B., 1973, Geologic map of the Bull Canyon quadrangle, Santa Fe County, New Mexico: U.S. Geological Survey, Geologic Quadrangle Map GQ-1077, scale 1:24,000.
- Johnson, R.B., 1974, Geologic map of the Apache Springs quadrangle, San Miguel County, New Mexico: U.S. Geological Survey, Geologic Quadrangle Map GQ-1163, scale 1:62,500.
- Karas, P.A., 1987, Quaternary alluvial sequence of the upper Pecos River and a tributary, Glorieta Creek, north-central New Mexico: in Menges, C., Enzel, Y., and Harrison, B., eds.: Friends of the Pleistocene-Rocky Mountain Cell, Field Trip Guidebook, p. 159–176.
- Karlstrom, K.E. and Bowring, S.A., 1991, Styles and timing of Early Proterozoic deformation in Arizona: constraints of tectonic models: Arizona Geological Society Digest, v. 19, p. 1–10.
- Kautz, P.F., Ingersoll, R.V., Baldrige, W.S., Damon, P.E. and Shafiqullah, M., 1981, Geology of the Espinazo Formation (Oligocene), north-central New Mexico, part 2: Geological Society of America, Bulletin, v. 92, pp. 2318–2400.
- Keller, G.R. and Cather, S.M., 1994, Introduction: Geological Society of America, Special Paper 291, p. 1–3.
- Kelley, S.A., 1995, Evidence for post-Laramide displacement on the Picuris-Pecos fault: New Mexico Geological Society Guidebook 46.
- Kelley, S.A. and Chapin, C.E., 1995, Denudational histories of the Front Range and Wet Mountains, Colorado, based on apatite fission-track thermochronology: Geological Society of America Special Paper on the Florissant region, in press.
- Kelley, S.A. and Duncan, I.J., 1986, Late Cretaceous to middle Tertiary tectonic history of the northern Rio Grande rift: Journal of Geophysical Research, v. 91, p. 6246–6262.
- Kelley, S.A., Chapin, C.E. and Corrigan, J., 1992, Late Mesozoic to Cenozoic cooling histories of the flanks of the northern and central Rio Grande rift, Colorado and New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 145, 39 p.
- Kelley, V.C., 1972, Triassic rocks of the Santa Rosa Country: New Mexico Geological Society, Guidebook 23, p. 84–90.
- Kelley, V.C., 1977, Geology of Albuquerque Basin, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 33, 59 p.
- Kelley, V.C., 1978, Geology of the Española Basin, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 48, scale 1:125,000.
- Kelley, V.C. and Northrop, S.A., 1975, Geology of Sandia Mountains and vicinity, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 29, 136 p.
- Kelson, K.L., 1986, Long-term tributary adjustments to base-level lowering northern Rio Grande rift, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 210 p.
- Kessel, J.L., 1979, Kiva, Cross and Crown: The Pecos Indians of New Mexico, 1540–1840: University of New Mexico Press, Albuquerque, 587 p.
- Kidder, A.V., 1958, Pecos, New Mexico: Archaeological Notes, Papers of the Robert S. Peabody Foundation for Archaeology, Andover.
- Kluth, C.F. and Schaftenaar, C.H., 1994, Depth and geometry of the northern Rio Grande rift in the San Luis Basin, south-central Colorado: Geological Society of America, Special Paper 291, p. 27–37.
- Kottlowski, F.E., 1961, Pennsylvanian rocks in north-central New Mexico: New Mexico Geological Society, Guidebook 12, p. 97–104.
- Krieger, P., 1932a, Geology of the zinc-lead deposits at Pecos, New Mexico—Part I: Economic Geology, v. 27, p. 344–404.
- Krieger, P., 1932b, Geology of the zinc-lead deposits at Pecos, New Mexico—Part II: Economic Geology, v. 27, p. 450–470.
- Kues, B.S. and Lucas, S.G., 1987, Cretaceous stratigraphy and paleontology in the Dry Cimarron Valley, New Mexico, Colorado and Oklahoma: New Mexico Geological Society, Guidebook 38, p. 167–198.
- La Forge, R.C. and Anderson, L.W., 1988, Seismotectonic study for Santa Cruz dam, Santa Cruz dam modification project, New Mexico: U.S. Bureau of Reclamation Seismotectonic Report 88-2, 31 p.
- Lawler, D.A., 1976, Osteological variation in the phytosaur *Rutiodon tenuis* from Ghost Ranch, New Mexico [M.S. thesis]: Berkeley, University of California, 137 p.
- Lee, W.T., 1902, The Morrison shales of southern Colorado and northern New Mexico: Journal of Geology, v. 10, p. 36–58.
- Lent, S.C., 1992, An archaeological survey of cultural resources along State Road 63 between Rowe and Pecos, San Miguel County, New Mexico: Office of Archaeological Studies, Archaeology Notes No. 56, Museum of New Mexico, Santa Fe.
- Lisenbee, A.L., Woodward, L.A. and Connolly, J.R., 1979, Tijeras–Canoncito fault system—a major zone of recurrent movement in north-central New Mexico: New Mexico Geological Society, Guidebook 30, p. 89–99.
- Litwin, R.J., 1986, The palynostratigraphy and age of the Chinle and Moenave Formations, southwestern U.S.A. [Ph.D. dissertation]: College Park, Pennsylvania State University, 266 p.
- Litwin, R.J., Traverse, A. and Ash, S.R., 1991, Preliminary palynological zonation of the Chinle Formation, southwestern U.S.A. and its correlation to the Newark Supergroup (eastern U.S.A.): Review of Palaeobotany and Palynology, v. 68, p. 269–287.
- Long, R.A. and Ballew, K.L., 1985, Aetosaur dermal armor from the Late Triassic of southwestern North America with special reference to material from the Chinle Formation of Petrified Forest National Park: Museum of Northern Arizona Bulletin, v. 54, p. 35–68.
- Love, D.W., Reimers, R.F., Hawley, J.W., Johnpeer, G.D. and Bobrow, D.J., 1987, Summary of geotechnical investigations near Española, New Mexico; in Menges, C., ed., Quaternary tectonics, landform evolution, soil chronologies and glacial deposits—northern Rio Grande rift of New Mexico: Friends of the Pleistocene Field Trip Guidebook: Geology Department, University of New Mexico, Albuquerque, New Mexico, p. 133–157.
- Lucas, S.G., 1982, Vertebrate paleontology, stratigraphy, and biostratigraphy of Eocene Galisteo Formation, north-central New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 186, 34 p.
- Lucas, S.G., 1990, Type and reference sections of the Romeroville Sandstone (Dakota Group), Cretaceous of northeastern New Mexico: New Mexico Geological Society, Guidebook 41, p. 323–326.
- Lucas, S.G., 1992, Redefinition of the Duchesnean land mammal “age,” late Eocene of western North America; in Prothero, D.R. and Berggren, W.A., eds., Eocene–Oligocene climatic and biotic evolution: Princeton University Press, p. 88–105.
- Lucas, S.G., 1993, The Chinle Group: revised stratigraphy and biochronology of Upper Triassic nonmarine strata in the western United States: Museum of Northern Arizona, Bulletin 59, p. 27–50.
- Lucas, S.G. and Hayden, S.N., 1991, Type section of the Permian Bernal Formation and the Permian-Triassic boundary in north-central New Mexico: New Mexico Geology, v. 13, p. 9–15.
- Lucas, S.G. and Hunt, A.P., 1987, Stratigraphy of the Anton Chico and Santa Rosa formations, Triassic of east-central New Mexico: Journal of the Arizona–Nevada Academy of Science, v. 22, pp. 21–33.
- Lucas, S.G. and Hunt, A.P., 1992, Triassic stratigraphy and paleontology, Chama basin and adjacent areas, north-central New Mexico: New Mexico Geological Society, Guidebook 43, p. 151–172.
- Lucas, S.G. and Kietzke, K.K., 1986, Stratigraphy and petroleum potential of the Jurassic Todilto Formation in northeastern New Mexico; in Ahlen, J.L. and Hanson, M.E., eds. Southwest section of AAPG transactions and guidebook of 1986 convention Ruidoso, New Mexico: Socorro, New Mexico Bureau of Mines and Mineral Resources, p. 121–127.
- Lucas, S.G. and Kisucky, M.J., 1988, Type and reference sections of the Tucumcari, Mesa Rica and Pajarito formations, Cretaceous of east-central New Mexico: New Mexico Geology, v. 10, p. 82–89.
- Lucas, S.G. and Morales, M., 1985, Middle Triassic amphibian from the basal Santa Rosa Formation, east-central New Mexico: New Mexico Geological Society, Guidebook 36, p. 56–58.
- Lucas, S.G. and Schoch, R.M., 1983, *Aphelops* and other Miocene vertebrates collected from the Tesuque Formation (Española basin, New Mexico) by the Wheeler Survey in 1873: New Mexico Journal of Science, v. 23, p. 28–36.

- Lucas, S.G. and Williamson, T.E., 1993, Eocene vertebrates and late Laramide stratigraphy of New Mexico: New Mexico Museum of Natural History and Science, Bulletin 2, 145–158.
- Lucas, S.G., Hunt, A.P. and Huber, P., 1990, Jurassic dinosaur footprints from New Mexico: New Mexico Geological Society, Guidebook 41, p. 319–321.
- Lucas, S.G., Kietzke, K.K. and Hunt, A.P., 1985a, The Jurassic System in east-central New Mexico: New Mexico Geological Society, Guidebook 36, p. 213–342.
- Lucas, S.G., Kues, B.S., Weadock, G., Kietzke, K.K., Hawley, J.W., Hunt, A.P. and Mateer, N.J., 1985b, Second-day road log from Santa Rosa to Newkirk, Variadero, Trujillo, Las Vegas, Tecolotito, Anton Chico, Dilia and back to Santa Rosa: New Mexico Geological Society, Guidebook 36, p. 33–61.
- MacFadden, B.J., 1977, Magnetic-polarity stratigraphy of the Chamita Formation stratotype (Mio–Pliocene) of north-central New Mexico: American Journal of Science, v. 94, p. 483–507.
- Mankin, C.J., 1958, Stratigraphy and sedimentary petrology of Jurassic and pre-Granger Cretaceous rocks, northeastern New Mexico [Ph.D. dissertation]: Austin, University of Texas, 208 p.
- Mankin, G.J., 1972, Jurassic strata in northeastern New Mexico: New Mexico Geological Society, Guidebook 23, p. 91–97.
- Manley, K., 1976, The late Cenozoic history of the Española Basin, New Mexico [Ph.D. thesis]: Boulder, University of Colorado, 171 p.
- Manley, K., 1979a, Stratigraphy and structure of the Española basin, Rio Grande rift, New Mexico; in Riecker, R. E., ed., Rio Grande rift: tectonics and magmatism: Washington, D.C., American Geophysical Union, p. 71–86.
- Manley, K., 1979b, Tertiary and Quaternary stratigraphy of the northeast plateau, Española Basin, New Mexico: New Mexico Geological Society, Guidebook 30, p. 231–236.
- Manley, K., 1981, Redefinition and description of the Los Pinos Formation of north-central New Mexico: Geological Society of America Bulletin, v. 92, Part I, p. 984–989.
- Manley, K., 1982, Geologic map of the Canones quadrangle, Rio Arriba County, New Mexico: U.S. Geological Survey, Miscellaneous Field Studies Map MF-1440, scale 1:24,000.
- Manley, K. and Mehnert, H.H., 1981, New K–Ar ages for Miocene and Pliocene volcanic rocks in the northwestern Española basin and their relationships to the history of the Rio Grande rift: Isochron/West, no. 30, p. 5–8.
- Manley, K., Scott, G. R. and Wobus, R. A., 1987, Geologic map of the Aztec 1 × 2 degree quadrangle, northwestern New Mexico and southern Colorado: U.S. Geological Survey Map I-1730, 1:250,000.
- Manley, K. and Wobus, R.A., 1982, Reconnaissance geologic map of the Las Tablas quadrangle, Rio Arriba County, New Mexico: U.S. Geological Survey, Miscellaneous Field Studies Map MF-1408, scale 1:24,000.
- Martin, G.V., 1931, Flotation of a western complex ore [M.S. thesis]: Rolla, School of Mines and Metallurgy of the University of Missouri, 37 p.
- Matson, J.T. and Hoag, C., 1930, Mining practice at the Pecos mine of the American Metal Co. of New Mexico: U.S. Bureau of Mines, Information Circular 6368, 21 p.
- May, S.J., 1984, Exhumed mid-Miocene volcanic field in the Tesuque Formation, northern Española Basin, New Mexico: New Mexico Geological Society, Guidebook 35, p. 171–178.
- Maynard, S., 1995, Gold mineralization associated with mid-Tertiary magnetism and tectonism, Ortiz Mountains, Santa Fe County, New Mexico: New Mexico Geological Society, Guidebook 46.
- Maynard, S.R., Woodward, L.A. and Giles, D.L., 1991, Tectonics, intrusive rocks, and mineralization of the San Pedro–Ortiz porphyry belt, north-central New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 137, p. 57–69.
- McLemore, V.T., 1995, Mineral resources of the southern Sangre de Cristo Mountains, Santa Fe and San Miguel Counties, New Mexico: New Mexico Geological Society, Guidebook 46.
- Menges, C.M., 1988, The tectonic geomorphology of mountain front landforms in the northern Rio Grande rift, New Mexico [Ph.D. thesis]: Albuquerque, University of New Mexico, 140 p.
- Menges, C.M., 1990, Late Quaternary fault scarps, mountain-front landforms, and Pliocene–Quaternary segmentation on the range-bounding fault zone, Sangre de Cristo Mountains, New Mexico; in Krinitzky, E.L. and Slemmons, D.B., eds., Neotectonics in earthquake evaluation: Boulder, Colorado: Geological Society of America, Reviews in Engineering Geology, v. 8, p. 131–156.
- Metcalf, R.V., 1990, Proterozoic geology of the central Santa Fe Range, northern New Mexico: New Mexico Geological Society, Guidebook 41, p. 179–187.
- Metcalf, R.V., 1995, Proterozoic plutonic rocks of the central Santa Fe Range: trace element evidence of subduction zone magmatism, north-central New Mexico: New Mexico Geological Society, Guidebook 46.
- Miller, J.P. and Wendorf, F., 1958, Alluvial chronology of the Tesuque Valley, New Mexico: Journal of Geology, v. 66, p. 117–194.
- Miller, J.P., Montgomery, A. and Sutherland, P.K., 1963, Geology of part of the Sangre de Cristo Mountains, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 11, 106 p.
- Moench, R.H., Grambling, J.A. and Robertson, J.M., 1988, Geological map of the Pecos Wilderness, Santa Fe, San Miguel, Mora, Rio Arriba, and Taos Counties, New Mexico: U. S. Geological Survey, Miscellaneous Field Studies map, MF-1921-B, 1:48,000.
- Montgomery, A., 1953, Precambrian geology of the Picuris Mountains, north-central New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 30, 89 p.
- Morrison, K.D., 1987, 1984 Rowe project site survey: Preliminary report. Ms. on file at the Archaeological Records Management System of the New Mexico Historic Preservation Division, Santa Fe.
- Muehlberger, W.R. and Muehlberger, S., 1982, Española–Chama–Taos: a climb through time: New Mexico Bureau of Mines and Mineral Resources, Scenic Trips to the Geologic Past, no. 13, 99 p.
- New Mexico Water Quality Control Commission (NMWQCC), 1995, State of New Mexico, Standards for Interstate and Intrastate Streams, Filed with State Records Center December 23, 1994 as 20 NMAC 6.1, Effective January 23, 1995.
- NMMC, New Mexico Mining Company, 1868. Third Report for the use of the Stockholders: Courier Print, Georgetown, D.C.
- Nicholson, M.E., 1979, The Ortiz mine: New Mexico Geological Society, Guidebook 30, p. 27–28.
- Nordby, L.V., 1981, The prehistory of the Pecos Indians; in Noble, D.G., ed., Exploration: Annual Bulletin of the School of American Research, Santa Fe, pp. 5–11.
- Nordby, L.V. and Creutz, A.W., 1993, Houses underground: pithouse archeology in the upper Pecos drainage: Draft report on file at the Southwest Cultural Resources Center, National Park Service, Santa Fe.
- Northrop, S.A., 1959, Minerals of New Mexico: University of New Mexico Press, Albuquerque, New Mexico, 665 p.
- Northrop, S.A., Sullwold, H.H. Jr., MacAlpin, A.J. and Rogers, C.P. Jr., 1946, Geologic maps of a part of the Las Vegas Basin and the foothills of the Sangre de Cristo Mountains, San Miguel and Mora Counties, New Mexico: U.S. Geological Survey, Oil and Gas Investigations Preliminary Map 54.
- Noyes, S., 1993, Los Comanches: the horse people, 1751–1845: University of New Mexico Press, Albuquerque, 364 p.
- Ogilvie, I.H., 1908, Some igneous rocks from the Ortiz Mountains, New Mexico: Journal of Geology, v. 16, p. 230–238.
- Padian, K., 1986, On the type material of *Coelophysia* Cope (Saurischia: Theropoda), and a new specimen from the Petrified Forest of Arizona (Late Triassic: Chinle Formation); in Padian, K., ed., The beginning of the age of dinosaurs: faunal change across the Triassic–Jurassic boundary: Cambridge, Cambridge University Press, p. 45–60.
- Pearce, T.M., 1965, New Mexico place names: a geographical dictionary: University of New Mexico Press, Albuquerque, 187 p.
- Pepper, G.H., 1905, Ceremonial objects and ornaments from Pueblo Bonito, New Mexico: American Anthropologist, v. 7, p. 183–197.
- Personius, S.F. and Machette, M.N., 1984, Quaternary and Pliocene faulting in the Taos Plateau Region, northern New Mexico: New Mexico Geological Society, Guidebook 35, p. 83–90.
- Pogue, J.E., 1915, The turquoise: a study of its history, mineralogy, geology, archaeology, mythology, folklore and technology: National Academy of Sciences, Memoir 3, v. 12, pt. 2, 206 p.
- Post-tensioning Institute, 1980, Design and construction of post-tensional slabs-on-ground: Post-tensioning Institute, Phoenix, Arizona, 89 p.
- Prothero, D.R. and Lucas, S.G., in press, Magnetic stratigraphy of the Duchesnean portion of the Galisteo Formation, New Mexico; in Prothero, D.R. and Emry, R.J., eds., Eocene–Oligocene mammalian evolution: New York, Academic Press.
- Raymond, R.W., 1874, Statistics of mines and mining in the states and territories west of the Rocky Mountains: Government Printing Office, Washington, D.C.
- Read, C.B. and Andrews, D.A., 1944, The upper Pecos River and Rio Galisteo region, New Mexico: U.S. Geological Survey, Oil and Gas Investigations Preliminary Map 8.
- Read, C.B., Wilpolt, R.H., Andrews, D.A., Summerson, C.H. and Wood, G.H., 1944, Geologic map and stratigraphic sections of Permian and Pennsylvanian rocks of parts of San Miguel, Santa Fe, Sandoval, Bernalillo, Tarrant, and Valencia Counties, north-central New Mexico: U.S. Geological Survey, Oil and Gas Investigations Preliminary Map 21.
- Reimers, R.F., 1986, Geology, collapse mechanisms and prediction of collapsible soils in El Llano, New Mexico [M.S. thesis]: Socorro, New Mexico Institute of Mining and Technology, 166 p.
- Richmond, G.M., 1963, Correlation of some glacial deposits in New Mexico: U.S. Geological Survey, Professional Paper 450-E, p. 121–125.
- Riesmeyer, W.D. and Robertson, J.M., 1979, Precambrian geology and ore depos-

- its of the Pecos mine, San Miguel County, New Mexico: New Mexico Geological Society, Guidebook 30, p. 175–179.
- Ritter, D.F., Kochel, R.C. and Miller, J.R., 1994, Process geomorphology, 3rd ed.: Dubuque, Iowa, W.C. Brown Publishers, 538 p.
- Robertson, J.M. and Condie, K.C., 1989, Geology and geochemistry of early Proterozoic volcanic and subvolcanic rocks of the Pecos greenstone belt, Sangre de Cristo Mountains, New Mexico: Geological Society of America, Special Paper 235, p. 119–142.
- Robertson, J.M. and Moench, R.H., 1979, The Pecos greenstone belt: a Proterozoic volcano-sedimentary sequence in the southern Sangre de Cristo Mountains, New Mexico: New Mexico Geological Society, Guidebook 30, p. 165–173.
- Russell, L.R. and Snelson, S., 1994, Structure and tectonics of the Albuquerque Basin segment of the Rio Grande rift: insights from reflection seismic data: Geological Society of America, Special Paper 291, p. 83–112.
- Sanford, A.R., Jaksha, L.H. and Cash, D.J., 1991, Seismicity of the Rio Grande rift in New Mexico; *in* Slemmons, D.B., Engdahl, E.R., Zoback, M.D. and Blackwell, D.D., eds., Neotectonics of North America: Geological Society of America, Decade Map, v. 1, p. 229–244.
- Schroeder, A.H., 1979, The Cerrillos mining area: New Mexico Geological Society, Special Publication 8, p. 13–16.
- Schutz, J.L., 1995, Gold mineralization associated with alkaline intrusives at the Carache Canyon breccia pipe, Ortiz Mountains, New Mexico: New Mexico Geological Society, Guidebook 46.
- Schwartz, H. and Gillette, D.D., 1986, Microstratigraphy and sedimentology of the *Coelophysis* quarry (Upper Triassic, Chinle Formation) at Ghost Ranch, Abiquiu, New Mexico: Fourth North American Paleontological Convention, Abstracts, p. A41.
- SFNF, 1994, Draft Engineering Evaluation/Cost Analysis (EE/CA), Pecos Roads and Campgrounds Surfaced with Mine Waste Rock, Upper Pecos River Basin, Santa Fe National Forest, Pecos/Las Vegas Ranger District, May 6, 1994.
- Shaw, D. and Johnpeer, G.D., 1985a, Ground subsidence near Española, New Mexico: New Mexico Geology, v. 7, p. 32–34.
- Shaw, D. and Johnpeer, G.D., 1985b, Ground subsidence near Española and recommendations for construction on collapsible soils: New Mexico Geology, v. 7, p. 59–62.
- Sherman, J.E. and Sherman B.H., 1975, Ghost towns and mining camps of New Mexico: Norman, University of Oklahoma Press, 270 p.
- Sidwell, R. and Warn, G.F., 1953, Pennsylvanian and related sediments of upper Pecos Valley, New Mexico: American Association of Petroleum Geologists Bulletin, v. 37, p. 975–1013.
- Simmons, M., 1986, Following the Santa Fe Trail: a guide for modern travelers: Ancient City Press, Santa Fe, 214 p.
- Simmons, M., 1995, Spanish colonial mining: New Mexico Geological Society, Guidebook 46.
- Smith, C.T., Budding, A.J. and Pitrat, C.W., 1961, Geology of the southeastern part of the Chama basin: New Mexico Bureau of Mines and Mineral Resources, Bulletin 75, 57 p.
- Smith, E.W. and Austin, G.S., 1989, Adobe, pressed, and rammed-earth industries in New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 127, 60 p.
- Smith, G.A., 1995, Paleogeographic, volcanologic and tectonic significance of the upper Abiquiu Formation at Arroyo del Cobre, New Mexico: New Mexico Geological Society, Guidebook 46.
- Smith, G.A. and Pazzaglia, F.J., 1995, The Pliocene(?) Borrego pediment surface and development of the western Sangre de Cristo Mountains front: New Mexico Geological Society, Guidebook 46.
- Smith, G.A., Larsen, D., Harlan, S.S., McIntosh, W.C., Erskine, D.W. and Taylor, S., 1991, A tale of two volcanoclastic aprons: field guide to the sedimentology and physical volcanology of the Oligocene Espinazo Formation and Miocene Peralta Tuff, north-central New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 137, p. 87–103.
- Smith, H.T.U., 1938, Tertiary geology of the Abiquiu quadrangle, New Mexico: Journal of Geology, v. 46, p. 933–965.
- Smith, L.N., Lucas, S.G. and Elston, W.E., 1985, Paleogene stratigraphy, sedimentation and volcanism of New Mexico; *in* Flores, R.M. and Kaplan, S.S., eds., Cenozoic paleogeography of west-central United States: Denver, Rocky Mountain Section—SEPM, p. 293–315.
- Smith, R.L., Bailey, R.A. and Ross, C.S., 1970, Geologic map of the Jemez Mountains, New Mexico: U.S. Geological Survey, Miscellaneous Investigation Map I-571.
- Spell, T.L., Harrison, T.M. and Wolff, J.A., 1990, <sup>40</sup>Ar/<sup>39</sup>Ar dating of the Bandelier Tuff and San Diego Canyon ignimbrites, Jemez Mountains, New Mexico: Journal of Volcanology and Geothermal Research, v. 43, p. 175–193.
- Spiegel, Z. and Baldwin, B., 1963, Geology and water resources of the Santa Fe area, New Mexico: U.S. Geological Survey, Water-Supply Paper 1525, 258 p.
- Spielman, K.A., 1982, Inter-societal food acquisition among egalitarian societies: an ecological study of Plains/Pueblo interaction in the American Southwest [Ph.D. dissertation]: Ann Arbor, Department of Anthropology, University of Michigan.
- Spielman, K.A., 1983, Late prehistoric exchange between the Southwest and the Southern Plains: Plains Anthropologist, v. 28, p. 257–272.
- Stearns, C.E., 1953a, Early Tertiary vulcanism in the Galisteo–Tonque area, north-central New Mexico: American Journal of Science, v. 251, p. 415–452.
- Stearns, C.E., 1953b, Tertiary geology of the Galisteo–Tonque area, New Mexico: Geological Society of America Bulletin, v. 64, p. 459–508.
- Steiner, M.B., Lucas, S.G. and Shoemaker, E.M., 1994, Correlation and age of the Upper Jurassic Morrison Formation from magnetostratigraphic analysis; *in* Caputo, M.V., Peterson, J.A. and Franczyk, K.J., eds., Mesozoic systems of the Rocky Mountain region, USA: Rocky Mountain Section, SEPM, Denver, p. 315–330.
- Stuart, D. and Gauthier, R.P., 1981, Prehistoric New Mexico: background for survey: New Mexico Historic Preservation Division, Santa Fe.
- Sun, M.S. and Baldwin, B., 1958, Volcanic rocks of the Cienega area, Santa Fe County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 54, 80 p.
- Sutherland, P.K. and Harlow, F.H., 1973, Pennsylvanian brachiopods and biostratigraphy in southern Sangre de Cristo Mountains: New Mexico Bureau of Mines and Mineral Resources, Memoir 27, 173 p.
- Tait, D.B., Ahlen, J.L., Gordon, A., Scott, G.L., Mots, W.L. and Spittler, M.E., 1962, Artesia Group of New Mexico and west Texas: American Association of Petroleum Geologists Bulletin, v. 46, p. 504–517.
- Tedford, R.H., 1981, Mammalian biochronology of the late Cenozoic basins of New Mexico: Geological Society of America Bulletin, v. 92, p. 1008–1022.
- Tedford, R.H. and Barghoorn, S.F., 1993, Neogene stratigraphy and mammalian biochronology of the Española basin, New Mexico: New Mexico Museum of Natural History and Science, Bulletin 2, p. 159–168.
- Thomas, A.B., 1932, Forgotten frontiers: a study of the Spanish Indian policy of Don Juan Bautista de Anza, Governor of New Mexico, 1777–1787 (second printing, 1969): University of Oklahoma Press, Norman, 420 p.
- Turbeville, B.N., 1991, The influence of ephemeral processes on pyroclastic sedimentation in a rift-basin, volcanoclastic-alluvial sequence, Española basin, New Mexico: Sedimentary Geology, v. 64, p. 139–155.
- Vaughn, P.O., 1964, Evidence of aestivating lungfish from the Sangre de Cristo Formation, Lower Permian of northern New Mexico: Los Angeles County Museum Contributions in Science, no. 80, p. 1–8.
- Vazzana, M.E., 1980, Stratigraphy, sedimentary petrology and basin analysis of the Abiquiu Formation (Oligo–Miocene), north-central New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 115 p.
- Vernon, J.H. and Riecker, R.E., 1989, Significant Cenozoic faulting, east margin of the Española Basin, Rio Grande rift, New Mexico: Geology, v. 17, p. 230–233.
- Wait, W.K., 1980, The Rowe archaeological research project: Final Report to the National Endowment for the Humanities, RS-1144-79. On file at the New Mexico Cultural Resource Information System. Laboratory of Anthropology, Museum of New Mexico, Santa Fe.
- Wallace, E., 1959, The habitat and range of the Kiowa, Comanche and Apache Indians before 1867. Doc. 257, Clearwater Publishing Co., Inc. (Microfilm).
- Waresback, D.B. and Turbeville, B.N., 1990, Evolution of a Plio-Pleistocene volcanogenic-alluvial fan: the Puye Formation, Jemez Mountains, New Mexico: Geological Society of America Bulletin, v. 102, p. 298–314.
- Wargo, J.G., 1964, Geology of a primary disseminated copper deposit near Cerrillos, New Mexico: Economic Geology, v. 59, p. 1525–1538.
- Warren, A.H. and Mathieu, F.J., 1985, Prehistoric and historic turquoise mining in the Cerrillos district; time and place: Papers of the Archaeological Society of New Mexico, #10, 110 p.
- Wendorf, F. and Reed, E., 1955, An alternative reconstruction of northern Rio Grande prehistory: El Palacio, v. 62, p. 131–173.
- Whitaker, G.O. and Myers, J., 1965, Dinosaur hunt: New York, Harcourt, Brace and World, 94 p.
- Wiberg, T.L. and Smith, G.A., 1994, Pennsylvanian glacioeustasy recorded in a carbonate ramp succession, Ancestral Rocky Mountains, New Mexico: *in* Beauchamp, B., Embry, A.F. and Glass, D., eds., Pangea: Global Environments and Resources: Canadian Society of Petroleum Geologists, Memoir 17, p. 545–556.
- Williams, H. and Curtis, G.H., 1977, The Sutter Buttes of California: University of California Publications in the Geological Sciences, v. 116, 56 p.
- Williams, M.L., 1990, Proterozoic geology of northern New Mexico: recent advances and ongoing questions, New Mexico Geological Society, Guidebook 41, p. 151–159.
- Williston, S.W. and Case, E.C., 1912, The Permian carboniferous of northern New Mexico: Journal of Geology, v. 20, p. 1–12.

- Winship, G.P., 1904, *The Journey of Coronado, 1540–1542*: Fulcrum Publishing, Inc. (1990 edition), Golden, Colorado, 251 p.
- Wobus, R.A., 1984, An overview of the Precambrian geology of the Tusas Range, north-central New Mexico: New Mexico Geological Society, Guidebook 35, p. 193–198.
- Wong, I., Kelson, K. and 15 others, 1995, Seismic hazards evaluation of the Los Alamos National Laboratory: Final Report for Los Alamos National Laboratory and the U.S. Department of Energy.
- Wood, G.H. and Northrop, S.A., 1946, Geology of the Nacimiento Mountains, San Pedro Mountain, and adjacent plateaus in parts of Sandoval and Rio Arriba Counties, New Mexico: U.S. Geological Survey, Oil and Gas Investigations Map OM-57, scale 1:95,000.
- Zimmerman, C. and Kudo A.M., 1979, Geology and petrology of Tetilla Peak, Santa Fe County, New Mexico: New Mexico Geological Society, Guidebook 30, p. 253–256.
- Zoback, M.L. and Zoback, M.D., 1989, Tectonic stress field of the continental United States: Geological Society of America, Memoir 172, p. 523–540.



*the hats geologists wear...*

*Jouann Jordan  
1993*