

New Mexico Geological Society

Downloaded from: <https://nmgs.nmt.edu/publications/guidebooks/5>



New Mexico's deepest oil test

P. W. Hughes

1954, pp. 124-130. <https://doi.org/10.56577/FFC-5.124>

in:

Southeastern New Mexico, Stipp, T. F.; [ed.], New Mexico Geological Society 5th Annual Fall Field Conference Guidebook, 209 p. <https://doi.org/10.56577/FFC-5>

This is one of many related papers that were included in the 1954 NMGS Fall Field Conference Guidebook.

Annual NMGS Fall Field Conference Guidebooks

Every fall since 1950, the New Mexico Geological Society (NMGS) has held an annual [Fall Field Conference](#) that explores some region of New Mexico (or surrounding states). Always well attended, these conferences provide a guidebook to participants. Besides detailed road logs, the guidebooks contain many well written, edited, and peer-reviewed geoscience papers. These books have set the national standard for geologic guidebooks and are an essential geologic reference for anyone working in or around New Mexico.

Free Downloads

NMGS has decided to make peer-reviewed papers from our Fall Field Conference guidebooks available for free download. This is in keeping with our mission of promoting interest, research, and cooperation regarding geology in New Mexico. However, guidebook sales represent a significant proportion of our operating budget. Therefore, only *research papers* are available for download. *Road logs*, *mini-papers*, and other selected content are available only in print for recent guidebooks.

Copyright Information

Publications of the New Mexico Geological Society, printed and electronic, are protected by the copyright laws of the United States. No material from the NMGS website, or printed and electronic publications, may be reprinted or redistributed without NMGS permission. Contact us for permission to reprint portions of any of our publications.

One printed copy of any materials from the NMGS website or our print and electronic publications may be made for individual use without our permission. Teachers and students may make unlimited copies for educational use. Any other use of these materials requires explicit permission.

This page is intentionally left blank to maintain order of facing pages.

pears to be well presented evidence indicating the presence of bioherm or reefoid developments in various places in outcrop areas. Similar conditions may well exist in various places in subsurface. To date the "reef" school advocates appear to have submitted little in the way of factual data to indicate in what areas or to what extent reefing conditions existed subsurface in southeastern New Mexico. Statements to the effect that a great arcuate "reef" is present are relatively common, but detailed information to back up such statements seems to be largely lacking.

Under either the belief that the Capitan is Bell Canyon equivalent or that it is the equivalent of the Castile series it is quite difficult to picture the growth of a "reef" front in the location in which it is supposed to be. Either possibility would appear to call for conditions that would have been unfriendly for the prolific development of colonial organisms. However, of the two possible conditions, it would appear that it would actually have been easier to have developed a "reef" closely adjacent to the deposition of anhydrite. Special conditions would have had to exist, but they would probably not have been as complicated and special as would have been required to have an organic "reef" growing in juxtaposition to fine, silty sandstones.

The writer is fully aware that the foregoing notes will call forth a very appreciable amount of criticism and it is certainly to be hoped that they will. No claim is made that the generalized ideas as set forth herein are the final solution to the whole Capitan-Castile-Delaware Mountains problem. Personally the writer feels that the whole problem is far from settled and that it is therefore imperative that it should be kept alive. If the notes herein contained do nothing more than cause the "reef" school to amplify the data on which some of their statements have been based they will have accomplished something.

NEW MEXICO'S DEEPEST OIL TEST

P. W. Hughes, Geologist

The Richardson & Bass #1 Harrison-Federal, recently abandoned oil test in Southeastern Eddy County at a total depth of 16,705', is to date the deepest attempt for production in New Mexico. Location of the above


test is in Sec. 12, Twp. 25-S, Rge. 30-E in the subsurface province referred to as the Delaware Basin. Approximately 2,000' of Siluro-Devonian and Ordovician rocks lie between the basement complex and therefore the total thickness of sediments is known to exceed 18,500' in the New Mexico portion of the Basin.


Listed below are the sample tops and thicknesses of the various lithologic units generally picked in this area. There is little agreement as to the tops of the Leonard and Wolfcamp Series of the Permian and the Strawn and Atoka Series of the Pennsylvanian. Division of Permian and Pennsylvanian units are difficult from an examination of samples alone, and other aids such as paleontology and electrical logs are desirable.

<u>PERMIAN</u>		
	<u>Top</u>	<u>Thickness</u>
Ochoa Series	1160'	2880'
Guadalupe Series	4040'	3860'
Leonard Series	7900'	2920'
Wolfcamp Series	10820'	2918'
Total thickness		12578'
<u>PENNSYLVANIAN</u>		
Strawn Series	13738'	232'
Atoka Series (and Morrow)	13970'	1890'
Total thickness		2122'
<u>MISSISSIPPIAN</u>		
Mississippian Shale	15860'	230'
Mississippian Limestone	16090'	390'
Woodford Shale	16480'	140'
Total thickness		760'
<u>SIL - DEVONIAN</u>		
	16620'	

RICHARDSON & BASS #1 HARRISON-FEDERAL EDDY COUNTY, N.M.


Drilled 660' fr N & W Lines Sec. 12 Twp. 25 S. Rge. 30 E.
 Elev. 3378' T.D. 16705' Comm. 7-22-52 Compl. 5-22-54
 Csg. 20" 557', 13 3/8" 3971', 9 5/8" 10076', 7" 16626'
 Spl. Desc. P.W. Hughes Drftg. A.M. Hughes
 Paleontology contributed by R.V. Hollingsworth
 Released by Richardson and Bass





SH; GRN

ANHY; WHT W/BRN LS PARTINGS



SALT; GLI ANHY

ANHY; WHT W/BRN LS PARTINGS


TOP DELAWARE "LS" 4040'
 LS; BRN, DNS-FX
 SH; BRN-GRY, LY
 SS; GRN, F GR
 TOP DELAWARE SD 4080'
 SS; GRN, F GR

CAVING CASTLE ANHYDRITE
 TO 4350'

SS; GRN, F-MED GR, LY

TR. FQGS

SH; BRN






SS; GRN, F GR, LY

SH; BRN


LS; TN-LT GRN, DNS

SH; BRN

SH; GRN-BRN
 GRN SH; WAXY, TRANSL




85
86
87
88
89
90
91
92
93
94
95



SS; GR, F GR, LY

LS; GR, DNS-CHALKY,
SILTY

95
96
97
98
99
100
101
102
103
104
105



SH; BRN

SS; GR, F GR

LS; BRN-GRY, DNS-CHALKY,
SILTY


LS; BRN-GRY, DNS-FX

LS; BRN-GRY, DNS

LS; BRN, GR, DNS-FX

LS; BRN-GRY, DNS-CHALKY,

105
106
107
108
109
110
111
112
113
114
115



LS; BRN-GRY, DNS-FX
SH; BRN

LS; BRN-GRY, DNS

LS; BRN-GRY, DNS-FX
SS; GR, F GR, LY
10,820' TOP WOLF CAMP SERIES,
BY LITHOLOGY

LS; BRN-GRY, DNS
SH; BRN

LS; BRN-GRY, FX-DNS

11,400'-13,540' WOLF CAMP
FUSULINES, HUECO TYPES

LS; BRN-GRY, DNS

SS; GR, F GR, LY
LS; DK BRN-GRY, DNS-FX

