

New Mexico Geological Society

Downloaded from: <https://nmgs.nmt.edu/publications/guidebooks/52>



Roadlog References

(Includes references for all roadlogs in this volume.)

in:

Geology of Llano Estacado, Lucas, Spencer G.;Ulmer-Scholle, Dana; [eds.], New Mexico Geological Society 52nd Annual Fall Field Conference Guidebook, 340 p. <https://doi.org/10.56577/FFC-52>

This is a section from the 2001 NMGS Fall Field Conference Guidebook.

Annual NMGS Fall Field Conference Guidebooks

Every fall since 1950, the New Mexico Geological Society (NMGS) has held an annual [Fall Field Conference](#) that explores some region of New Mexico (or surrounding states). Always well attended, these conferences provide a guidebook to participants. Besides detailed road logs, the guidebooks contain many well written, edited, and peer-reviewed geoscience papers. These books have set the national standard for geologic guidebooks and are an essential geologic reference for anyone working in or around New Mexico.

Free Downloads

NMGS has decided to make peer-reviewed papers from our Fall Field Conference guidebooks available for free download. This is in keeping with our mission of promoting interest, research, and cooperation regarding geology in New Mexico. However, guidebook sales represent a significant proportion of our operating budget. Therefore, only *research papers* are available for download. *Road logs, mini-papers, and other selected content* are available only in print for recent guidebooks.

Copyright Information

Publications of the New Mexico Geological Society, printed and electronic, are protected by the copyright laws of the United States. No material from the NMGS website, or printed and electronic publications, may be reprinted or redistributed without NMGS permission. Contact us for permission to reprint portions of any of our publications.

One printed copy of any materials from the NMGS website or our print and electronic publications may be made for individual use without our permission. Teachers and students may make unlimited copies for educational use. Any other use of these materials requires explicit permission.

This page is intentionally left blank to maintain order of facing pages.

ROAD-LOG REFERENCES

- Adams, J. E., 1929, Triassic of West Texas: American Association of Petroleum Geologists Bulletin, v. 12, p. 1045-1055.
- Adkins, W. S., 1932, The Mesozoic systems in Texas: University of Texas, Bulletin 3232, p. 239-518.
- Agogino, G. A., and Egan, G. N., 1972, Indians of eastern New Mexico: New Mexico Geological Society, 23rd Field Conference, Guidebook, p. 137-140.
- Anderson, O. J., and Lucas, S. G., 1992, The Middle Jurassic Summerville Formation, northern New Mexico: New Mexico Geology, v. 14, p. 79-92.
- Anderson, O. J., and Lucas, S. G., 2000, Jurassic stratigraphy at Placitas, New Mexico and its regional significance: Geological Society of America Abstracts with Programs, v. 32, no. 7, p. A-458.
- Ash, S. R., 1976, Occurrence of the controversial plant *Sanmiguelia* in the Upper Triassic of Texas: Journal of Paleontology, v. 50, p. 799-804.
- Ash, S. R., 1980, Upper Triassic floral zones of North America, in Dilcher, D. L., and Taylor, T. N., eds., Biostratigraphy of Fossil Plants: Stroudsburg, Dowden, Hutchinson and Ross, p. 153-170.
- Asquith, G. B., and Cramer, S. L., 1975, Transverse braid-bars in the Upper Triassic Trujillo Sandstone of the Texas Panhandle: Journal of Geology, v. 83, p. 657-661.
- Bachman, G. O., 1976, Cenozoic deposits of southeastern New Mexico and an outline of the history of evaporite dissolution: U. S. Geological Survey, Journal of Research, v. 4, p. 135-149.
- Baird, D., 1957, Triassic reptile footprint faunules from Milford, New Jersey: Museum of Comparative Zoology, Bulletin 117, p. 449-520.
- Baldwin, B., and Muehlberger, W. R., 1959, Geologic studies of Union County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 63, 171 p.
- Bates, R. L., Wilpolt, R. H., MacAlpin, A. J., and Vorbe, G., 1947, Geology of the Gran Quivira quadrangle, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 26, 57 p.
- Beede, J. W., and Christner, D. D., 1926, The geology of Foard County: University of Texas, Bulletin 2607, p. 18-53.
- Berkstresser, C. F. Jr., and Mourant, W. A., 1966, Ground-water resources and geology of Quay County, New Mexico: Socorro, New Mexico Bureau of Mines and Mineral Resources Ground-water Report 9, 115 p.
- Blakey, R. C., Peterson, F., and Kocurek, G., 1988, Synthesis of late Paleozoic and Mesozoic eolian deposits of the Western Interior of the United States: Sedimentary Geology, v. 56, p. 3-125.
- Bojanus, L. H., 1827, De uro nostrate eiusque sceleto commentario. Scriptis et *Bovis primigenii* sceleto auxit: Nova Acta Leopoldina, v. 13, p. 413-467.
- Böse, E., 1910, Monografía geológica y paleontológica del Cerro de Muleros cerca de Ciudad Juarez, Estado de Chihuahua, y descripción de la fauna Cretacea de la Encantada, Placer de Guadalupe, Estado de Chihuahua: Instituto Geológico de México, Boletín no. 25, 193 p.
- Bowring, S. A., Erwin, D. H., Jin, Y. G., Martin, M. W., Davidek, K., and Wang, W., 1998, Geochronology of the end-Permian mass extinction: Science, v. 280, p. 1039-1045.
- Brand, J. P. and Maddox, R. B., 1972, Pre-Dakota Cretaceous formations in northwestern Texas and northeastern New Mexico: New Mexico Geological Society, 23rd Field Conference, Guidebook, p. 98-104.
- Bretz, J. H., and Horberg, C. L., 1949a, The Ogallala Formation west of the Llano Estacado: Journal of Geology, v. 57, p. 477-490.
- Bretz, J. H., and Horberg, C. L., 1949b, Caliche in southeast New Mexico: Journal of Geology, v. 57, p. 491-511.
- Broadhead, R. F., 1984, Subsurface petroleum geology of Santa Rosa Sandstone (Triassic), northeast New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 193, 22 p.
- Broadhead, R. F., and King, W. E., 1988, Petroleum geology of Pennsylvanian and Lower Permian strata, Tucumcari basin, east-central New Mexico: New Mexico Bureau of Mines and Mineral Resources Bulletin 119, 75 p.
- Carroll, H. B., 1951, The Texan Santa Fe trail: Panhandle-Plains Historical Review, v. 24, p. 1-201.
- Case, E. C., 1914, The red beds between Wichita Falls, Texas and Las Vegas, New Mexico in relation to their vertebrate fauna: Journal of Geology, v. 22, p. 243-259.
- Cazeau, C. J., 1960, Upper Triassic deposits of west Texas and northeastern New Mexico [Ph. D. dissertation]: Chapel Hill, University of North Carolina, 94 p.
- Clemens, R. E., 1982, New Mexico highway geology map: Socorro, New Mexico Geological Society, 1 sheet, scale 1:1,000,000.
- Cobban, W. A., 1977, Characteristic marine molluscan fossils from the Dakota Sandstone and intertongued Mancos Shale, west-central New Mexico: U.S. Geological Survey, Professional Paper 1009, 30 p.
- Cobban, W. B., 1985, The Lower Cretaceous ammonite *Schloenbachia leonensis* Conrad var. *equidistans* Cragin: U.S. Geological Survey, Bulletin 1641-A, 4 p.
- Conrad, K., Lockley, M. G., and Prince, N. K., 1987, Triassic and Jurassic vertebrate-dominated trace fossil assemblages of the Cimarron Valley region: implications for paleoecology and biostratigraphy: New Mexico Geological Society, 38th Field Conference, Guidebook, p. 127-138.
- Cope, E. D., 1893, A preliminary report on the vertebrate paleontology of the Llano Estacado: Geological Survey of Texas, Fourth Annual Report, p. 1-137.
- Cornet, B., 1986, The leaf venation and reproductive structures of a Late Triassic angiosperm, *Sanmiguelia lewisi*: Evolutionary Theory, v. 7, p. 231-309.
- Cummings, W. F., 1890, The Permian of Texas and its overlying beds: Texas Geological Survey, First Annual Report, p. 183-197.
- Dane, C. H., and Bachman, G. O., 1965, Geologic map of New Mexico: Washington, D. C., U. S. Geological Survey, 2 sheets, scale 1:500,000.
- Darton, N. H., 1928, "Red beds" and associated formations in New Mexico, with an outline of the geology of the state: U. S. Geological Survey, Bulletin 794, 372 p.
- DeFord, R. K., 1972, Marcor in east-central New Mexico: New Mexico Geological Society, 23rd Field Conference, Guidebook, p. 65-71.
- DeLuca, J. I., and Erickson, K. A., 1989, Controls on synchronous ephemeral and perennial-river sedimentation in the middle sandstone member of the Triassic Chinle Formation, northeastern New Mexico: Sedimentary Geology, v. 61, p. 155-175.
- Dobrovolsky, E., and Townsend, R. C., 1946, An eolian dam near Tucumcari: Economic Geology, v. 42, p. 492-497.
- Dobrovolsky, E., Bates, R. L., and Summers, C. H., 1946, Geology of northwestern Quay County, New Mexico: U. S. Geological Survey, Oil and Gas Investigations Map OM-62, 2 sheets.
- Dolliver, P. N., 1984, Cenozoic evolution of the Canadian River basin: Baylor Geological Studies, Bulletin 42, 96 p.
- Dolliver, P. N., 1985, The Plio-Pleistocene Canadian breaks of New Mexico: A profile: New Mexico Geological Society, 36th Field Conference, Guidebook, p. 315-318.
- Drake, N. F., 1992, Stratigraphy of the Triassic of west Texas: Geological Survey of Texas, Third Annual Report, p. 227-247.
- Dubiel, R. F., 1989, Depositional and climatic setting of the Upper Triassic Chinle Formation, Colorado Plateau, in Lucas, S. G., and Hunt, A. P., eds., Dawn of the Age of Dinosaurs in the American Southwest: Albuquerque, New Mexico Museum of Natural History, p. 171-187.
- Dubiel, R. F., Parish, J. T., Parish, M. J., and Good, S. C., 1991, The Pangaean megamonsoon - evidence from the Upper Triassic Chinle Formation, Colorado Plateau: Palaios, v. 6, p. 347-370.
- Dunay, R. E., 1972, The palynology of the Triassic Dockum Group of Texas, and its application to stratigraphic problems of the Dockum Group [Ph. D. dissertation]: College Station, Pennsylvania State University, 382 p.
- Dunay, R. E., and Fisher, M. J., 1979, Palynology of the Dockum Group (Upper Triassic), Texas, U.S.A.: Review of Paleobotany and Palynology, v. 28, p. 61-92.
- Elias, M. K., 1931, The geology of Wallace County, Kansas: State Geological Survey of Kansas, Bulletin 18, 254 p.
- Evans, G. L., and Meade, G. E., 1945, Quaternary of the Texas High Plains: University of Texas, Publication 4401, p. 485-507.
- Evans, G. L., Read, C. B., Kelley, V. C., Wood, G. H., Smith, C. T., Northrop, R. C., Strain, W. S., and DeFord, R. K., 1949, Cenozoic geology of the Llano Estacado and Rio Grande valley: West Texas Geological Society and New Mexico Geological Society, 2nd Field Conference, Guidebook, p. 23-24.

- Finch, W. L., and Wright, J. C., 1983, Measured stratigraphic sections of uranium-bearing Upper Triassic rocks in eastern New Mexico, west Texas, and the Oklahoma Panhandle with brief discussion of stratigraphic problems: U.S. Geological Survey, Open-file Report 83-701, 118 p.
- Fracasso, M. A., and Kolker, A., 1985, Late Permian volcanic ash beds in the Quartermaster and Dewey Lake formations, Texas Panhandle: West Texas Geological Society Bulletin, v. 24, no. 6, p. 5-10.
- Frelier, A. P., 1987, Sedimentology, fluvial paleohydrology, and paleogeomorphology of the Dockum Formation (Triassic), west Texas [M. S. thesis]: Lubbock, Texas Tech University, 198 p.
- Fritz, T., 1991, Depositional history of the mid-Late Triassic Santa Rosa Formation, eastern New Mexico [M.S. thesis]: Lubbock, Texas Tech University, 120 p.
- Gage, J. E., and Asquith, G. B., 1977, Sedimentology of Mesa Rica Sandstone in Tucumcari basin, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 157, 14 p.
- Galloway, S. E., 1956, Geology and groundwater resources of the Portales Valley area, Roosevelt and Curry Counties, New Mexico [M. S. thesis]: Albuquerque, University of New Mexico, 167 p.
- Galloway, S. E., 1972, Urban geology of Clovis: New Mexico Geological Society, Guidebook 23, p. 212-213.
- Gardner, J. N., and Goff, F., 1996, Geology of the northern Valles caldera and Toledo embayment, New Mexico: New Mexico Geological Society, 47th Field Conference, Guidebook, p. 225-230.
- Geyler, J., 1998, Persistence: Brief development history of the Tucumcari Irrigation Project (Arch Hurley Conservancy District), in Ortega Kleit, C. T., ed., Water Issues of Eastern New Mexico: Las Cruces, New Mexico Water Resources Institute Report 304, p. 47-50.
- Gorman, J. M., and Robeck, R. C., 1946, Geology and asphalt deposits of north-central Guadalupe County, New Mexico: U. S. Geological Survey, Oil and Gas Investigations Preliminary Map OM-44.
- Gould, C. N., 1907, The geology and water resources of the western portion of the Panhandle of Texas: U.S. Geological Survey, Water-supply Paper 191, 170 p.
- Granata, G. E., 1981, Regional sedimentation of the Late Triassic Dockum Group, west Texas and eastern New Mexico [M.A. thesis]: Austin, University of Texas, 199 p.
- Gregg, J., 1844, Commerce of the Prairies: Norman, University of Oklahoma Press [1954 edition edited by M. L. Moorhead], 469 p.
- Gregory, H. E., 1916, The Navajo country, a geographic and hydrographic reconnaissance of parts of Arizona, New Mexico, and Utah: U. S. Geological Water-supply Paper 380, 219 p.
- Gregory, H. E., 1917, Geology of the Navajo country - a reconnaissance of parts of Arizona, New Mexico, and Utah: U. S. Geological Survey, Professional Paper 93, 161 p.
- Gregory, J. T., 1972, Vertebrate faunas of the Dockum Group, Triassic, eastern New Mexico and west Texas: New Mexico Geological Society, 23rd Field Conference, Guidebook, p. 120-123.
- Griggs, R. L., and Hendrickson, G. E., 1951, Geology and ground-water resources of San Miguel County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Ground-water Report 2, 121 p.
- Griggs, R. L., and Read, C. B., 1959, Revisions in stratigraphic nomenclature in Tucumcari-Sabinoso area, northeastern New Mexico: American Association of Petroleum Geologists Bulletin, v. 43, p. 2003-2007.
- Gustavson, T. C., 1991, Age and development of the Ogallala "Caprock" calcrite, southern High Plains of northwestern Texas and eastern New Mexico: Geological Society of America, Abstracts with Programs, v. 5, p. A63.
- Gustavson, T. C., 1996, Fluvial and eolian depositional systems, paleosols, and paleoclimate of the upper Cenozoic Ogallala and Blackwater Draw formations, southern High Plains, Texas and New Mexico: Bureau of Economic Geology, Report of Investigations 239, 62 p.
- Gustavson, T. C., Holliday, V. T., and Horvorka, S. D., 1995, Origin and development of playa basins, sources of recharge to the Ogallala Aquifer, Southern High Plains, Texas and New Mexico: Austin: Bureau of Economic Geology, Report of Investigations 229, 44 p.
- Gustavson, T. C., Holliday, V. T., and Schultz, G. E., 1990, Introduction, in Gustavson, T. C., ed., Tertiary and Quaternary Stratigraphy and Vertebrate Paleontology of Parts of Northwestern Texas and Eastern New Mexico: Austin, Bureau of Economic Geology Guidebook 24, p. 1-21.
- Gustavson, T. C., Baumgardner, R. W., Jr., Caron, S. C., Holiday, V. T., Mehner, H. H., O'Neill, J. M., and Reeves, C. C., Jr., 1991, Quaternary geology of the southern Great Plains and an adjacent segment of the rolling plains, in Morrison, R. B., ed., Quaternary Nonglacial Geology, Conterminous U. S.: Boulder, Geological Society of America, Vol. K-2, The Geology of North America, p. 477-501.
- Harbour, J., 1975, General stratigraphy, in Wendorf, F., and Hester, J. J., eds., Pleistocene Environments of the Southern High Plains: Taos, Fort Burgwin Research Center Publication 9, p. 33-55.
- Hasenmueller, W.A., and Hattin, D.E., 1990, New species of the bivalve *Anomia* from lower and middle Turonian parts of the Greenhorn Limestone, central Kansas: Journal of Paleontology, v. 64, p. 104-110.
- Hawley, J. W., 1984, The Ogallala Formation in eastern New Mexico: Proceedings of the Ogallala Aquifer Symposium II: Texas Tech University, Water Resources Center, p. 157-176.
- Hawley, J. W., 1993, The Ogallala and Gatuña formations in southeastern New Mexico region, a progress report: New Mexico Geological Society, 44th Field Conference, Guidebook, p. 261-269.
- Haynes, C. V., 1995, Geochronology of paleoenvironmental change, Clovis type site, Blackwater Draw, New Mexico: Geoarchaeology, v. 10, p. 317-388.
- Hernandez, F., 1651, Rerum medicarum Novae Hispaniae thesaurus; seu, Plantarum animalium mineralium Mexicanorum historia: Rome, Vitalis Mascardi.
- Hershkovitz, P., 1957, The type locality of *Bison bison* Linnaeus: Proceedings of the Biological Society of Washington, v. 70, p. 31-32.
- Hester, J. J., 1972, Blackwater Draw Locality No. 1: A stratified, early man site in eastern New Mexico: Fort Burgwin Research Center, Publication 8, 239 p.
- Hester, P. M., 1988, Depositional environments of a Late Triassic lake, east-central New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 152 p.
- Hill, M. G., Holliday, V. T., and Stanford, D. J., 1995, A further evaluation of the San Jon site, New Mexico: Plains Anthropologist, v. 40, p. 369-390.
- Hill, R. T., 1893, Paleontology of the Cretaceous formations of Texas—the invertebrate paleontology of the Trinity Division: Proceedings of the Biological Society of Washington, vol. 8, p. 9-40.
- Holbrook, J. M., and Wright, R., 1992, Depositional history of Lower Cretaceous strata in northeastern New Mexico: Implications for regional tectonics and depositional sequences: Geological Society of America Bulletin, v. 104, p. 802-813.
- Holbrook, J. M., Wright, R., and Kietzke, K. K., 1987, Stratigraphic relationships at the Jurassic-Cretaceous boundary in east-central New Mexico: New Mexico Geological Society, 38th Field Conference, Guidebook, p. 161-165.
- Holliday, V. T., 1989, The Blackwater Draw Formation (Quaternary): A 1.4-plus m.y. record of eolian sedimentation and soil formation on the Southern High Plains: Geological Society of America Bulletin, v. 101, p. 1598-1607.
- Holliday, V. T., 1990, Soils and landscape evolution of eolian plains: The Southern High Plains of Texas and New Mexico: Geomorphology, v. 3, p. 489-515.
- Holliday, V. T., 1995, Stratigraphy and paleoenvironments of late Quaternary valley fills on the southern High Plains: Geological Society of America, Memoir 186, 136 p.
- Holliday, V. T., 1997, Paleolandian Geoarchaeology of the Southern High Plains: Austin, University of Texas Press, 297 p.
- Hunt, A. P., 1989, A new ornithischian dinosaur from the Bull Canyon Formation (Upper Triassic) of east-central New Mexico, in Lucas, S. G., and Hunt, A. P., eds., Dawn of the Age of Dinosaurs in the American Southwest: Albuquerque, New Mexico Museum of Natural History, p. 355-358.
- Hunt, A. P., 1991, The first tetrapod faunas from the Trujillo Formation (Late Triassic) of east-central New Mexico and their biochronological and paleoecological significance: New Mexico Geology, v. 13, p. 93.
- Hunt, A. P., 1994, Vertebrate paleontology and biostratigraphy of the Bull Canyon Formation (Chinle Group: Norian), east-central New Mexico with revisions of the families Metoposauridae (Amphibia: Temnospondyli) and Parasuchidae (Reptilia: Archosauria) [Ph.D. dissertation]: Albuquerque, University of New Mexico, 403 p.
- Hunt, A. P., and Lucas, S. G., 1991, The *Paleorhynchus* biochron and the correlation of the nonmarine Upper Triassic of Pangaea: Palaeontology, v. 34, p. 487-501.
- Hunt, A. P., and Lucas, S. G., 1992, Stratigraphic distribution and age of vertebrate tracks in the Chinle Group (Upper Triassic), western North America: Geological Society of America, Abstracts with Programs, v. 24, no. 6, p. 19.

- Hunt, A. P., and Lucas, S. G., 1993, Triassic vertebrate paleontology and biochronology of New Mexico: New Mexico Museum of Natural History and Science, Bulletin 2, p. 49-60.
- Hunt, A. P., Lockley, M. G., and Lucas, S. G., 1993, Vertebrate and invertebrate tracks and trackways from Upper Triassic strata of the Tucumcari Basin, east-central New Mexico: New Mexico Museum of Natural History and Science, Bulletin 3, p. 199-201.
- Hunt, A. P., Lucas, S. G., and Sealey, P. L., 1989, Paleontology and vertebrate biochronology of the Upper Triassic Garita Creek Formation, east-central New Mexico: New Mexico Journal of Science, v. 29, p. 61-68.
- Izett, G. A., Wilcox, R. E., and Borchart, G. A., 1972, Correlation of a volcanic ash bed in Pleistocene deposits near Mt. Blanco, Texas with the Guaje pumice bed of the Jemez Mountains, New Mexico: Quaternary Research, v. 2, p. 554-578.
- Johns, D. A., 1989, Lithogenetic stratigraphy of the Triassic Dockum Formation, Palo Duro Basin: Bureau of Economic Geology, Report of Investigations 182, 71 p.
- Johns, D. A., and Granata, G. E., 1987, Regional tectonic setting and depositional trends of the Dockum Group, West Texas and eastern New Mexico: Journal of the Arizona-Nevada Academy of Science, v. 22, p. 53-72.
- Judson, S., 1953, Geology of the San Jon Site, eastern New Mexico: Smithsonian Miscellaneous Collections 121, 70 p.
- Julyan, R., 1996, Place Names of New Mexico: Albuquerque, University of New Mexico Press, 385 p.
- Katz, L., 1997, The History of Blackwater Draw, Portales, Eastern New Mexico University, 30 p.
- Kelley, V. C., 1972, Triassic rocks of the Santa Rosa area: New Mexico Geological Society, 23rd Field Conference, Guidebook, p. 84-90.
- Kesser, L. G., II, 1972, Channel geometry, development, and variation, South Canadian River, eastern New Mexico and West Texas: New Mexico Geological Society, Guidebook 23, p. 165-167.
- Kiatta, H. W., 1960, A provenance study of the Triassic deposits of northwestern Texas [M.A. thesis]: Lubbock, Texas Tech University, 63 p.
- Kirkland, J.L., 1996, Paleontology of the Greenhorn cyclothem (Cretaceous: late Cenomanian to middle Turonian) at Black Mesa, northeastern Arizona: New Mexico Museum of Natural History and Science, Bulletin 9, 131 p.
- Knight, C., 1849, Sketches in Natural History: History of the Mammalia, London, C. Cox.
- Knudson, R., 1995, The San Jon points and Paleomagnetic typology: Plains Anthropologist, v. 40, p. 391-397.
- Kocurek, G., and Dott, R. H., Jr., 1983, Jurassic paleogeography and paleoclimate of the central and southern Rocky Mountain region, in Reynolds, M. W., and Dolly, E. D., eds., Mesozoic Paleogeography of the West-central United States: Denver, Society of Economic Paleontologists and Mineralogists, Rocky Mountain Section, p. 101-118.
- Kolker, A., and Fracasso, M. A., 1985, K-Ar age of a volcanic ash bed in the Quartermaster and Dewey Lake formations (Late Permian): Isochron/West, no. 42, p. 17-19.
- Kues, B. S., 1985, Stratigraphy of the Tucumcari area: A historical account: New Mexico Geological Society, 36th Field Conference, Guidebook, p. 119-140.
- Kues, B. S., 1989, Taxonomy and variability of three *Tetigryphaea* (Bivalvia) species from their Lower Cretaceous (Albian) type localities in New Mexico and Oklahoma: Journal of Paleontology, v. 63, p. 454-483.
- Kues, B. S., 1997, New bivalve taxa from the Tucumcari Formation (Cretaceous, Albian) New Mexico, and the biostratigraphic significance of the basal Tucumcari fauna: Journal of Paleontology, vol. 71, p. 820-839.
- Kues, B. S., and Kietzke, K. K., 1985, Supplemental road log 3, Mesa quemado and Pyramid Mountain: New Mexico Geological Society, 36th Field Conference, Guidebook, p. 80-85.
- Kues, B. S., and Lucas, S. G., 1987, Cretaceous stratigraphy and paleontology in the Dry Cimarron valley, New Mexico, Colorado and Oklahoma: New Mexico Geological Society, 38th Field Conference, Guidebook, p. 167-198.
- Kues, B. S., Lucas, S. G., Kietzke, K. K., and Mateer, N. J., 1985, Synopsis of Tucumcari Shale, Mesa Rica Sandstone and Pajarito Shale paleontology, Cretaceous of east-central New Mexico: New Mexico Geological Society, 36th Field Conference, Guidebook, p. 261-281.
- Lambert, W. D., 1990, Rediagnosis of the genus *Amebelodon* (Mammalia, Proboscidea, Gomphotheriidae), with a new subgenus and species, *Amebelodon (Konobelodon) britti*: Journal of Paleontology, v. 64, p. 1032-1040.
- Lehman, T. M., 1994, The saga of the Dockum Group and the case of the Texas/New Mexico boundary fault: New Mexico Bureau of Mines and Mineral Resources Bulletin 150, p. 37-52.
- Linnaeus, C., 1758, *Systema naturae per regna tria naturae, secundum classes, ordines, genera, species cum characteribus, differentiis, synonymis, locis*: Stockholm, Laurentii Salvii.
- Lockley, M. G., and Hunt, A. P., 1999, *Dinosaur Tracks and Other Fossil Footprints of the Western United States*, New York, Columbia University Press (revised paperback edition), 338 p.
- Love, D. W., 1985, Geomorphic history of part of Tucumcari Lake drainage basin, New Mexico: New Mexico Geological Society, 36th Field Conference, Guidebook, p. 319-324.
- Lucas, S. G., 1991, Correlation of Triassic strata of the Colorado Plateau and southern High Plains, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 137, p. 47-56.
- Lucas, S. G., 1993, The Chinle Group: revised stratigraphy and biochronology of Upper Triassic nonmarine strata in the western United States: Museum of Northern Arizona, Bulletin 59, p. 27-50.
- Lucas, S. G., 1995, Triassic stratigraphy and chronology in New Mexico: New Mexico Geology, v. 17, p. 8-13, 17.
- Lucas, S. G., 1998, Global Triassic tetrapod biostratigraphy and biochronology: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 143, p. 347-384.
- Lucas, S. G., and Anderson, O. J., 1992, Triassic stratigraphy and correlation: west Texas and eastern New Mexico, in Cromwell, D. W., Moussa, M. T., and Mazzullo, L. J., eds., *Transactions Southwest Section AAPG, Midland, Texas, 1992: Midland, West Texas Geological Society*, p. 201-207.
- Lucas, S. G., and Anderson, O. J., 1994, Ochoan (Late Permian) stratigraphy and chronology, southeastern New Mexico and west Texas: New Mexico Bureau of Mines and Mineral Resources, Bulletin 150, p. 29-36.
- Lucas, S. G., and Anderson, O. J., 1997, The Jurassic San Rafael Group, Four Corners region: New Mexico Geological Society, 48th Field Conference, Guidebook, p. 115-132.
- Lucas, S. G., and Anderson, O. J., 1998, Jurassic stratigraphy and correlation in New Mexico: New Mexico Geology, v. 20, p. 97-104.
- Lucas, S. G., and Hunt, A. P., 1989, Revised Triassic stratigraphy, Tucumcari basin, east-central New Mexico, in Lucas, S. G., and Hunt, A. P., eds., *Dawn of the Age of Dinosaurs in the American Southwest*: Albuquerque, New Mexico Museum of Natural History, p. 150-170.
- Lucas, S. G., and Hunt, A. P., 1993, Tetrapod biochronology of the Chinle Group (Upper Triassic), western United States: New Mexico Museum of Natural History and Science, Bulletin 3, p. 327-329.
- Lucas, S. G., and Hunt, A. P., 2000, The Lower Cretaceous ammonite *Mortoniceras equidistans* (Cragin) from the Mesa Rica Sandstone, Quay County, New Mexico: New Mexico Museum of Natural History and Science, Bulletin 16, p. 97-100.
- Lucas, S. G., and Kisacky, M. J., 1988, Type and reference section of the Tucumcari, Mesa Rica and Pajarito formations, Cretaceous of east-central New Mexico: New Mexico Geology, v. 10, p. 82-89.
- Lucas, S. G., Anderson, O. J., and Hunt, A. P., 1994, Triassic stratigraphy and correlations, southern High Plains of New Mexico-Texas: New Mexico Bureau of Mines and Mineral Resources, Bulletin 150, p. 105-126.
- Lucas, S. G., Anderson, O. J., and Pigman, C., 1995, Jurassic stratigraphy in the Hagan basin, north-central New Mexico: New Mexico Geological Society, 46th Field Conference, Guidebook, p. 247-255.
- Lucas, S. G., Hunt, A. P., and Morales, M., 1985, Stratigraphic nomenclature and correlation of Triassic rocks of east-central New Mexico: A preliminary report: New Mexico Geological Society, 36th Field Conference, Guidebook, p. 171-184.
- Lucas, S. G., Estep, J. W., Pence, R., and Hunt, A. P., 2000, Upper Cretaceous outlier in Quay County, New Mexico: Stratigraphy and biostratigraphy: New Mexico Museum of Natural History and Science, Bulletin 16, p. 121-127.
- Lundelius, E. L. Jr., 1972, Vertebrate remains from the Gray Sand, in Hester, J. J., ed., *Blackwater Draw Locality No. 1: A stratified early man site in eastern New Mexico*: Fort Burgwin Research Center, Publication 8, p. 148-163.
- Lurie, E., 1974, *Marcon*, in Gillespie, C. C., ed. *Dictionary of Scientific Biography*: New York, Charles Scribner and Sons, v. 9, p. 99-101.
- MacFadden, B. J., 1977, Magnetic polarity stratigraphy of the Chamita Formation stratotype (Mio-Pliocene) of north-central New Mexico: American Journal of Science, v. 277, p. 769-800.

ROAD-LOG REFERENCES

57

- Marcou, J., 1858, Geology of North America, With Reports on the Prairies of Arkansas and Texas, the Rocky Mountains of New Mexico, and the Sierra Nevada of California. Originally Made for the United States Government: Zurich, Zürcher und Furrer, 144 p.
- Marey, R. B., 1852, Map of the country between the frontiers of Arkansas and New Mexico, embracing the section explored in 1849, 50, 51 & 52 accompanying Explorations of the Red River of Louisiana in the Year, 1852: 32nd Congress, 2nd Session, Senate Executive Document 54.
- Martinez, E., 1998, Keynote Address, in Ortega Klett, C. T., ed., Water Issues of Eastern New Mexico: Las Cruces, New Mexico Water Resources Institute Report 304, p. 1-4.
- Mateer, N. J., 1985, Pre-Graneros Cretaceous stratigraphy of northeastern New Mexico: New Mexico Geological Society, 36th Field Conference, Guidebook, p. 243-246.
- Matthes, G. H., 1936, Problems at Conchas Dam: Civil Engineering, v. 6, p. 437-441.
- Matthew, W. D., and Stirton, R. A., 1930, Equidae from the Pliocene of Texas: University of California Publications, Bulletin of the Department of Geological Sciences, v. 19, p. 349-396.
- May, B. S., 1988, Depositional environments, sedimentology, and stratigraphy of the Dockum Group (Triassic) in the Texas Panhandle [M. S. thesis]: Lubbock, Texas Tech University, 180 p.
- May, B. S., and Lehman, T. M., 1989, Sedimentology of The Dockum Group (Triassic), Texas Panhandle: Geological Society of America, Abstracts with Programs, v. 21, p. 34.
- McDonald, J. N., 1981, North American Bison: Their Classification and Evolution: Berkeley, University of California Press, 315 p.
- McGowan, J. H., 1979, Depositional facies and uranium occurrences, Triassic (Dockum Group), Texas Panhandle: American Association of Petroleum Geologists Bulletin, v. 63, p. 835.
- McGowan, J. H., 1980, Triassic lacustrine basins, Texas, in Galloway, W. E., ed., Depositional and Groundwater Flow Systems in the Exploration for Uranium: Austin, University of Texas Bureau of Economic Geology, p. 80-117.
- McGowan, J. H., Granata, G. E., and Seni, S. J., 1979, Depositional framework of the lower Dockum Group (Triassic), Texas Panhandle: Bureau of Economic Geology, Report of Investigations 97, 60 p.
- McGowan, J. H., Granata, G. E., and Seni, S. J., 1983, Depositional setting of the Triassic Dockum Group, Texas Panhandle and eastern New Mexico, in Reynolds, M. W., and Dolly, E. D., eds., Mesozoic Paleogeography of the West-central United States: Denver, Society of Economic Paleontologists and Mineralogists, Rocky Mountain Section, p. 13-38.
- McGrath, D. A., and Hawley, J. W., 1985, Calcretes of the Santa Rosa area: New Mexico Geological Society, 36th Field Conference Guidebook, p. 4-6.
- McKallip, C. Jr., 1985, History of the Newkirk oil field: New Mexico Geological Society, 36th Field Conference, Guidebook, p. 36-37.
- McLemore, V. T., and North, R. M., 1985, Copper and uranium mineralization in east-central New Mexico: New Mexico Geological Society, 36th Field Conference Guidebook, p. 289-300.
- Mehnert, H. H., and O'Neil, M. J., 1991, Late Cenozoic volcanism, uplift, and erosion in the Ocate volcanic field, north-central New Mexico: in Morrisson, R. B., ed., Quaternary nonglacial geology: Contiguous United States: Boulder, Geological Society of America, p. 486-491.
- Metz, L. C., 1994, Roadside History of Texas: Missoula, Mountain Press, 448 p.
- Molina-Garza, R. S., Geissman, J. W., and Lucas, S. G., 2000, Paleomagnetism and magnetostratigraphy of uppermost Permian strata, southeast New Mexico: Correlation of the Permian-Triassic boundary in nonmarine environments: Geophysical Journal International, v. 141, p. 778-786.
- Molina-Garza, R. S., Geissman, J. W., and Van der Voo, R., 1989, Paleomagnetism of the Dewey Lake Formation (Late Permian), northwest Texas: End of the Kiaman Superchron in North America: Journal of Geophysical Research, v. 94, p. 17881-17888.
- Morgan, G. S., and Lucas, S. G., 2001, Mammalian biochronology of Blancan and Irvingtonian (Pliocene and early Pleistocene) faunas from New Mexico: Bulletin of the American Museum of Natural History, in press.
- Morgan, G. S., Lucas, S. G., Sealey, P. L., McDonald, H. G., and Gordon, M. E., 2000, Pleistocene (Rancholabrean) vertebrate and invertebrate fossils from Badlands Ranch, Quay County, New Mexico: New Mexico Museum of Natural History and Science, Bulletin 16, p. 241-251.
- Mutz, P. B., 1998, Reservoir storage development in the Canadian River Basin and related litigation, in Ortega Klett, C. T., ed., Water Issues of Eastern New Mexico: Las Cruces, New Mexico Water Resources Institute Report 304, p. 11-16.
- Myers, D. A., Sharps, J. A., and McKay, E. J., 1986, Geologic map of the Becker SW and Cerro Montoso quadrangles, Socorro County, New Mexico: U. S. Geological Survey, Miscellaneous Investigations Series I-1567, scale 1:24,000.
- Newell, A. J., 1993, Depositional environment of the Late Triassic Bull Canyon Formation (New Mexico): implications for "Dockum Formation" paleogeography: New Mexico Museum of Natural History and Science, Bulletin 3, p. 359-368.
- Nielsen, R. L., and Dungan, M. A., 1985, The petrology and geochemistry of the Ocate volcanic field, north-central New Mexico: Geological Society of America Bulletin, v. 96, p. 296-312.
- Olsen, P. E., 1984, Comparative paleoceanography of the Newark Supergroup: a study of ecosystem evolution [Ph. D. dissertation]: New Haven, Yale University, 563 p.
- Olsen, P. E., 1986, A 40-million year lake record of early Mesozoic orbital climatic forcing: Science, v. 234, p. 842-848.
- Olsen, P. E., and Baird, D., 1986, The ichnogenus *Atreipus* and its significance for Triassic biostratigraphy, in Padian, K., ed., The Beginning of the Age of Dinosaurs: Faunal Change Across the Triassic-Jurassic Boundary: Cambridge, Cambridge University Press, p. 61-87.
- Olsen, P. E., and Kent, D. V., 1996, Milankovitch climate forcing in the tropics of Pangea during the Late Triassic: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 122, p. 1-26.
- Parker, B. H., 1934, Geology of Two Buttes Dome in southeastern Colorado: American Association of Petroleum Geologists Bulletin, v. 18, p. 1544-1546.
- Pearce, T. M., 1965, Place names of New Mexico: Albuquerque, University of New Mexico Press, 187 p.
- Poole, F. G., 1962, Wind direction in late Paleozoic to middle Mesozoic time on the Colorado Plateau: U. S. Geological Survey, Professional Paper 450-D, p. 147-155.
- Reed, E. K., 1952, The myth of Montezuma's bison and the type locality of the species: Journal of Mammalogy, v. 33, p. 390-392.
- Reed, E. K., 1955, Bison beyond the Pecos: Texas Journal of Science, v. 7, p. 130-135.
- Reeside, J. B., Jr., Applin, P. L., Colbert, E. H., Hadley, H. D., Kummel, B., Lewis, P. J., Love, J. D., Maldanado-Koerdell, M., McKee, E. D., McLaughlin, D. B., Muller, S. W., Rodgers, J., Sanders, J., Silberling, N. J., and Waage, K., 1957, Correlation of the Triassic formations of North America exclusive of Canada: Geological Society of America Bulletin, v. 68, p. 1451-1514.
- Reeves, C. C., Jr., 1972, Tertiary-Quaternary stratigraphy and geomorphology of west Texas and southeastern New Mexico: New Mexico Geological Society, 23rd Field Conference, Guidebook, p. 108-117.
- Reeves, C. C., Jr., 1976, Quaternary stratigraphy and geologic history of southern High Plains, Texas and New Mexico: in Mahaney, W. C., ed., Quaternary Stratigraphy of North America: Stroudsburg, Dowden, Hutchinson and Ross, Inc., p. 213-234.
- Renne, P. R., Steiner, M. B., Sharp, W. D., Ludwig, K. R., and Fanning, C. M., 1996, ⁴⁰Ar/³⁹Ar and U/Pb dating of latest Permian tephra in the Midland basin, Texas: Eos, v. 77, no. 46, p. F794.
- Riggs, N. R., Lehman, T. M., Gehrels, G. E., and Dickinson, W. R., 1996, Detrital zircon link between headwaters and terminus of the Upper Triassic Chinle-Dockum paleo-river system: Science, v. 273, p. 97-100.
- Roberts, F.H.H., 1942, Archaeological and geological investigations in the San Jon district, eastern New Mexico: Smithsonian Miscellaneous Collections, v. 103(4), 30 p.
- Roth, R. J., Newell, N. D., and Burma, B. H., 1941, Permian pelecypods in the lower Quartermaster Formation: Journal of Paleontology, v. 15, p. 312-317.
- Santucci, V. L., Hunt, A. P., and Lockley, M. G., 1994, Late Triassic vertebrate tracks from Petrified Forest National Park, in Santucci, V. L., ed., The Paleontological Resources of the National Parks: Denver, National Park Service Technical Report NPS/NRPO/NRTR-95/16, p. 109-112.
- Saunders, J. J., and Daeschler, E. B., 1994, Descriptive analyses and taphonomic observations of culturally-modified mammoths excavated at "The Gravel Pit," near Clovis, New Mexico in 1936: Proceedings of the Academy of Natural Sciences Philadelphia, v. 145, p. 1-28.

- Schiel, K. M., 1987, Investigations of the Dewey Lake Formation, Delaware basin, New Mexico: El Paso Geological Society, 18th Field Conference, Guidebook, p. 149-156.
- Schiel, K. M., 1988, The Dewey Lake Formation: End Stage deposit of a peripheral foreland basin [M. S. thesis]: El Paso, University of Texas, 181 p.
- Schultz, G. E., 1977, Guidebook field conference on Late Cenozoic Biostratigraphy of the Texas Panhandle and Adjacent Oklahoma, August 4-6, 1977: West Texas State University (Canyon), Kilgore Research Center, Departments of Geology and Anthropology, Special Publication 1, 160 p.
- Scott, G. R., 1986, Historic trails map of the Raton and Springer 30' x 60' quadrangles, New Mexico and Colorado: U.S. Geological Survey, Miscellaneous Map I-1641, 10 p.
- Scott, R. W., 1970a, Stratigraphy and sedimentary environments of Lower Cretaceous rocks, southern Western Interior: American Association of Petroleum Geologists Bulletin, v. 54, p. 1225-1244.
- Scott, R. W., 1970b, Paleoecology and paleontology of the Lower Cretaceous Kiowa Formation, Kansas: The University of Kansas Paleontological Contributions, Article 52 (Cretaceous 1), 94 p.
- Scott, R. W., 1974, Bay and shoreface benthic communities in the Lower Cretaceous Letharia, v. 7, p. 315-330.
- Simpson, J. H., 1850, Report from the Secretary of War, in compliance with a resolution of the Senate, the report and map of the route from Fort Smith, Arkansas to Santa Fe, New Mexico, made by Lieutenant Simpson: 31st Congress, 1st Session, Senate Executive Document 12, 25 p.
- Smith, C. H., 1827, Supplement to the order Ruminantia; in G. Cuvier, *The Animal Kingdom arranged in Conformity with its Organization*: London, George B. Whittaker.
- Smith, H. T. U., 1940, Geological studies in south-western Kansas: State Geological Survey of Kansas, Bulletin 34, 212 p.
- Spell, T. L., Kyle, P. R., and Baker, J., 1996, Geochronology and geochemistry of the Cerro Toledo Rhyolite: New Mexico Geological Society, 47th Field Conference Guidebook, p. 263-268.
- Spiegel, Z., 1972, Cenozoic geology of the Canadian River valley, New Mexico: New Mexico Geological Society 23rd Field Conference, Guidebook, p. 118-119.
- Stanton, T. W., 1947, Studies of some Comanche pelecypods and gastropods: U.S. Geological Survey, Professional Paper 211, 256 p.
- Stearns, D. W., 1972, Structural interpretation of the fractures associated with the Bonita fault: New Mexico Geological Society, 23rd Field Conference, Guidebook, p. 161-167.
- Stephenson, L. W., 1952, Larger invertebrate fossils of the Woodbine Formation (Cenomanian) of Texas: U.S. Geological Survey, Professional Paper 242, 226 p.
- Stormer, J. C., Jr., 1972, Ages and nature of volcanic rocks of northeastern New Mexico: Geological Society of America Bulletin, v. 83, p. 2443-2448.
- Taylor, R. G., and Pitt, W. D., 1972, Urban geology of Portales: New Mexico Geological Society, 23rd Field Conference Guidebook, p. 214-215.
- Tedford, R. H., 1970, Principles and practices of mammalian geochronology in North America: Proceedings of the North American Paleontological Convention, v. 1, p. 666-703.
- Tedford, R. H., 1981, Mammalian biochronology of the late Cenozoic basins of New Mexico: Geological Society of America Bulletin, v. 92, p. 1008-1022.
- Thomas, O., 1911, The mammals of the tenth edition of Linnaeus; an attempt to fix the types of the genera and the exact bases and localities of the species: Proceedings of the Zoological Society of London, v. 1911, p. 120-158.
- Trauner, F. D., and Bushman, F. X., 1964, Geology and groundwater in the vicinity of Tucumcari, Quay County, New Mexico: New Mexico State Engineer, Technical Report 30, 178 p.
- Trauner, F. D., Mankin, C. J., and Brand, J. P., 1972, Road log of Tucumcari, Mosquero, and San Jon country: New Mexico Geological Society, 23rd Field Conference, Guidebook, p. 12-45.
- Wanek, A. A., 1962, Reconnaissance geologic map of parts of Harding, San Miguel, and Mora counties, New Mexico: Washington, U. S. Geological Survey Oil and Gas Investigations Map OM 209, 1 sheet.
- Welsh, M., 1985, A Mission in the Desert, Albuquerque District: Washington, D.C., U.S. Government Printing Office, Region 8, 262 p.
- Williamson, T. E., and Lucas, S. G., 1996, Mammal footprints from the Miocene Ogallala Formation, eastern New Mexico: New Mexico Geology, v. 18, p. 1-5.
- Wilpolt, R. H., and Wanek, A. A., 1951, Geology of the region from Socorro and San Antonio east to Chupadera Mesa, Socorro County, New Mexico: U. S. Geological Survey, Oil and Gas Investigations Map OM-121, scale 1:62,500.
- Wilson, C. R., 1998, Overview of the hydrology of northeastern New Mexico; in Ortega Klett, C. T., ed., Water Issues of Eastern New Mexico: Las Cruces, New Mexico Water Resources Institute Report 304, p. 37-46.
- Wilson, L., and Esparza, L. E., 1998, Lake Meredith Salinity Control Project; in Ortega Klett, C. T., ed., Water Issues of Eastern New Mexico: Las Cruces, New Mexico Water Resources Institute Report 304, p. 131-141.
- Wood, H. E., Chaney, R. W., Clark, J., Colbert, E. H., Jepsen, G. L., Reeside, J. B., Jr., and Stock, C., 1941, Nomenclature and correlation of the North American continental Tertiary: Geological Society of America Bulletin, v. 52, p. 1-48.
- Woodburne, M. O., and Swisher, C. C. III, 1995, Land mammal high-resolution geochronology, intercontinental overland dispersals, sea level, climate, and vicariance: SEPM Special Publication 54, p. 335-364.
- Young, J. V., 1984, The state parks of New Mexico: Albuquerque, University of New Mexico Press, 160 p.