

# New Mexico Geological Society

Downloaded from: <https://nmgs.nmt.edu/publications/guidebooks/53>



## ***Roadlog References***

*(Includes references for all roadlogs in this volume.)*

*in:*  
*Geology of White Sands*, Lueth, Virgil; Giles, Katherine A.; Lucas, Spencer G.; Kues, Barry S.; Myers, Robert G.; Ulmer-Scholle, Dana; [eds.], New Mexico Geological Society 53<sup>rd</sup> Annual Fall Field Conference Guidebook, 362 p.  
<https://doi.org/10.56577/FFC-53>

---

*This is a section from the 2002 NMGS Fall Field Conference Guidebook.*

---

## **Annual NMGS Fall Field Conference Guidebooks**

Every fall since 1950, the New Mexico Geological Society (NMGS) has held an annual [Fall Field Conference](#) that explores some region of New Mexico (or surrounding states). Always well attended, these conferences provide a guidebook to participants. Besides detailed road logs, the guidebooks contain many well written, edited, and peer-reviewed geoscience papers. These books have set the national standard for geologic guidebooks and are an essential geologic reference for anyone working in or around New Mexico.

### **Free Downloads**

NMGS has decided to make peer-reviewed papers from our Fall Field Conference guidebooks available for free download. This is in keeping with our mission of promoting interest, research, and cooperation regarding geology in New Mexico. However, guidebook sales represent a significant proportion of our operating budget. Therefore, only *research papers* are available for download. *Road logs*, *mini-papers*, and other selected content are available only in print for recent guidebooks.

### **Copyright Information**

Publications of the New Mexico Geological Society, printed and electronic, are protected by the copyright laws of the United States. No material from the NMGS website, or printed and electronic publications, may be reprinted or redistributed without NMGS permission. Contact us for permission to reprint portions of any of our publications.

One printed copy of any materials from the NMGS website or our print and electronic publications may be made for individual use without our permission. Teachers and students may make unlimited copies for educational use. Any other use of these materials requires explicit permission.

*This page is intentionally left blank to maintain order of facing pages.*

## REFERENCES

- Abbott, J. C., S. M. Cather, and L. B. Goodwin, 1995, Paleogene synorogenic sedimentation in the Galisteo basin related to the Tijeras-Canoncito fault system, New Mexico: Geological Society, 46<sup>th</sup> Field Conference, Guidebook, p. 271-278.
- Allen, B.D., 1991, Effect of climatic change on Estancia Valley, New Mexico; sedimentation and landscape evolution in a closed-drainage basin. *in* B. Julian and J. Zidek, eds., Field guide to geologic excursions in New Mexico and adjacent areas of Texas and Colorado, p. 166-171.
- Allen, J.E., 1952, The Carrizozo Malpais: Roswell Geological Society Guidebook, p. 9-11.
- Allison, G.B., Stone, W.J., and Hughes, M.W., 1985, Recharge through karst and dune elements of a semiarid landscape as indicated by natural isotopes and chloride: *Journal of Hydrology*, v. 76, p. 1-25
- Allmendinger, R.J., 1971, Preliminary evaluation of the role of the hydrologic cycle in the development of the white sands, White Sands National Monument, New Mexico (abs.): Geological Society of America, Abstracts with Programs v.3, p. 231-232.
- Allmendinger, R.J., 1972, Hydrologic control over the origin of gypsum at Lake Lucero, White Sands National Monument, New Mexico. [M.S. Thesis]: Socorro, New Mexico Institute of Mining and Technology, 182 p.
- Anschuetz, K.F., Doleman, W.H., and Chapman, R.C. eds., 1990, Landscape Archeology in the Southern Tularosa Basin, Volume 1: Small Site Distributions and Geomorphology (OCA/UNM Report No. 185-324D): Albuquerque, Office of Contract Archeology, University of New Mexico, 261 p.
- Anthony, E., Hoffer, J., Williams, W., Poths, J., and Penn, B., 1998, Geochemistry and geochronology of Quaternary mafic volcanic rocks in the vicinity of Carrizozo, New Mexico: New Mexico Geological Society, 49<sup>th</sup> Field Conference, Guidebook, p.117-122.
- Ashbaugh, K. M. and Metcalf, A. L., 1986, Fossil molluscan faunas from four spring-related deposits in the northern Chihuahu Desert, southern New Mexico and westernmost Texas: New Mexico Bureau of Mines and Mineral Resources, Circular 200, 25 p.
- Arkell, B.W., 1983, Geology and coal resources of the Cub Mountain area, Sierra Blanca coal field, New Mexico [MS Thesis]: Socorro, New Mexico Institute of Mining and Technology, 104 p.
- Arkell, B. W., 1986, Stratigraphy of the western part of the Sierra Blanca basin: Southwest Section of AAPG, Transactions and Guidebook of 1986 Convention, Ruidoso, New Mexico, New Mexico Bureau of Mines and Mineral Resources, p. 73-76.
- Bachhuber, F.W., 1982, Quaternary history of the Estancia Valley, central New Mexico: New Mexico Geological Society, 33<sup>rd</sup> Field Conference, Guidebook, p. 343-346.
- Bachman, G. O., 1968, Geology of the Mockingbird Gap quadrangle, Lincoln and Socorro Counties New Mexico: U. S. Geological Survey, Professional Paper 594-J, 43 p.
- Bachman, G.O. and Harbour, R. L., 1970, Geologic map of the northern part of the San Andres Mountains, central New Mexico: U.S. Geological Survey, Miscellaneous Geologic Investigations Map I-600.
- Bachman, G. O. and H. H. Mehnert, 1978, New K-Ar dates and the late Pliocene to Holocene history of the central Rio Grande region, New Mexico: Geological Society of America Bulletin, v. 89, p. 283-292.
- Bauch, J. H. A., 1982, Geology of the central area of the Loma de las Canas quadrangle, Socorro County, New Mexico [M. S. thesis]: Socorro, New Mexico Institute of Mining and Technology, 116 p.
- Blair, T.C., Clark, J.S., and Wells, S.G., 1990a, Quaternary continental stratigraphy, landscape evolution, and application to archeology; Jarilla Piedmont and Tularosa graben floor, White Sands Missile Range, New Mexico; with Supplementary Data 90-08. Geological Society of America Bulletin, v. 102, p. 749-759.
- Blair, T.C., Clark, J.S., and Wells, S.G., 1990b, Quaternary Stratigraphy and Landscape Evolution and its Application to Archeological Studies, *in* Anschuetz, K.F., Doleman, W.H., and Chapman, R.C., eds., Landscape Archeology in the Southern Tularosa Basin, Volume 1: Small Site Distributions and Geomorphology (OCA/UNM Report No. 185-324D): Albuquerque, Office of Contract Archeology, University of New Mexico, p. 167-206.
- Bodine, M. W., Jr., 1956, Geology of the Capitan coal field, Lincoln County, New Mexico, New Mexico Bureau of Mines and Mineral Resources, Circular 35, 27 p.
- Bruier, Frederick, Lawsen Smith and George A. Ruffner, 1992, GIS database demonstration, White Sands Missile Range, New Mexico. Final Report: U. S. Army Corps of Engineers, Waterways Experiment Station, Vicksburg, Mississippi.
- Bruno, L., and Chafetz, H.S., 1988, Depositional environment of the Cable Canyon Sandstone: a mid-Ordovician sandwave complex from southern New Mexico: New Mexico Geological Society, 39<sup>th</sup> Field Conference, Guidebook, p. 127-134.
- Buck, B.J., 1996, Late Quaternary Landscape Evolution, Paleoclimate and Geoarchaeology, Southern New Mexico West Texas. [Ph.D. dissertation], Las Cruces, New Mexico State University, 398 p.
- Bullion (Socorro Bullion)*, newspaper, Socorro, New Mexico, 1883-1889; El Paso, Texas, 1889-1894; various issues as cited.
- Bureau Archives, archival files of the New Mexico Bureau of Geology and Mineral Resources, Socorro, New Mexico; portions proprietary.
- Campbell, M.R., 1907, coal in the vicinity of Fort Stanton Reservation, Lincoln county, New Mexico; *in* Campbell, M.R., ed., Contributions to Economic Geology, 1906, Part II—Coal, Lignite, and Peat: U.S. Geological Survey, Bulletin 316, 112 p.
- Cather, S. M., 1991, Stratigraphy and provenance of Upper Cretaceous and Paleogene strata of the western Sierra Blanca basin, New Mexico: New Mexico Geological Society, 42<sup>nd</sup> Field Conference, Guidebook, p. 265-275.
- Cather, S. M., 1992, Suggested revisions to the Tertiary tectonic history of north-central New Mexico: New Mexico Geological Society, 43<sup>rd</sup> Field Conference, Guidebook 43, p. 109-122.
- Chapin, C. E., and S. M. Cather, 1981, Eocene tectonics and sedimentation in the Colorado Plateau-Rocky Mountain area, *in* W. R. Dickerson, and W. D. Pane, eds., Relations of tectonics to ore deposits in the southern Cordillera: Arizona Geological Society Digest, v. 14, p. 173-198.
- Chieftain (Socorro Chieftain)*, official newspaper of territorial Socorro County, New Mexico; various issues as cited.
- Chilton, L., Chilton, K., Arago, P.E., Dudley, J., Neary, N. and Stelzner, P., 1984, New Mexico, a new guide to a colorful state: Albuquerque, University of New Mexico Press, 640 p.
- Cobban, W. A., 1986, Upper Cretaceous molluscan record from Lincoln County, New Mexico: Southwest Section of AAPG, Transactions and Guidebook of 1986 Convention, Ruidoso, New Mexico, New Mexico Bureau of Mines and Mineral Resources, p. 77-89.
- Colpitts, R. M., Austin, G. S., Barker, J. M., Bauer, P. W., Hahman, W. R., Hawley, J. W. and Lozinsky, R. P. 1991, First-day road log, from Inn of the Mountain Gods to Bent Dome, Tularosa, Alamogordo, Cloudcroft, and return to Inn of the Mountain Gods: New Mexico Geological Society, 42<sup>nd</sup> Field Conference, Guidebook, p. 1 – 25.
- Copper Handbook, "A Manual of the Copper Mining Industry of the World," Eds. Horace J. Stevens (1905-06) and Walter Harvey Weed (1910), Houghton, Mich.; various issues as cited.
- Darton, N. H., 1928, Red beds and associated formations in New Mexico, with an outline of the geology of the state: U. S. Geological Survey, Bulletin 794, 356 p.
- Dividend Mining And Milling Company, 1905, Prospectus, "Mines and Mills at Estey City, New Mexico," privately published ca, April 1905, Boston, MA, original copy in author's collection.
- Doleman, W.H., 1995, Human and Natural Landscapes: Archeological Distributions in the Southern Tularosa Basin [Ph.D. dissertation]: Albuquerque, University of New Mexico, 460 p.
- Doleman, W.H., 1997a, Landscape-Oriented Research on White Sands Missile Range: the Border Star 85 and GBFEL-TIE Archeological Projects, *in* Leach, J.D. and Mauldin, R.P., eds., Proceedings of the Ninth Jornada Mogollon Conference: El Paso, Centro de Investigaciones Arqueologicas Publicatoinis in Archaeology No. 12, pp. 29-58.
- Doleman, W.H., 1997b, Defining Archeological Landscapes: an Example from the Southern Tularosa Basin, New Mexico, *in* Leach, J.D. and Mauldin, R.P., eds., Proceedings of the Ninth Jornada Mogollon Conference: El Paso, Centro de Investigaciones Arqueologicas Publications in Archaeology No. 12, pp. 59-91.
- Doleman, W.H., Chapman, R.C., Schutt, J.A. Swift, M.K., and Morrison, K.D. eds., 1991 Landscape Archeology in the Southern Tularosa Basin, Volume 2: Testing, Excavation, and Analysis (OCA/UNM Report No. 185-324E): Albuquerque, Office of Contract Archeology, University of New Mexico, 510 p.

- Doleman, W.H., Chapman, R.C., Stauber, R.L., and Piper, M.J. eds., 1992, Landscape Archeology in the Southern Tularosa Basin, Volume 3: Archeological Distributions and Prehistoric Human Ecology (OCA/UNM Report No. 185-324F): Albuquerque, Office of Contract Archeology, University of New Mexico, 289 p.
- Dorn, R. I. and Oberlander, T. M., 1981, Microbial Origin of Desert Varnish: Science, v. 213, p. 1245-1247.
- Dunbar, N., 1999, Cosmogenic <sup>36</sup>Cl-determined age of the Carrizozo lava flows, south-central New Mexico: New Mexico Geology, v. 21, p. 25-29.
- Dunbar, N.W., and Phillips, F.M., 1994, <sup>36</sup>Cl surface exposure determinations of eruption ages for quaternary lava flows of the Zuni-Bandera volcanic field: New Mexico Geology, v. 16, p. 80.
- Dunham, K. C., 1935, The Geology of the Organ Mountains: New Mexico Bureau of Mines and Mineral Resources, Bulletin 11, 272 p.
- Ebert, J.I., 1986, Distributional Archaeology: Nonsite Discovery, Recording and Analytical Methods for Application to the Surface Archaeological Record [Ph.D. dissertation]: Albuquerque, University of New Mexico, 413 p.
- Fisher, C.A., 1904, Coal fields of the White Mountain region, New Mexico; in Emmons, S.F. and Hayes, C.W., eds., Contributions to Economic Geology, 1903: U.S. Geological Survey Bulletin 225, p. 293-294.
- Fleischhauer, H.L., and Stone, W.J., 1982, Quaternary geology of Lake Animas, Hidalgo County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 174, 25 p.
- Flower, R.H., 1969, Early Paleozoic of New Mexico and the El Paso region: El Paso Geological Society, Ordovician Symposium, 101 p.
- Foley, R.A., 1981, Off-site Archeology: An Alternative Approach for the Short-sited, in Hodder, I., Isaac, G., and Hammond, N. eds., Patterns of the Past: Essays in Honor of David L. Clarke: Cambridge, Cambridge University Press, p. 157-183.
- Fritzgaertner, M. G. R., 1882, "Report on a Large Group of Argentiferous and Auriferous Copper Mines, Located in the Oscura Mountains, County of Socorro, Territory of New Mexico," private report submitted to Hon. W. T. Thornton, December 19, 1881; The Democrat Book and Job Printing House, Santa Fe, 1882, 16p; copy in Bureau's Archives.
- Fugate, L. and Fugate, R.B., 1989, Roadside history of New Mexico: Missoula, Mountain Press Publishing Company, 483p.
- Gile, L. H., 1987, Late Holocene displacement along the Organ Mountains fault in southern New Mexico: New Mexico Bureau of Mines and Mineral Resources, Circular 196, 43 p.
- Gile, L.H., Hawley, J.W., and Grossman, R.B., 1981, Soils and Geomorphology in the Basin and Range Area of Southern New Mexico: A Guidebook to the Desert Project, Memoir 39: Socorro, New Mexico Bureau of Mines and Mineral Resources.
- Goldhammer, R.K., Lehmann, P.J., and P.A. Dunn, 1993, The origin of high-frequency platform carbonate cycles and third-order sequences (Lower Ordovician El Paso Gp, west Texas): constraints from outcrop data and stratigraphic modeling: Journal of Sedimentary Research, v. 63, p. 318-359.
- Hawley, J. W., 1983, Quaternary geology of the Rhodes Canyon (RATSCAT) site; in Eidenbach, P. L., ed., The Prehistory of Rhodes Canyon: Tularosa, Human Systems Research, Inc., p. 17-32.
- Herrick, C.L., 1899, The occurrence of copper and lead in the San Andreas and Caballo Mountains, New Mexico: University of New Mexico Bulletin, v. 1, p. 286.
- Herrick, C. L., 1904, Lake Otero, an ancient salt lake in southeastern New Mexico: The American Geologist, v. 34, p. 174-189.
- Hoffman, G.K., 1996, Coal resources of New Mexico: New Mexico Bureau of Mines and Mineral Resources Resource map 20, 22 p. text, 1 sheet, scale 1:1,000,000.
- Ingbar, E., E., 1992, The Hanson site and Folsom on the Northwest Plains: in Stanford, D.J. and Day, J.S., eds., Ice age hunters of the Rockies, pp. 169-192. Denver Museum of Natural History, Denver, Colorado.
- International Industrial Record, 1901, "Estey City A Marvel," Vol. 3, No. 25, July 20, 1901, El Paso, Texas, 80p.
- Jentgen, R.W., 1991, The "cloud-climbing railroad" – the Alamogordo and Sacramento Mountain Railway: New Mexico Geological Society, 42<sup>nd</sup> Field Conference, Guidebook, p. 18-19.
- Johnson, W. D., Jr., Hawley, J. W., Stone, W. J., Kottlowski, F. E., Henry, C. D. and Price, J. G., 1989, Geology: U. S. Geological Survey, Professional Paper 1370-C, p. C7-C19.
- Johnston, W. D., 1928, Fluorspar in New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 4, 128 p.
- Jones, Fayette A., 1904, "New Mexico Mines and Minerals," World's Fair Edition, New Mexico Printing Company, Santa Fe, N. M., 349p.
- Julyan, R., 1996, Place Names of New Mexico. Albuquerque, University of New Mexico Press, 385 p.
- Kelley, V.C., 1949, Geology and economics of New Mexico iron-ore deposits: University of New Mexico, Publications in Geology, No. 2, p. 28-229.
- Kelley, V.C., 1951, Oolitic iron deposits of New Mexico: American Association of Petroleum Geologists Bulletin, v. 35, p. 2199-2228.
- Kelley, V. C., 1955, Regional tectonics of south-central New Mexico, New Mexico Geological Society, 6<sup>th</sup> Field Conference, Guidebook, p. 96-104.
- Kelley, V. C., 1971, Geology of the Pecos country, southeastern New Mexico, New Mexico Bureau of Mines and Mineral Resources, Memoir 24, 75 p.
- Kelly, V. C. and Silver C., 1952, Geology of the Caballo Mountains: University of New Mexico, Publications in Geology No. 4.,
- Kimberley, M.M., 1994, Debate about ironstone: Has solute supply been surficial weathering, hydrothermal convection, or exhalation of deep fluids? Terra Nova, v. 6, p. 116-132.
- King, W. E. and Harder, V. M., 1985, Oil and gas potential of the Tularosa basin-Otero platform-Salt basin graben area, New Mexico and Texas: New Mexico Bureau of Mines and Mineral Resources, Circular 198, 36 p.
- King, W. E. and Kelley, R. E., 1980, Geology and paleontology of Tortugas Mountain, Doña Ana County, New Mexico: New Mexico Geology, v. 2, p. 33-35.
- Kirkpatrick, David T. and Robert H. Weber, 1996, Quaternary geology and archaeology of Lake Trinity, White Sands Missile Range, New Mexico, in Duran, Meliha and Kirkpatrick, David T. eds., La Jornada: Papers in honor of William F. Tumey: The Archaeological Society of New Mexico 22, p. 109-127.
- Kottlowski, F. E., 1960, Summary of Pennsylvanian sections in southwestern New Mexico and southeastern Arizona: New Mexico Bureau of Mines and Mineral Resources, Bulletin 66, 187 p.
- Kottlowski, F.E., 1963, Paleozoic and Mesozoic strata of southwestern and south-central New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 79, 100 p.
- Kottlowski, F. E., 1963, Summary of Pennsylvanian Sections in Southwestern New Mexico and Southeastern Arizona: New Mexico Bureau of Mines and Mineral Resources Bulletin 66, 187 p.
- Kottlowski, F.E., Flower, R.H., Thompson, M.L., and Foster, R.W., 1956, Stratigraphic studies of the San Andres Mountains, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 1, 132 p.
- Kues, B. S., 2000, Recommendations for revision of Pennsylvanian lithostratigraphic nomenclature in New Mexico: New Mexico Geology, v. 22, p. 40.
- Kues, B. S. and Lucas, S. G., 2001, An unusual Virgilian marine assemblage dominated by the brachiopods *Composita* and *Enteletes* in the northern Sierra Oscura, Socorro County, New Mexico: New Mexico Geology, v. 23, p. 55-56.
- Lasky, Samuel G., 1932, The Ore Deposits of Socorro County, New Mexico, New Mexico Bureau of Mines and Mineral Resources, Bulletin 8, 139 p.
- Laughlin, A.W., Poths, J., Healey, H.A., Reneau, S., and WoldeGabriel, G., 1994, Dating of Quaternary basalts using the cosmogenic <sup>3</sup>He and <sup>14</sup>C methods with implications for excess <sup>40</sup>Ar: Geology, v. 22, p. 135-138.
- Lee, W. T. and Girty, G. H., 1909, The Manzano Group of the Rio Grande Valley, New Mexico: U. S. Geological Survey, Bulletin 389, 141 p.
- LeMone, D.V., 1987, White Sands National Monument: Decade of North American Geology, Centennial Field Guide Volume 2, Rocky Mountain Section of the Geological Society of America, p. 447-450.
- Lozinsky and Bauer, 1991, Structure and basin-fill units of the Tularosa Basin: New Mexico Geological Society, 42<sup>nd</sup> Field Conference, Guidebook, p. 7-9.
- Lucas, S. G., 1991, Triassic stratigraphy, paleontology and correlation, south-central New Mexico: New Mexico Geological Society, Guidebook 42, p. 243-259.
- Lucas, S. G. and Estep, J. W., 1998, Cretaceous stratigraphy and biostratigraphy in the southern San Andres Mountains, Doña Ana County, New Mexico: New Mexico Geological Society, 49<sup>th</sup> Field Conference, Guidebook, p. 187-196.
- Lucas, S. G., S. M. Cather, P. Sealey, and J. H. Hutchison, 1989, Stratigraphy, paleontology, and depositional systems of the Eocene Cub Mountain Formation, Lincoln County, New Mexico; a preliminary report: New Mexico Geology, v. 11, p. 11-17.
- Lucas, S. G., Kues, B. S., Wilde, G. L. and Krainer, K., 2000, Type sections of the Bruton and Bursum formations, Socorro County, New Mexico: New Mexico

- Geology, v. 22, p. 40.
- Lueth, V. W., 1988, Studies of the geochemistry of the semimetal elements: Arsenic, antimony and bismuth [Ph.D. dissertation]: University of Texas at El Paso, 173 p.
- Lueth, V. W., 1998, Tellurium mineralization in the northern Organ district, Dona Ana County, New Mexico: New Mexico Geological Society, 49<sup>th</sup> Field Conference, Guidebook, p. 265 – 269.
- Lueth, V.W., 1992, Origin of reversed textural features in a granite laccolith, Organ district, New Mexico: Geological Society of America, Rocky Mountain Section Meeting, Ogden, UT, Abstracts with Programs, v. 24, p. 49.
- Lueth, V. W. and McLemore, 1998, A reinterpretation of ore zoning in the Organ district, Dona Ana County, New Mexico: New Mexico Geological Society, 49<sup>th</sup> Field Conference, Guidebook, p. 279 – 285.
- Lueth, V. W., Megaw, P.K.M., Pingitore, N.E., and Goodell, P.C., 2000, Systematic variation in galena solid-solution compositions at Santa Eulalia, Chihuahua, Mexico: *Economic Geology*, v. 95, p. 1673 - 1687.
- Lueth, V. W., Rye, R.O. and Peters, L., 2000, The origin and natural destruction of an ore deposit as recorded by jarosite – The Hansonburg district, New Mexico (abstract): Geological Society of America, Annual Meeting with Program, p. A-109.
- Maulsby, J., 1981, Geology of the Rancho de Lopez area, east of Socorro, New Mexico [M. S. thesis]: Socorro, New Mexico Institute of Mining and Technology, 85 p.
- McKee, E. D., 1966, Structures of dunes at White Sands National Monument, New Mexico (and a comparison with structures of dunes from other selected areas): *Sedimentology*, v. 7, special issue, 69 p.
- McKee, E. D. and Douglass, J. R., 1971, Growth and movement of dunes at White Sands National Monument, New Mexico: U. S. Geological Survey, Professional Paper 750-D, p. D108-D114.
- McKee, E. D., Douglass, J. R. and Rittenhouse, S., 1971, Deformation of lee-side laminae in eolian dunes: *Geological Society of America Bulletin*, v. 82, p. 359-378.
- McKee, E. D. and Moiola, R. J., 1975, Geometry and growth of the White Sands Dune Field, New Mexico: U. S. Geological Survey, *Journal of Research*, v. 3, no. 1 p. 59-66.
- McLemore, V. T., Sutphin, D. M., Hack, D. R. and Pease, T. C., 1996, Mining history and mineral resources of the Mimbres Resource Area, Doña Ana, Luna, Hidalgo and Grant Counties, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Open-file Report 424, 251 p.
- Melhase, J., 1927, Report on the Sierra Blanca coal field, Lincoln and Otero counties, New Mexico: Unpublished New Mexico Bureau of Mines and Mineral Resources report, 19 p.
- Miller, W. R., O'Neill, J. M., and McLemore, V. T., 1997, Environmental geochemistry and mineral resource potential of the Three Rivers area and geology of the Three Rivers Petroglyph Site, Otero County, New Mexico: U. S. Geological Survey, Open file Report OF97-444, 36 p.
- Monger, H.C. and Gallegos, R., 1997, Mineralogy and eolian sedimentation - Lost River Playa, Otero County New Mexico, report submitted to Geo-Marine Inc. New Mexico: State University, Las Cruces New Mexico, 16 pp.
- Moore, S. L., T. B. Thompson, and E. E. Foord, 1991, Structure and igneous rocks of the Ruidoso region, New Mexico, New Mexico Geological Society, 42<sup>nd</sup> Field Conference, Guidebook, p. 137-145.
- Moore, S. M., Foord, E. E., Meyer, G. A., and Smith, G. W., 1988, Geologic map of the northwestern part of the Mescalero Apache Indian Reservation, Otero County, New Mexico: U. S. Geological Survey, Misc. Investigations Map I-1895, 1:24,000 scale.
- Morrison, R.B., and Frye, J.C., 1965, Correlation of the middle and late Quaternary succession of the Lake Lahontan, Lake Bonneville, Rocky Mountain (Wasatch Range), southern Great Plains and eastern Midwest areas: Nevada Bureau of Mines, Report 9, 45 p.
- Myers, R.G., and Pinckley, K.M., 1987, Test wells TW1, TW2, and TW3, White Sands Missile Range, Otero County, New Mexico: U.S. Geological Survey, Open-File Report 87-47, 19 p.
- National Atmospheric Deposition Program, 1988a, NADP/NTN data report - precipitation chemistry, 1 January – 30 June, 1987, v. X, no. 1, Natural Resource Ecology Laboratory, Colorado State University, Fort Collins, CO, 217 p.
- National Atmospheric Deposition Program, 1988b, NADP/NTN data report - precipitation chemistry, 1 July – 31 December, 1987, v. X, no. 2, Natural Resource Ecology Laboratory, Colorado State University, Fort Collins, CO, 216 p.
- Neal, James T., 1976, Pleistocene Lake Trinity, a sulfate basin in the northern Jornada del Muerto: Geological Society of America, Abstracts with Programs, v. 8, p. 1026.
- Neal, James T., Robert R. Smith, and Blair F. Jones, 1983, Pleistocene Lake Trinity, an evaporite basin in the northern Jornada del Muerto: New Mexico Geological Society 34<sup>th</sup> Field Conference, Guidebook, p. 285-290.
- Neher, R.E., and Bailey, O.F., 1976, Soil survey of White Sands Missile Range, New Mexico - - parts of Dona Ana, Lincoln, Otero, Sierra, and Socorro Counties: U.S. Department of Agriculture, Soil Conservation Service, 64 p.
- New Mexico State Mine Inspector, 1912-1962, Annual Reports: New Mexico Energy and Minerals Department, Albuquerque.
- Newcomer, R. W. and Giordano, T. H., 1986, Porphyry-type mineralization and alteration in the Organ mining district, south-central New Mexico: *New Mexico Geology*, v. 8, p. 83 – 86.
- Nichols, R.L., 1946, McCarty's basalt flow, Valencia County, New Mexico: *Geological Society of America Bulletin*, v. 57, p. 1049-1086.
- Northrup, S. A., 1959, Minerals of New Mexico. Revised edition: Albuquerque, University of New Mexico Press, 665 p.
- Osburn, J. C. and Arkell, B. W. 1986, Roadlog from Ruidoso to Tularosa, Oscura, Carrizozo, Valley of Fires, White Oaks, Capitan, and back to Ruidoso: Southwest Section of AAPG, Transactions and Guidebook of 1986 Convention, Ruidoso, New Mexico: New Mexico Bureau of Mines and Mineral Resources, p. 37 – 47.
- Otté, C., Jr., 1959, Late Pennsylvanian and Early Permian stratigraphy of the northern Sacramento Mountains, Otero County, New Mexico: *New Mexico Bureau of Mines and Mineral Resources, Bulletin* 50, 111 p.
- Pearce, T. M., 1965, New Mexico place names: Albuquerque, University of New Mexico Press, 187 p.
- Phillips, F.M., Dunbar, N.W., and Zreda, M., 1997, A test of chlorine-36 for dating of late Quaternary basaltic volcanoes: EOS, *Transactions of the American Geophysical Union*, v. 78, p. F760.
- Phillips, F.M., Leavy, B.D., Jannik, N.O., Elmore, D., and Kubik, P.W., 1986, The accumulation of cosmogenic chlorine-36 in rocks: a method for surface exposure dating: *Science*, v. 231, p. 41-43.
- Pike, W.S., Jr., 1947, Intertonguing marine and nonmarine Upper Cretaceous deposits of New Mexico, Arizona, and southwestern Colorado: *Geological Society of America, Memoir* 24, 103 p.
- Pray, L. C., 1959, Guidebook for joint field conference in the Sacramento Mountains, Otero County, New Mexico: Midland, Texas, Permian Basin Section Society of Economic Paleontologists and Mineralogists and Roswell Geological Society, 122 p.
- Pray, L. C., 1961, Geology of the Sacramento Mountains escarpment, Otero County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, *Bulletin* 35, 154 p.
- Read, J. F., and Goldhammer, R.K., 1988, Use of Fischer plots to define third-order sea-level curves in Ordovician peritidal cyclic carbonates, Appalachians: *Geology*, v. 16, p. 895-899.
- Rejas, A., 1965, Geology of the Cerros de Amado area, Socorro County, New Mexico [M. S. thesis]: Socorro, New Mexico Institute of Mining and Technology, 123 p.
- Repetski, J.E., 1988, Ordovician conodonts from the Bliss Sandstone in its type area, west Texas: New Mexico Bureau of Mines and Mineral Resources, *Memoir* 44, p. 123-127.
- Reports of the United States Mine Inspector for the Territory of New Mexico to the Secretary of the Interior, 1882–1912, Annual Reports.
- Rossignol, J., and Wandsnider, L., 1992, Space, Time, and Archaeological Landscapes: New York, Plenum Press.
- Ross, 1948, Optical properties of glass from Alamogordo, New Mexico: *American Mineralogist*, v. 33, p. 360-362.
- Rothrock, H. E., Johnson, C. H. and Hahn, A. D., 1946, Fluorspar resources of New Mexico: New Mexico Bureau of Mines and Mineral Resources, *Bulletin* 21, 245 p.
- Salyards, S.L., 1991, A possible mid-Holocene age of the Carrizozo Malpais from paleomagnetism using secular variation magnetostratigraphy: *New Mexico Geological Society, 42<sup>nd</sup> Field Conference, Guidebook*, v. 42, p. 153-157.
- Seegerstrom, K., Stotelmeyer, R. B., and Williams, F. E., 1979, Mineral resources of the White Mountain Wilderness and adjacent areas, Lincoln County, New Mexico: U. S. Geological Survey, *Bulletin* 1453, 135 p.
- Sonnichsen, C. L., 1960, Tularosa: New York, The Devin-Adair Co., 336 p.

- Schmidt, P.G. and Craddock, C., 1964, The geology of the Jarilla Mountains, Otero County, New Mexico: New Mexico Bureau of Mines & Mineral Resources, Bulletin 82, 55 p.
- Schoderbeck, D., 1994, Environments of Deposition and patterns of cyclicity of the Panther Seep Formation, Southern San Andres Mountains, in Garber, R. A., and Keller, D. R., eds., Field guide to the Paleozoic section of the San Andres Mountains: Permian Basin-SEPM Publication no. 94-35, p. 87-103.
- Seager, W.R., 1981, Geology of the Organ Mountains and southern San Andres Mountains, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 36, 97 p.
- Seager, W. R., Hawley, J. W., Kottowski, F. E., and Kelly S. A., 1987, Geology of the east half of the Las Cruces and northeast El Paso 10 x 20 sheets, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 57.
- Seager, W.R. and McCurry, M., 1988, The cogenetic Organ cauldron and batholith, south central New Mexico; evolution of a large-volume ash flow cauldron and its source magma chamber, *Journal of Geophysical Research*, B, Solid Earth and Planets v. 92, p. 4421-4433.
- Seager, W. R., G. H. Mack, and T. F. Lawton, 1997, Structural kinematics and depositional history of a Laramide uplift-basin pair in southern New Mexico: Implications for development of intraforeland basins: *Geological Society of America Bulletin*, v. 109, p. 1389-1401.
- Segerstrom, K., Stotelmeyer, R. B., and Williams, F. E., 1979, Mineral resources of the White Mountain Wilderness and adjacent areas, Lincoln County, New Mexico: U. S. Geological Survey, Bulletin 1453, 135 p.
- Sharp, J. W., 2001, Prehistoric desert peoples: The Mogollon: [http://www.desertusa.com/ind1/du\\_peo\\_mog.html](http://www.desertusa.com/ind1/du_peo_mog.html) (accessed on October 9, 2001)
- Siehl, A. and Thein, J., 1989, Minette-type ironstones, in Young, T.P. and Taylor, W.E.G., eds., *Phanerozoic Ironstones*: Geological Society of London, Special Publication 46, p. 175-193.
- Slagle, E. S., 1991, History of coal mining in the Sierra Blanca coal field, Lincoln and Otero Counties, New Mexico: New Mexico Geological Society, 42<sup>nd</sup> Field Conference, Guidebook, p. 54-57.
- Soreghan, G.S., 1992, Sedimentology and process stratigraphy of the Upper Pennsylvanian, Pedregosa (Arizona) and Orogrande (New Mexico) basins [Ph.D. dissertation]: Tucson, University of Arizona, 278 p.
- Soreghan, G.S., 1994a, Stratigraphic responses to geologic processes: Late Pennsylvanian eustasy and tectonics in the Pedregosa and Orogrande basins: *Geological Society of America Bulletin*, v. 106, p. 1195-1211.
- Soreghan, G.S., 1994b, Upper Pennsylvanian facies and cyclostratigraphy in Rhodes and Hembrillo canyons, San Andres Mountains, in Garber, R. A., and Keller, D. R., eds., Field guide to the Paleozoic section of the San Andres Mountains: Permian Basin-SEPM Publication no. 94-35, p. 71-85.
- Soreghan, G.S., and Dickinson, W.R., 1994, Generic types of stratigraphic cycles controlled by eustasy: *Geology*, v. 22, p. 759-761.
- Soreghan, G.S., and Giles, K.A., 1999a, Facies character and stratal responses to accommodation in Pennsylvanian bioherms, western Orogrande basin, New Mexico: *Journal of Sedimentary Research*, v. 69, p. 893-908.
- Soreghan, G.S., and Giles, K.A., 1999b, Amplitudes of Late Pennsylvanian glacioeustasy: *Geology*, v. 27, p. 255-258.
- Soreghan, G.S., Engel, M.H., Furley, R. A., and Giles, K.A., 2000, Glacioeustatic transgressive reflux: Stratiform dolomite in Pennsylvanian bioherms of the western Orogrande basin, New Mexico: *Journal of Sedimentary Research*, v. 70, p. 1315-1332.
- Stone, W.J., 1988, Recharge at the White Sands hazardous-waste facility, Otero County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Open-File Report 346, 19 p.
- Stone, W.J., 1992a, Estimating contamination potential at waste-disposal sites using a natural tracer: *Environmental Geology and Water Science*, v. 19, no. 3, p. 139-145
- Stone, W.J., 1992b, Paleohydrologic implications of some deep soilwater chloride profiles, Murray Basin, South Australia: *Journal of Hydrology*, v. 132, p. 201-223
- The Mining World, 1903, professional mining journal, Butte, Montana.
- Taylor, J.F. and Repetski, J.E., 1995, High-resolution trilobite and conodont biostratigraphy across the Cambrian-Ordovician boundary in south-central New Mexico, in Cooper, J.D., Droser, M.L., and Finney, S.C., eds., *Ordovician Odyssey: Short Papers for the Seventh International Symposium on the Ordovician System*: Fullerton, California, The Pacific Section Society for Sedimentary Geology (SEPM), Book 77, p. 133-136.
- Thompson, M. L., 1942, Pennsylvanian System in New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 17, 92 p.
- Thompson, M. L., 1954, American Wolfcampian fusulinaceans: University of Kansas Paleontological Contributions Protozoa Article 5, 226 p.
- Thompson, T. B., 1972, Sierra Blanca igneous complex, New Mexico: *Geological Society of America, Bulletin*, v. 83, p. 2341 - 2356.
- Toomey, D.F., Wilson, J.L., and Rezak, R., 1977, Evolution of Yucca mound complex, Late Pennsylvanian phylloid-algal buildup, Sacramento Mountains, New Mexico: *American Association of Petroleum Geologists, Bulletin*, v. 61, p. 2115-2133.
- Turner, H. W., 1902, "The Copper Deposits of the Sierra Oscura, New Mexico," 4-p preprint, originally published in *Transactions of AIME*, Vol. 33, 1902, p 678.
- Van Devender, T. R. and Toolin, L. J., 1983, Late Quaternary vegetation of the San Andres Mountains, Sierra County, New Mexico; in Eidenbach, P. L., ed., *The Prehistory of Rhodes Canyon*: Tularosa, Human Systems Research, Inc., p. 33-54.
- Young, T.P., 1989, Phanerozoic ironstones: an introduction and review, in Young, T.P. and Taylor, W.E.G., eds., *Phanerozoic Ironstones*: Geological Society of London, Special Publication 46, p. ix-xxv.
- Wandsnider, L., 1989, Long-term Land Use, Formation Processes, and the Structure of the Archaeological Landscape: a Case Study from Southwestern Wyoming [Ph.D. dissertation]: Albuquerque, University of New Mexico, 442 p.
- Wang, Y. and Amundson, R., 1996, Radiocarbon Dating of Soil Organic Matter: *Quaternary Research*, v. 45, p. 282-288.
- Weber, Robert H., 1963, Cenozoic volcanic rocks of Socorro County: New Mexico Geological Society, 14<sup>th</sup> Field Conference, Guidebook, p. 132-143.
- Weber, R. H., 1964, Geology of the Carrizozo quadrangle, New Mexico, Ruidoso Country, New Mexico Geological Society, 15<sup>th</sup> Field Conference, Guidebook, p. 100-109.
- Weber, Robert H., 1973, Geology of Mockingbird Gap Site in central New Mexico: *Geological Society of America, Abstracts with Programs*, v. 5, p. 857-858.
- Weber, Robert H., 1997, Geology of the Mockingbird Gap Site in central New Mexico; in Duran, Meliha, and Kirkpatrick, David T. eds., *Layers of time: Papers in honor of Robert H. Weber*: The Archaeological Society of New Mexico 23, p. 115-127.
- Wegemann, C.H., 1914, Geology and coal resources of the Sierra Blanca coal field, Lincoln, and Otero counties, New Mexico; in Campbell, M.R., ed., *Contributions to Economic Geology (Short Papers and Preliminary Reports) 1912, Part II—Mineral Fuels*: U.S. Geological Survey Bulletin 541, P. 419-452.
- Weir, J. E., Jr., 1965, Geology and availability of ground water in the northern part of the White Sands Missile Range and vicinity New Mexico: U. S. Geological Survey Water-Supply Paper 1810, 78 p.
- Wheeler, 1983, *The fall of Japan*: Chicago, Time-Life Books, 207 p.
- Wilpolt, R. H. and Waneck, A. A., 1951, Geology of the region from Socorro and San Antonio east to Chupadera Mesa, Socorro County, New Mexico: U. S. Geological Survey, Oil and Gas Investigations Map OM121.
- Wilpolt, R. H., MacAlpin, A. J., Bates, R. L., and Vorbe, G., 1946, Geologic map and stratigraphic sections of Paleozoic rocks of Joyita Hills, Los Pinos Mountains, and northern Chupadera Mesa, Valencia, Torrance, and Socorro Counties, New Mexico: U. S. Geological Survey Oil and Gas Inventory, Preliminary Map 61.
- Zimmerer, R. W., 1963, "Eldorado's Ghost," *New Mexico Magazine*, Santa Fe, New Mexico, September 1963.
- Zreda, M.G., Phillips, F.M., Kubik, P.W., Sharma, P., and Elmore, D., 1993, Cosmogenic <sup>36</sup>Cl dating of a young basaltic eruption complex, Lathrop Wells, Nevada: *Geology*, v. 21, p. 57-60.