

New Mexico Geological Society

Downloaded from: <https://nmgs.nmt.edu/publications/guidebooks/56>



Roadlog References

(Includes references for all roadlogs in this volume.)

in:
Geology of the Chama Basin, Lucas, Spencer G.; Zeigler, Kate E.; Lueth, Virgil W.; Owen, Donald E.; [eds.], New Mexico Geological Society 56th Annual Fall Field Conference Guidebook, 456 p. <https://doi.org/10.56577/FFC-56>

This is a section from the 2005 NMGS Fall Field Conference Guidebook.

Annual NMGS Fall Field Conference Guidebooks

Every fall since 1950, the New Mexico Geological Society (NMGS) has held an annual [Fall Field Conference](#) that explores some region of New Mexico (or surrounding states). Always well attended, these conferences provide a guidebook to participants. Besides detailed road logs, the guidebooks contain many well written, edited, and peer-reviewed geoscience papers. These books have set the national standard for geologic guidebooks and are an essential geologic reference for anyone working in or around New Mexico.

Free Downloads

NMGS has decided to make peer-reviewed papers from our Fall Field Conference guidebooks available for free download. This is in keeping with our mission of promoting interest, research, and cooperation regarding geology in New Mexico. However, guidebook sales represent a significant proportion of our operating budget. Therefore, only *research papers* are available for download. *Road logs*, *mini-papers*, and other selected content are available only in print for recent guidebooks.

Copyright Information

Publications of the New Mexico Geological Society, printed and electronic, are protected by the copyright laws of the United States. No material from the NMGS website, or printed and electronic publications, may be reprinted or redistributed without NMGS permission. Contact us for permission to reprint portions of any of our publications.

One printed copy of any materials from the NMGS website or our print and electronic publications may be made for individual use without our permission. Teachers and students may make unlimited copies for educational use. Any other use of these materials requires explicit permission.

This page is intentionally left blank to maintain order of facing pages.

ROAD LOG REFERENCES

- Agenbroad, L. D., 1994, Taxonomy of North American *Mammuthus* and biometrics of the Hot Springs mammoths; in Agenbroad, L. D. and Mead, J. I., eds., The Hot Springs mammoth site: Hot Springs, South Dakota, p. 158-207.
- Aldrich, M.J., Jr., 1986, Tectonics of the Jemez lineament in the Jemez Mountains and Rio Grande rift: *Journal of Geophysical Research*, vol. 91, no. B2, p. 1753-1762.
- Aldrich, M.J. and Dethier, D.P., 1990, Stratigraphic and tectonic evolution of the northern Española basin, Rio Grande rift, New Mexico: *Geological Society of America Bulletin*, v. 102, p. 1695-1705.
- Amarante, J. F., Brister, B. S., Peabody, W. and McElvain, T.H. Jr., 2002, Petrology and depositional environments of the Menefee Formation north of Regina, New Mexico: *New Mexico Geology*, v. 24, p. 68.
- Anderson, O. J., and Lucas, S. G., 1992, The Middle Jurassic Summerville Formation, northern New Mexico: *New Mexico Geology*, v. 14, p. 79-92.
- Anderson, O. J., and Lucas, S. G., 1995, Base of the Morrison Formation, Jurassic, of northwestern New Mexico and adjacent areas: *New Mexico Geology*, v. 17, p. 44-53.
- Anderson, O. J., and Lucas, S. G., 1996, Stratigraphy and depositional environments of Middle and Upper Jurassic rocks, southeastern San Juan Basin, New Mexico: *New Mexico Geological Society, 47th Field Conference Guidebook*, p. 205-210.
- Anderson, O. J., and Lucas, S. G., 1997, The Upper Jurassic Morrison Formation in the Four Corners Region: *New Mexico Geological Society, 48th Field Conference Guidebook*, p. 139-155.
- Anderson, O. J., and Lucas, S. G., 1998, Redefinition of Morrison Formation (Upper Jurassic) and related San Rafael Group strata, southwestern U.S.: *Modern Geology*, v. 22, p. 39-69.
- Appelt, R. M., 1998, 40Ar/39Ar geochronology and volcanic evolution of the Taos Plateau volcanic field, northern New Mexico and southern Colorado [M.S. thesis]: Socorro, New Mexico Institute of Mining and Technology, 58 p.
- Ash, H. O., 1958, The Jurassic Todilto Formation of New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 63 p.
- Ash, S. R., 1974, Upper Triassic plants of Cañon del Cobre, New Mexico: *New Mexico Geological Society, 25th Field Conference Guidebook*, p. 179-184.
- Ash, S. R. and Creber, G.T., 2000, The Late Triassic *Aurucarioxylon arizonicum* trees of the Petrified Forest National Park, Arizona, USA: *Palaeontology*, v. 43, p. 15-28.
- Bachman, G. O., and Mehnert, H. H., 1978, New K-Ar dates and the late Pliocene to Holocene geomorphic history of the central Rio Grande region, New Mexico: *Geological Society of America Bulletin*, v. 89, p. 283-292.
- Bailey, R.A., Smith, R.L. and Ross, C.S., 1969, Stratigraphic nomenclature of volcanic rocks in the Jemez Mountains, New Mexico: *U.S. Geological Survey, Bulletin 1274-P*, 19 p.
- Baldrige, W.S., Damon, P.E., Shafiqullah, M. and Bridwell, R.J., 1980, Evolution of the central Rio Grande rift, New Mexico: New potassium-argon dates: *Earth and Planetary Science Letters*, v. 51, p. 309-321.
- Baldrige, W.S., Ferguson, J.F., Braile, L.W., Wang, B., Eckhardt, K., Evans, D., Schultz, C., Gilpin, B., Jiracek, G. and Biehler, S., 1994, The western margin of the Rio Grande rift in northern New Mexico: An aborted boundary?: *Geological Society of America Bulletin*, v. 105, p. 1538-1551.
- Baltz, E. H., 1967, Stratigraphy and regional tectonic implications of part of Upper Cretaceous and Tertiary rocks, east-central San Juan Basin, New Mexico: *U. S. Geological Survey, Professional Paper 552*, 101 p.
- Barker, F., 1958, Precambrian and Tertiary geology of the Las Tablas Quadrangle, New Mexico: *New Mexico Bureau of Mines and Mineral Resources, Bulletin 45*, 104 p.
- Beaumont, E. C., 1956, Revised nomenclature of Mesaverde Group in San Juan Basin, New Mexico: *American association of Petroleum Geologists Bulletin*, v. 40, p. 2149-2162.
- Behrensmeier, A.K., 1978, Taphonomic and ecologic information from bone weathering: *Paleobiology*, v. 4, p. 150-162.
- Berman, D. S., 1993, Lower Permian vertebrate localities of New Mexico and their assemblages: *New Mexico Museum of Natural History and Science, Bulletin 2*, p. 11-21.
- Bingler, E. C., 1968, Geology and mineral resources of Rio Arriba County, New Mexico: *New Mexico Bureau of Mines and Mineral Resources Bulletin*, v. 91, 158 p.
- Brister, B., 1992, The Blanco Basin Formation (Eocene), San Juan Mountains region, Colorado and New Mexico: *New Mexico Geological Society, 43rd Field Conference Guidebook*, p. 321-331.
- Brister, B. S. and Chapin, C. E., 1994, Sedimentation and tectonics of the Laramide San Juan sag, southwestern Colorado: *The Mountain Geologist*, v. 31, p. 2-18.
- Bull, W. B., 1991, Geomorphic responses to climatic change: *Oxford University Press, New York*, 326 p.
- Butler, A. P., Jr., 1971, Tertiary volcanic stratigraphy of the eastern Tuzas Mountains, southwest of the San Luis Valley, Colorado-New Mexico: *New Mexico Geological Society, 22nd Field Conference Guidebook*, p. 289-300.
- Camp, C. L., 1930, A study of the phytosaurs with description of new material from western North America: *Memoirs of the University of California*, v. 19, 174 p.
- Cather, S. M., 1999, Implications of Jurassic, Cretaceous, and Proterozoic piercing lines for Laramide oblique-slip faulting in New Mexico and rotation of the Colorado Plateau: *Geological Society of America Bulletin*, v. 111, p. 849-868.
- Cavazza, W., 1986, Miocene sediment dispersal in the central Española basin, Rio Grande rift, New Mexico, USA: *Sedimentary Geology*, v. 51, p. 119-135.
- Chapin, C. E. and Cather, S. M., 1981, Eocene tectonics and sedimentation in the Colorado Plateau-Rocky Mountain area: *Arizona Geological Society Digest*, v. 14, p. 173-198.
- Chapin, C. E. and Cather, S. M., 1983, Eocene tectonics and sedimentation in the Colorado Plateau; Rocky Mountain area; in Lowell, J. D., ed., *Rocky Mountain foreland basins and uplifts*: Denver, Rocky Mountain Association of Geologists, p. 33-56.
- Colbert, E. H., 1947, The little dinosaurs of Ghost Ranch: *Natural History*, v. 56, p. 392-399, 427-428.
- Colbert, E. H., 1964, The Triassic dinosaur genera *Podokesaurus* and *Coelophysis*: *American Museum Novitates*, v. 2168, p. 1-12.
- Colbert, E. H., 1972, Vertebrates from the Chinle Formation; in Breed, C. S., and Breed, W. J., eds., *Investigations in the Triassic Chinle Formation*: Flagstaff, Museum of Northern Arizona Press, p. 96-103.
- Colbert, E. H., 1974, The Triassic paleontology of Ghost Ranch: *New Mexico Geological Society, 25th Field Conference Guidebook*, p. 175-178.
- Colbert, E. H., 1989, The Triassic dinosaur *Coelophysis*: *Museum of Northern Arizona Bulletin*, v. 57, 160 p.
- Colbert, E. H., 1990, Variation in *Coelophysis*; in Carpenter, K., and Currie, P. J., eds., *Dinosaur systematics: Approaches and perspectives*: Cambridge, Cambridge University Press, p. 80-90.
- Colbert, E. H., Charig, A. J., Dodson, P., Gillette, D. D., Ostrom, J. H. and Weishampel, D., 1992, *Coelurus bauri* Cope, 1887 (currently *Coelophysis bauri*; Reptilia, Saurischia): proposed replacement of the lectotype by a neotype: *Bulletin of Zoological Nomenclature*, v. 49, p. 276-279.
- Cope, E. D., 1875, Report upon the geology of that part of New Mexico examined during the field season of 1874: *Annual Report Upon the Geographical Explorations West of the 100th Meridian [Wheeler Survey]*, Appendix LL, *Annual Report Chief of Engineers for 1875*, p. 61-97 of separate issue, 981-1017 of full report.
- Cope, E. D., 1887a, The dinosaurian genus *Coelurus*: *American Naturalist*, v. 21, p. 367-369.
- Cope, E. D., 1887b, A contribution to the history of the Vertebrata of the Trias of North America: *Proceedings of the American Philosophical Society*, v. 24, p. 221-227.
- Cope, E. D., 1889, On a new genus of Triassic Dinosauria: *American Naturalist*, v. 23, p. 626.
- Cope, M.J., 1980, Physical and chemical properties of coalified and charcoaled phytoclasts from some British Mesozoic sediments: an organic geochemical approach to Palaeobotany; in Douglas, A.G. and Maxwell, J.R., eds., *Advances in Organic Geochemistry*: Cambridge, Cambridge University Press, p. 663-677.
- Cope, M.J., 1981, Products of natural burning as a component of the dispersed organic matter of sedimentary rocks: in Brook, J., ed., *Organic maturation Studies and Fossil Fuel Exploration*, p. 89-109.
- Cross, W. and Larsen, E. S., 1935, A brief review of the geology of the San Juan region of southwestern Colorado: *U. S. Geological Survey, Bulletin 843*, 138 p.

- Dane, C. H., 1960, The boundary between rocks of Carlile and Niobrara age in San Juan Basin, New Mexico and Colorado: *American Journal of Science*, v. 258A, p. 46-56.
- Darton, N. H., 1922, Geologic structure of parts of New Mexico: U. S. geological survey, Bulletin 726, p. 173-275.
- Darton, N. H., 1928, "Red beds" and associated formations in New Mexico: U. S. Geological Survey, Bulletin 794, 356 p.
- Dethier, D.P., and Martin, B., 1984, Geology and structure along part of the north-east Jemez Mountains, New Mexico: New Mexico Geological Society, 35th Field Conference Guidebook, p. 145-150.
- Dethier, D.P. and Manley, K., 1985, Geologic map of the Chili quadrangle, Rio Arriba County, New Mexico: U. S. Geological Survey, Miscellaneous Field Studies Map MF-1814, scale 1:24,000.
- Dethier, D.P. and McCoy, W.D., 1993, Aminostratigraphic relations and age of Quaternary deposits, northern Española basin, New Mexico: *Quaternary Research*, v. 39, p. 222-230.
- Dethier, D.P. and Reneau, S.L., 1995, Quaternary history of the western Española basin, New Mexico: New Mexico Geological Society, 46th Field Conference Guidebook, p. 289-298.
- Dethier, D.P., Aldrich, M.J., Jr. and Shafiqullah, M., 1986, New K-Ar ages for Miocene volcanic rocks from the northeastern Jemez Mountains and Tejana Mesa, New Mexico: *Ischron/West*, no. 47, p. 12-14.
- Dethier, D.P., Harrington, C.D. and Aldrich, M.J., 1988, Late Cenozoic rates of erosion in the western Española basin, New Mexico: Evidence from geologic dating of erosion surfaces: *Geological Society of America Bulletin*, v. 100, p. 928-937.
- Dethier, D.P., Harrington, C.D., Sarna-Wojcicki, A. and Meyer, C.E., 1990, Occurrence of the Lava Creek B tephra layer in the northwestern Española basin, New Mexico: *New Mexico Geology*, v. 12, p. 77-82.
- Downs, A., 2000, *Coelophysis bauri* and *Syntarsus rhodesiensis* compared, with comments on the preparation and preservation of fossils from the Ghost Ranch *Coelophysis* quarry: New Mexico Museum of Natural History and Science, Bulletin 17, p. 33-37.
- Drakos, P., Lazarus, J., Riesterer, J., White, B., Banet, C., Hodgins, M. and Sandoval, J., 2004, Subsurface stratigraphy in the southern San Luis Basin, New Mexico: New Mexico Geological Society, 55th Field Conference Guidebook, p. 374-382.
- Dubiel, R. F., 1989, Depositional environment of the Upper Triassic Chinle Formation in the eastern San Juan Basin and vicinity, New Mexico: U. S. Geological Survey, Bulletin 1808B, p. 1-22.
- Dunkle, D. H., 1942, A new fossil fish of the family Leptolepidae: Scientific Publications of the Cleveland Museum of Natural History, v. 8, p. 61-65.
- Dungan, M.A., Muehlberger, W.R., Leininger, L., Peterson, C., McMillan, N.J., Gunn, G., Lindstrom, M. and Haskin, L., 1984, Volcanic and sedimentary stratigraphy of the Rio Grande gorge and the late Cenozoic evolution of the southern San Luis valley: New Mexico Geological Society, 35th Field Conference Guidebook, p. 157-170.
- Dutrow, B. L., 1980, Metric analysis of a late Pleistocene mammoth assemblage, Hot Springs, South Dakota [M. S. Thesis]: Dallas, Southern Methodist University, 165 p.
- Eberth, D. A., and Berman, D. S., 1993, Stratigraphy, sedimentology and vertebrate paleoecology of the Cutler Formation redbeds (Pennsylvanian-Permian) of north-central New Mexico: New Mexico Museum of Natural History and Science, Bulletin 2, p. 33-48.
- Ekas, L.M., Ingersoll, R.V., Baldrige, W.S. and Shafiqullah, M., 1984, The Chama-El Rito Member of the Tesuque Formation, Española basin, New Mexico: New Mexico Geological Society, 35th Field Conference Guidebook, p. 137-143.
- Erslev, E. A., 1999, Multistage, multidirectional horizontal compression during Laramide and mid-Tertiary deformation east of the Rio Grande rift, north-central New Mexico: New Mexico Geological Society, 50th Field Conference Guidebook, p. 22-23.
- Erslev, E. A., 2001, Multistage, multidirectional Tertiary shortening and compression in north-central New Mexico: *Geological Society of America Bulletin*, v. 113, p. 63-74.
- Fassett, J. E., and Hinds, J. S., 1971, Geology and fuel resources of the Fruitland Formation and Kirtland Shale of the San Juan Basin, New Mexico and Colorado: U. S. Geological Survey, Professional Paper 676, 76 p.
- Friedkin, J.F., 1945, A laboratory study of the meandering of alluvial rivers: U.S. Waterways Experiment Station, Vicksburg, Mississippi, 40 p.
- Galusha, T., and Blick, J.C., 1971, Stratigraphy of the Santa Fe Group, New Mexico: *Bulletin of the American Museum of Natural History*, v. 144, 127 p.
- Gile, L.H., Peterson, F.F., and Grossman, R.B., 1966, Morphological and genetic sequences of carbonate accumulation in desert soils: *Soil Science*, v. 101, p. 347-360.
- Gonzales, M.A., 1993, Geomorphic and neotectonic analysis along a margin of the Colorado Plateau and Rio Grande rift in northern New Mexico [Ph.D. thesis]: Albuquerque, University of New Mexico, 302 p.
- Gonzales, M.A., and Dethier, D.P., 1991, Geomorphic and neotectonic evolution along the margin of the Colorado Plateau and Rio Grande rift, northern New Mexico, in Julian, B., and Zidek, J., ed, Field Guide to geologic excursions in New Mexico and adjacent areas of Texas and Colorado: New Mexico Bureau of Mines and Mineral Resources, Bulletin 137, p. 29-45.
- Gosse, J., McDonald, E., Pederson, J., Stockli, D., Lee, J., Stockli, L. and Yang, G., 2004, Oxygen Isotope stage 4 sediment dominates the U.S. southwest alluvial record: *Geological Society of America, Abstracts with Programs*, v. 36, no. 5, p. 307.
- Gries, R. R. and Vandersluis, G. D., 1989, Laramide and Cenozoic geology road log, Denver Colorado to Albuquerque, New Mexico: Denver, Rocky Mountain Association of Geologists, 90 p.
- Gunn, G.R., 1980, Volcanic stratigraphy and structure of the La Mesita- Black Mesa area, southwest San Luis valley, north-central New Mexico [M.S. thesis]: Dallas, Southern Methodist University, 76 p.
- Harrington, C.D., and Aldrich, M.L., Jr., 1984, Development and deformation of Quaternary surfaces on the northeastern flank of the Jemez Mountains: New Mexico Geological Society, 35th Field Conference Guidebook, p. 235-239.
- Harris, J. D. and Downs, A., 2002, A drepanosaurid pectoral girdle from the Ghost Ranch (Whitaker) *Coelophysis* quarry (Chinle Group, Rock Point Formation, Rhaetian), New Mexico: *Journal of Vertebrate Paleontology*, v. 22, p. 70-75.
- Hay, O. P., 1930, Second bibliography and catalogue of the fossil vertebrates of North America, v. II: Carnegie Institution of Washington, Publication 390, v. 2, 1074 p.
- Heckert, A.B. and Lucas, S.G., 1998, Stratigraphic distribution of petrified wood in the Petrified Forest National Park and vicinity, Arizona: in Santucci, V. and McClelland, L., eds., National Park Service Paleontological Research vol. 3, National Park Service Geologic Resources Division Technical Report, p. 125-129.
- Heckert, A. B. and Lucas, S. G., 2000, Taxonomy, phylogeny, biostratigraphy, biochronology, paleobiogeography, and evolution of the Late Triassic Aetosauria (Archosauria: Crurotarsi): *Zentralblatt für Geologie und Paläontologie Teil I Heft 11-12*, p. 1539-1587.
- Heckert, A.B., and Lucas, S.G., 2002, Historical taxonomy of the Late Triassic aetosaurs *Typothorax* and *Desmatosuchus* (Archosauria: Crurotarsi), including a lectotype designation for *Desmatosuchus haplocerus*: New Mexico Museum of Natural History and Science, Bulletin 21, p. 193-204.
- Heckert, A. B., and Zeigler, K. E., 2003, The Late Triassic Snyder quarry: A brief history of discovery and excavation: New Mexico Museum of Natural History and Science, Bulletin 24, p. 5-13.
- Heckert, A. B., Zeigler, K. E., and Lucas, S. G., 2003a, Aetosaurs (Archosauria: Stagonolepididae) from the Upper Triassic (Revueltian) Snyder quarry, New Mexico: New Mexico Museum of Natural History and Science, Bulletin 24, p. 115-126.
- Heckert, A. B., Zeigler, K. E., and Lucas, S. G., 2003b, Coelophysids (Dinosauria: Theropoda) from the Upper Triassic (Revueltian) Snyder quarry: New Mexico Museum of Natural History and Science, Bulletin 24, p. 127-132.
- Heckert, A. B., Jenkins, H. S., Lucas, S. G. and Mutter, R. J., 2004, The microvertebrate fauna of the Upper Triassic Snyder quarry, from the Painted Desert Member of the Petrified Forest Formation (Revueltian), north-central New Mexico: *New Mexico Geology*, v. 26, p. 75.
- Heckert, A. B., Zeigler, K. E., Lucas, S. G., Rinehart, L. F. and Harris, J. D., 2000, Preliminary description of coelophysoids (Dinosauria, Theropoda) from the Upper Triassic (Revueltian, early-mid Norian) Snyder Quarry, north-central New Mexico: New Mexico Museum of Natural History and Science, Bulletin 17, p. 27-32.
- Heckert, A. B., Zeigler, K. E., Lucas, S. G. and Rinehart, L. F., 2003, Coelophysids (Dinosauria: Theropoda) from the Upper Triassic (Revueltian) Snyder quarry: New Mexico Museum of Natural History and Science, Bulletin 24, p. 127-132.

- Heckert, A. B., Zeigler, K. E., Lucas, S. G., Rinehart, L. F. and Harris, J. D., 2000, Preliminary description of coelophysoids (Dinosauria: Theropoda) from the Upper Triassic (Revueltian: early-mid Norian) Snyder quarry, north-central New Mexico: New Mexico Museum of Natural History, Bulletin 17, p. 27-32.
- Hilpert, L. S., 1969, Uranium resources of northwestern New Mexico: U.S. Geological Survey, Professional Paper 603, 166 p.
- Hoffman, G. K., 1991, Geology and quality of Menefee Formation coals, Monero coal field, Rio Arriba County, New Mexico: New Mexico Geology, v. 13, p. 1-8.
- Hollenshead, C. T. a. Pritchard, R. L., 1961, Geometry of producing Mesaverde sandstones, San Juan Basin: AAPG Special Publication, Geometry of Sandstone Bodies, p. 98-118.
- Holz, M. and Barberena, M.C., 1994, Taphonomy of the south Brazilian Triassic paleoherpetofauna: pattern of death, transport and burial: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 107, p. 179-197.
- Huber, P., 1994, Comment on the proposed designation of a neotype for *Coelophysis bauri* (Cope, 1887) (Reptilia, Saurischia): Bulletin of Zoological Nomenclature, v. 51, p. 156-158.
- Hunt, A.P. and Downs, A.D., 2002, A preliminary taphonomy of the Late Triassic Canjilon quarry (Petrified Forest Formation, Chinle Group), north-central New Mexico: New Mexico Museum of Natural History and Science, Bulletin 21, p. 291-295.
- Hunt, A. P. and Lucas, S. G., 1991, *Rioarribasaurus*, a new name for a Late Triassic dinosaur from New Mexico (USA): Paläontologische Zeitschrift, v. 65, p. 191-198.
- Hunt, A. P. and Lucas, S. G., 1993a, Comments on a proposed neotype for *Coelophysis bauri* (Cope, 1887) (Reptilia, Saurischia): Bulletin of Zoological Nomenclature, v. 50, p. 147-150.
- Hunt, A.P. and Lucas, S.G., 1993b, Triassic vertebrate paleontology and biochronology of New Mexico: New Mexico Museum of Natural History and Science, Bulletin 2, p. 49-60.
- Hunt, A. P., Heckert, A. B., Lucas, S. G. and Downs, A., 2002, The distribution of the enigmatic reptile *Vancalevea* in the Upper Triassic Chinle Group of the western United States: New Mexico Museum of Natural History and Science, Bulletin 21, p. 269-273.
- Hurlbert, G. R., Heckert, A. B., and Farlow, J. O., 2003, Body mass estimates of phytosaurs (Archosauria: Parasuchia) from the Petrified Forest Formation (Chinle Group: Revueltian) based on skull and limb bone measurements: New Mexico Museum of Natural History and Science, Bulletin 24, p. 105-113.
- Ingersoll, R.V., and Cavazza, W., 1991, Reconstruction of Oligo-Miocene volcanoclastic dispersal patterns in north-central New Mexico using sandstone petrofacies; in Fisher, R.V., and Smith, G.A., eds., Sedimentation in volcanoclastic settings: SEPM (Society of Sedimentary Geology), Special Publication 45, p. 227-236.
- Ingersoll, R.V., Cavazza, W., Baldrige, W.S., and Shafiqullah, M., 1990, Cenozoic sedimentation and paleotectonics of north-central New Mexico: Implications for initiation and evolution of the Rio Grande rift: Geological Society of America Bulletin, v. 102, p. 1280-1296.
- Jenkins, H. S., 2004, The microvertebrate fauna of the Upper Triassic Snyder quarry, north-central New Mexico: description and paleoecologic reconstruction [B.S. thesis]: Wellesley College, Wellesley, 110 p.
- Jenkins, H. and Heckert, A.B., Revueltian (early-mid Norian) microvertebrates from the Upper Triassic Snyder quarry, Painted Desert Member, Petrified Forest Formation, north-central New Mexico: Journal of Vertebrate Paleontology, v. 24 (supplement to no. 3), p. 75A.
- Jenkins, H. and Heckert, A.B., Revueltian (early-mid Norian) microvertebrates from the Upper Triassic Snyder quarry, Painted Desert Member, Petrified Forest Formation, north-central New Mexico: Geological Society of America Abstracts with Programs, v. 36, no. 5, p. 423.
- Jones, T.P. and Chaloner, W.G., 1991, Fossil charcoal, its recognition and palaeo-atmospheric significance: Palaeogeography, Palaeoclimatology, Palaeoecology (Global and Planetary Change Section), v. 97, p. 39-50.
- Jones, T.P., Scott, A.C. and Cope, M., 1991, Reflectance measurements and the temperature of formation of modern charcoals and implications for studies of fusain: Bulletin de la Société de Géologie France, v. 162, p. 193-200.
- Karlstrom, K. E., and Daniel, C. G., 1993, Restoration of Laramide right-lateral strike slip in northern New Mexico by using Proterozoic piercing points: Tectonic implications from the Proterozoic to the Cenozoic: Geology, v. 21, p. 1193-1142.
- Kelley, S. A., Chapin, C. E. and Corrigan, J., 1992, Late Mesozoic to Cenozoic cooling histories of the flanks of the northern and central Rio Grande Rift, Colorado and New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 145, 39 p.
- Kelley, V. C., 1955, Regional tectonics of the Colorado Plateau and relationships to the origin and distribution of uranium: Albuquerque, University of New Mexico Publications in Geology, no. 5, 120 p.
- Kelley, V. C., 1977, Geology of the Albuquerque basin, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 33, 60 p.
- Kelley, V. C., 1978, Geology of the Española Basin, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 48, scale 1:125,000.
- King, N. R., 1974, The Carlile-Niobrara contact and lower Niobrara strata near El Vado, New Mexico: New Mexico Geological Society, 25th Field Conference Guidebook, p. 259-266.
- Koerner, H. E., 1930, Jurassic fishes from New Mexico: American Journal of Science, Series 5, v. 19, p. 463.
- Koning, D.J., 2004, Geologic map of the Lyden 7.5-minute quadrangle, Rio Arriba and Santa Fe counties, New Mexico: New Mexico Bureau of Geology and Mineral Resources, Open-file Geologic Map OF-GM-83, scale 1:24,000.
- Koning, D.J., and Aby, S., 2003, revised 2004, Geologic map of the Velarde 7.5-minute quadrangle, Rio Arriba and Taos counties, New Mexico: New Mexico Bureau of Geology and Mineral Resources, Open-file Geologic Map OF-GM-79, scale 1:24,000.
- Koning, D.J., Aby, S., and Dunbar, N., 2004b, Middle-upper Miocene stratigraphy of the Velarde graben, north-central New Mexico: Tectonic and paleogeographic implications: New Mexico Geological Society, 55th Field Conference Guidebook, p. 359-373.
- Koning, D.J., Ferguson, J.F., Paul, P. J. and Baldrige, W.S., 2004c, Geologic structure of the Velarde graben and southern Embudo fault system, north-central N.M.: New Mexico Geological Society, 55th Field Conference Guidebook, p. 158-171.
- Koning, D.J., and Manley, K., 2003, revised 2005, Geologic map of the San Juan Pueblo 7.5-minute quadrangle, Rio Arriba and Santa Fe counties, New Mexico: New Mexico Bureau of Geology and Mineral Resources, Open-file Geologic Map OF-GM-70, scale 1:24,000.
- Koning, D.J., May, J., Aby, S. and Horning, R., 2004a, Geologic map of the Medanales 7.5-minute quadrangle, Rio Arriba County, New Mexico: New Mexico Bureau of Geology and Mineral Resources, Open-file Geologic Map OF-GM-89, scale 1:24,000.
- Koning, D.J., Skotnicki, S., and Moore, J., 2005, Geologic map of the Chili 7.5-minute quadrangle, Rio Arriba County, New Mexico: New Mexico Bureau of Geology and Mineral Resources, Open-file Geologic Map OF-GM-, scale 1:24,000.
- Lamb, G. M., 1968, Stratigraphy of the lower Mancos Shale in the San Juan Basin: Geological Society of America Bulletin, v. 79, p. 827-854.
- Landis, E. R., and Dane, C. H., 1967, Geologic map of Tierra Amarilla quadrangle, Rio Arriba County, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Geologic Map 19, scale 1:62,500.
- Landis, E. R., Dane, C. H. and Cobban, W. A., 1974, Cretaceous rocks of the Tierra Amarilla coal field and adjacent areas, Rio Arriba County, New Mexico: New Mexico Geological Society, 25th Field Conference Guidebook, p. 231-238.
- Langston, W., Jr., 1953, Permian amphibians from New Mexico: University of California, Publications in Geological Sciences, v. 29, p. 349-416.
- Larsen, E. S., Jr., and Cross, C. W., 1956, Geology and petrology of the San Juan region, southwestern Colorado: U. S. Geological Survey, Professional Paper 258, 303 p.
- Lawler, D. A., 1974, Osteological variation in the phytosaur *Rutiodon tenuis* from Ghost Ranch, New Mexico [M.A. thesis]: University of California Berkeley, Berkeley, 137 p.
- Lipman, P. W., 1975, Evolution of the Platoro caldera complex and related volcanic rocks, southeastern San Juan Mountains, Colorado: U. S. Geological Survey, Professional Paper 852, 128 p.
- Lipman, P. W., 1989, Excursion 16B: Oligocene-Miocene San Juan volcanic field, Colorado: New Mexico Bureau of Mines and Mineral Resources, Memoir 46, p. 303-380.
- Lipman, P.W. and Mehnert, H. H., 1975, Late Cenozoic basaltic volcanism and development of the Rio Grande depression in the Southern Rocky Moun-

- tains, in Curtis, Bruce, ed, Cenozoic history of the Southern Rocky Mountains: Geological Society of America Memoir 144, p.119-154.
- Lipman, P.W. and Mehnert, H. H., 1979, The Taos Plateau volcanic field, northern Rio Grande rift, New Mexico: *in* Riecker, R.E., ed., Rio Grande rift: Tectonics and magmatism: Washington, D.C., American Geophysical Union, p. 289-311.
- Lipman, P. W., Dungan, M. A., Brown, L. L. and Deino, A., 1996, Recurrent eruption and subsidence at the Platoro caldera complex, southeastern San Juan volcanic field, Colorado: Geological Society of America Bulletin, v. 108, p. 1039-1055.
- Long, R.A. and Murry, P.A., 1995, Late Triassic (Carnian and Norian) tetrapods from the southwestern United States: New Mexico Museum of Natural History and Science, Bulletin 4, 254 p.
- Long, R. A., Lucas, S. G., Hunt, A. P. and McCrea, R. T., 1989, Chales Camp: Collecting Late Triassic vertebrates in the American Southwest during the 1920's and 1930's; *in* Lucas, S. G. and Hunt, A. P., eds., Dawn of the age of dinosaurs in the American Southwest: Albuquerque, New Mexico Museum of Natural History, p. 65-71.
- Lucas, S.G., 1993, The Chinle Group: Revised stratigraphy and biochronology of Upper Triassic strata in the western United States: Museum of Northern Arizona Bulletin, v. 59, p. 27-50.
- Lucas, S.G., 1998, Global Triassic tetrapod biostratigraphy and biochronology: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 143, p. 347-384.
- Lucas, S.G., 1999, Tetrapod-based correlation of the nonmarine Triassic: *Zentralblatt für Geologie und Paläontologie, Teil 1*, p. 497-521.
- Lucas, S. G. and Anderson, O. J., 1996, The Middle Jurassic Todilto salina basin, American Southwest: Museum of Northern Arizona Bulletin, v. 60, p. 479-482.
- Lucas, S. G. and Anderson, O. J., 1997, The Jurassic San Rafael Group, Four Corners region: New Mexico Geological Society, 48th Field Conference Guidebook, p. 115-132.
- Lucas, S. G. and Anderson, O. J., 1998, Jurassic stratigraphy and correlation in New Mexico: New Mexico Geology, v. 20, p. 97-104.
- Lucas, S. G. and Heckert, A. B., 2003, Jurassic stratigraphy in west-central New Mexico: New Mexico Geological Society, 54th Field Conference Guidebook, p. 289-301.
- Lucas, S.G. and Hunt, A.P., 1992, Triassic stratigraphy and paleontology, Chama basin and adjacent areas, north-central New Mexico: New Mexico Geological Society, 43rd Field Conference Guidebook, p. 151-167.
- Lucas, S.G. and Hunt, A.P., 1993, Tetrapod biochronology of the Chinle Group (Upper Triassic), western United States: New Mexico Museum of Natural History and Science, Bulletin 3, p. 327-329.
- Lucas, S. G. and Morgan, G. S., 2005, Ice age proboscideans of New Mexico: New Mexico Museum of Natural History and Science, Bulletin 28, p. 255-261.
- Lucas, S.G., Heckert, A.B. and Estep, J.W., 1999, Correlation of Triassic strata across the Rio Grande rift, north-central New Mexico: New Mexico Geological Society, 50th Field Conference Guidebook, p. 305-310.
- Lucas, S.G., Heckert, A.B. and Hunt, A.P., 2001, Triassic stratigraphy, biostratigraphy and correlation in east-central New Mexico: New Mexico Geological Society, 52nd Field Conference Guidebook, p. 85-102.
- Lucas, S. G., Heckert, A. B. and Hunt, A. P., 2002, A new species of the aetosaur *Typothorax* (Archosauria: Stagonolepididae) from the Upper Triassic of east-central New Mexico: New Mexico Museum of Natural History and Science, Bulletin 21, p. 221-233.
- Lucas, S. G., Kietzke, K. K. and Hunt, A. P., 1985, The Jurassic system in east-central New Mexico: New Mexico Geological Society, 36th Field Conference Guidebook, p. 213-242.
- Lucas, S.G., Heckert, A.B., Estep, J.W. and Anderson, O.J., 1997, Stratigraphy of the Upper Triassic Chinle Group, Four Corners Region: New Mexico Geological Society, 48th Field Conference Guidebook, p. 81-107.
- Lucas, S. G., Zeigler, K. E., and Heckert, A. B., 2003a, Invertebrate paleontology of the Upper Triassic Snyder quarry, Chinle Group, Chama basin, New Mexico: New Mexico Museum of Natural History and Science, Bulletin 24, p. 63-65.
- Lucas, S. G., Zeigler, K. E., Heckert, A. B., and Hunt, A. P., 2003b, Upper Triassic stratigraphy and biostratigraphy, Chama basin, north-central New Mexico: New Mexico Museum of Natural History and Science, Bulletin 24, p. 15-39
- Maisch, M. W. 1999. Von Huene, Friedrich Freiherr; *in* Singer, R., ed., Encyclopedia of paleontology. Volume 1, A-L : Chicago, Fitzroy Dearborn Publishers, p. 586-587.
- Maldonado, F., 2004, Geology of the Abiquiu quadrangle, north central New Mexico: Geological Society of America Abstracts with Programs, v. 36, no. 5, p. 584.
- Manley, K., 1976a, The late Cenozoic history of the Española basin, New Mexico [Ph.D. thesis]: Boulder, University of Colorado, 171 p.
- Manley, K., 1976b, K-Ar age determinations on Pliocene basalts from the Española Basin, New Mexico: Isochron/West, n. 16, p. 29-30.
- Manley, K., 1977, Geologic map of the Cejita Member (new name) of the Tesuque Formation, Española basin, New Mexico: U.S. Geological Survey Miscellaneous Field Studies Map MF-877, scale 1:24000.
- Manley, K., 1979, Tertiary and Quaternary stratigraphy of the northeast plateau, Española basin, New Mexico: New Mexico Geological Society, 30th Field Conference Guidebook, p. 231-236.
- Manley, K., 1982, Geologic map of the Cañones quadrangle, Rio Arriba County, New Mexico: U.S. Geological Survey, Miscellaneous Field Studies Map MF-1440, scale 1:24,000.
- Manley, K. and Mehnert, H. H., 1981, New K-Ar ages for Miocene and Pliocene volcanic rocks in the northwestern Española basin and their relationships to the history of the Rio Grande rift: Isochron/West, no. 30, p. 5-8.
- Martz, J.W., 2002, The morphology and ontogeny of *Typothorax coccinarum* (Archosauria: Stagonolepididae) from the Upper Triassic of the American Southwest [M.S. thesis]: Lubbock, Texas Tech University, 279 p.
- May, J., 1980, Neogene geology of the Ojo Caliente-Rio Chama area, Española basin, New Mexico [Ph.D. thesis]: Albuquerque, University of New Mexico, 204 p.
- May, J., 1984, Miocene stratigraphic relations and problems between the Abiquiu, Los Pinos, and Tesuque formations near Ojo Caliente, northern Española basin: New Mexico Geological Society, 35th Field Conference Guidebook, p. 129-135.
- McCubbin, D. G., 1969, Cretaceous strike-valley sandstone reservoirs northwestern New Mexico: American Association of Petroleum Geologists Bulletin, v. 53, p. 2114-2140.
- McIntosh, W. C. and Quade, J., 1995, ⁴⁰Ar/³⁹Ar geochronology of tephra layers in the Santa Fe Group, Española basin, New Mexico: New Mexico Geological Society, 46th Field Conference Guidebook, p. 279-287.
- Molenaar, C. M., 1973, Sedimentary facies and correlation of the Gallup Sandstone and associated formations, northwestern New Mexico: Four Corners Geological Society Memoir, p. 85-110.
- Molenaar, C. M., 1983, Major depositional cycles and regional correlations of Upper Cretaceous rocks, southern Colorado Plateau and adjacent areas; *in* Reynolds, M. W. and Dolly, E. D., eds., Mesozoic paleogeography of the west-central United States: Denver, RMS-SEPM, p. 201-224.
- Molina-Garza, R. S., Geissman, J.W., Lucas, S.G. and Van der Voo, R., 1996, Paleomagnetism and magnetostratigraphy of Triassic strata in the Sangre de Cristo Mountains and Tucumcari Basin, New Mexico, USA: Geophysical Journal International, v. 124, p. 935-953.
- Molina-Garza, R. S., Geissman, J.W., Gomez, A., Acton, G.D. and Horton, B., 1998, Paleomagnetic data for Triassic strata, Zuni uplift, New Mexico: Further evidence of large-magnitude Triassic apparent polar wander of North America: Journal of Geophysical Research, v. 103, p. 24,189-24,200.
- Moore, J. D., 2000, Tectonics and volcanism during deposition of the Oligocene-lower Miocene Abiquiu Formation in northern New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 147 p.
- Morgan, G. S. and Lucas, S. G., 2005, Pleistocene vertebrate faunas in New Mexico from alluvial, fluvial, and lacustrine deposits: New Mexico Museum of Natural History and Science, Bulletin 28, p. 185-248.
- Muehlberger, W. R., 1967, Geology of Chama quadrangle, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Bulletin 89, 114 p.
- Naeser, C.W., Izett, G.A. and Wilcox, R.E., 1973, Zircon fission-track ages of Pearllette family ash beds in Meade County, Kansas: Geology, v. 1, p. 18-189.
- Newberry, J. S., 1876, Geological report; *in* Macomb, J. N., ed., Report of the exploring expedition from Santa Fe...in 1859: Washington, D. C., U. S. Army Engineer Department, p. 9-118.
- North American Commission on Stratigraphic Nomenclature, 1983, The North American Stratigraphic Code: The American Association of Petroleum Geologists Bulletin, v. 67, no. 5, p. 841-875.
- Nummedal, D., Wolter, N. R., Fleming, T. F., Bergsohn, I. and Swift, D. J. P.,

- 1993, Lowstand, shallow marine sandstones in Upper Cretaceous strata of the San Juan Basin, New Mexico; Geological Association of Canada, Special Paper 39, 199-218
- Olsen, P. E., Kent, D. V., Cornet, B., Witte, W. K., and Schlische, R. W., 1996, High-resolution stratigraphy of the Newark Rift Basin (Early Mesozoic, Eastern North America: Bulletin Geological Society of America, v. 108, p. 40-77.
- O'Sullivan, R. B., 1974, The Upper Triassic Chinle Formation in north-central New Mexico: New Mexico Geological Society, 25th Field Conference Guidebook, p. 171-178.
- Padian, K., 1986, On the type material of *Coelophysis* Cope (Saurischia: Theropoda) and a new specimen from the Petrified Forest of Arizona (Late Triassic: Chinle Formation), in Padian, K., ed., The beginning of the age of dinosaurs: Faunal change across the Triassic-Jurassic boundary: Cambridge, Cambridge University Press, p. 45-60.
- Paul, G. S., 1993, Are *Syntarsus* and the Whitaker quarry theropod the same genus?: New Mexico Museum of Natural History and Science Bulletin, v. 3, p. 397-402.
- Peterson, J. A. L., A. J. Spencer, C. W.; and Ullrich, R. A., 1968, Sedimentary History and Economic Geology of San Juan Basin, New Mexico and Colorado in M 10: Subsurface Disposal in Geologic Basins--A Study of Reservoir Strata: AAPG Special Publication, p. 186-231.
- Pipiringos, G. N., and O'Sullivan, R. N., 1978, Principal unconformities in Triassic and Jurassic rocks, western interior United States--a preliminary survey: U.S. Geological Survey, Professional Paper 1035-A, 29 p.
- Pollock, C. J., Stewart, K. G., Hibbard, J. P., Wallace, L., and Giral, R. A., in press, Thrust-wedge tectonics and strike-slip faulting in the Sierra Nacimiento; in Cather, S. M., McIntosh, W. C., and Kelley, S. A., eds., Tectonics, geochronology, and volcanism in the southern Rocky Mountains and Rio Grande Rift: Socorro: New Mexico Bureau of Geology and Mineral Resources, Bulletin 160.
- Reilinger, R. and York, J.E., 1979, Relative crustal subsidence from leveling data in a seismically active part of the Rio Grande rift, New Mexico: Geology, v. 7, p. 139-143.
- Rinehart, L. F., Lucas, S. G. and Heckert, A. B., 2003, An early eubrachiuran (Malacostraca: Decapoda) from the Upper Triassic Snyder quarry, Petrified Forest Formation, north-central New Mexico: New Mexico Museum of Natural History and Science, Bulletin 24, p. 67-70.
- Rogers, J. B., and Smartt, R. A., 1996, Climatic influences on Quaternary alluvial stratigraphy and terrace formation in the Jemez River valley, New Mexico: New Mexico Geological Society, 57th Field Conference Guidebook, p. 347-356.
- Santos, E. S., 1975, Lithology and uranium potential of Jurassic formations in the San Ysidro-Cuba and Majors Ranch areas, northwestern New Mexico: U. S. Geological Survey, Bulletin 1329, 22 p.
- Sarna-Wojcicki, A.M., Morrison, S.D., Meyer, C.D. and Hillhouse, J.W., 1987, Correlation of upper Cenozoic tephra layers between sediments of the western United States and comparison with biostratigraphic and magnetostratigraphic data: Geological Society of America Bulletin, v. 98, p. 207-223.
- Sawyer, D.A., Mullins, K.F., Dohrenwend, J., and Isbrecht, J., 2004, Processed Landsat 7 satellite imagery of the Espanola Basin region, New Mexico: U.S. Geological Survey Open-file Report 2004-1040-A.
- Schaeffer, B., and Patterson, C., 1984, Jurassic fishes from the western United States, with comments on Jurassic fish distribution: American Museum Novitates, v. 2796, p. 1-86.
- Schumm, S.A., and Khan, H. R., 1971, Experimental study of channel patterns: Nature, v. 233, p.407-409.
- Schumm, S. A. and Khan, H. R., 1972, Experimental study of channel patterns: Geological Society of America Bulletin, v. 83, p. 1755-1800.
- Schwartz, H. and Gillette, D. D., 1995, Geology and taphonomy of the *Coelophysis* quarry, Upper Triassic Chinle Formation, Ghost Ranch, New Mexico: Journal of Paleontology, v. 68, p. 1118-1130.
- Scott, A. C., 2000, The pre-Quaternary history of fire: Palaeogeography, Paleoclimatology, Palaeoecology, v. 164, p. 281-329.
- Shor, E. N. 1971. Fossils and flies: The life of a complete scientist, Samuel Wendell Williston (1851- 1918). Norman, University of Oklahoma Press, 285 p.
- Shupe, S. J. and Folk-Williams, J. 1988, The upper Rio Grande, a guide to decision-making: Western Network, 51 p.
- Simpson, G. G., 1951, Hayden, Cope, and the Eocene of New Mexico: Proceedings of the Academy of Natural Sciences of Philadelphia, v. 103, p. 1-21.
- Simpson, G. G., 1963, A new record of *Euceratherium* or *Preptoceras* (extinct Bovidae) in New Mexico; Journal of Mammalogy, v. 44, p. 583-584.
- Slack, P. B., and Campbell, J. A., 1976, Structural geology of the Rio Puerco fault zone and its relationship to central New Mexico tectonics; in Woodward, L. A., and Northrop, S. A., eds., Tectonics and mineral resources of southwestern North America: New Mexico Geological Society, Special Publication 6, p. 46-52.
- Smith, C. T. and Muehlberger, W. R., 1960, First day road log for Friday, October 14 1960: New Mexico Geological Society, 11th Field Conference Guidebook, p. 11-24.
- Smith, C. T., Budding, A. J. and Pitrat, C. W., 1961, Geology of the southeastern part of the Chama basin: New Mexico Bureau of Mines and Mineral Resources, Bulletin 75, 57 p
- Smith, D. K., 1997, Cranial allometry in *Coelophysis*: Preliminary results: Southwest Paleontological Symposium Proceedings, v. 1, p. 41-48.
- Smith, G. A., 2004, Middle to late Cenozoic development of the Rio Grande rift and adjacent regions in northern New Mexico; in Mack, G. H. and Giles, K. A., eds., The geology of New Mexico: Socorro, New Mexico Geological Society, Special Publication 11, p. 331-358.
- Smith, L. N., 1992, Stratigraphy, sediment dispersal and paleogeography of the lower Eocene San Jose Formation, San Juan Basin, New Mexico and Colorado: New Mexico Geological Society, 43rd Field Conference Guidebook, p. 297-309.
- Stanton, T. W., 1893, The Colorado Formation and its invertebrate fauna: U. S. Geological Survey, Bulletin 106, 288 p.
- Steiner, M. B. and Lucas, S.G., 2000, Paleomagnetism of the Late Triassic Petrified Forest Formation, Chinle Group, western United States: Further evidence of "large" rotation of the Colorado Plateau: Journal of Geophysical Research, v. 105, p. 25,791-25,808.
- Sullivan, R. M., 1993, Comments on a proposed neotype for *Coelophysis bauri* (Cope, 1887) (Reptilia, Saurischia): Bulletin of Zoological Nomenclature, v. 50, p. 150-151.
- Sullivan, R. M., 1994, Topotypic material of *Coelophysis bauri* (Cope) and the *Coelophysis-Rioarribasaurus-Syntarsus* problem: Journal of Vertebrate Paleontology, v. 14 (supplement to no. 3), p. 48A.
- Sullivan, R. M., 1995, Comments on the proposed designation of a neotype for *Coelophysis bauri* (Cope, 1887) (Reptilia, Saurischia): Bulletin of Zoological Nomenclature, v. 42, p. 76-77.
- Sullivan, R. M. and Lucas, S. G., 1999, *Eucoelophysis baldwini*, a new theropod dinosaur from the Upper Triassic of New Mexico, and the status of the original types of *Coelophysis*: Journal of Vertebrate Paleontology, v. 19, p. 81-90.
- Sullivan, R. M., Lucas, S. G., Heckert, A. B. and Hunt, A. P., 1996, The type locality of *Coelophysis*, a Late Triassic dinosaur from north-central New Mexico (U.S.A): Paläontologische Zeitschrift, v. 70, p. 245-255.
- Tanner, L. H., Chapman, M. G. and Zeigler, K. E., 2003, Facies analysis and sedimentologic model for deposition of bone-bearing strata in the Upper Triassic Petrified Forest Formation at the Snyder quarry, north-central New Mexico: New Mexico Museum of Natural History and Science, Bulletin 24, p. 41-48.
- Tedford, R.H. and Barghoorn, S.F., 1993, Neogene stratigraphy and mammalian biochronology of the Española Basin, northern New Mexico: Vertebrate paleontology in New Mexico, New Mexico Museum of Natural History and Science, Bulletin 2, p. 159-168.
- Tedford, R. H., Albright, L. B. III, Barnosky, A. D., Ferrusquia-Villafranca, I., Hunt, R. M. Jr., Storer, J. E., Swisher, C. C. III, Voorhies, M. R., Webb, S. D. and Whistler, D. P., 2004, Mammalian biochronology of the Arica-rean through Hemphillian interval (late Oligocene through early Pliocene epochs); in Woodburne, M. O., ed., Late Cretaceous and Cenozoic mammals of North America: Biostratigraphy and Geochronology: Columbia University Press, New York, p. 169-231.
- Tijerina, R. L., 2000, They called me "King Tiger": My struggle for the land and our rights: Houston, Texas, Arte Público Press, 236 p.
- Van der Voo, R., 1993, Paleomagnetism of the Atlantic, Tethys and Iapetus Oceans: Cambridge, Cambridge University Press, 411 p.
- Vazzana, M.E., 1980, Stratigraphy, sedimentary petrology, and basin analysis of the Abiquiu Formation (Oligo-Miocene), north-central New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 115 p.
- Von Huene, F., 1911, Kurze Mitteilung über Perm, Trias und Jura in New Mexico: Neues Jahrbuch für Mineralogie Beilage-Band, v. 32, p. 730-739.

- Von Huene, F., 1915, On reptiles of the New Mexican Triassic in the Cope collection: *Bulletin of the American Museum of Natural History*, v. 34, p. 485-507.
- Voorhies, M.R., 1969, Taphonomy and population dynamics of an Early Pliocene vertebrate fauna, Knox County, Nebraska: University of Wyoming Contributions to Geology, Special Paper 1, 69 p.
- Williston, S. W., and Case, E. C., 1912, The Permo-Carboniferous of northern New Mexico: *Journal of Geology*, v. 20, p. 1-12.
- Wood, G.H. and Northrop, S.A., 1946, Geology of the Nacimiento Mountains, San Pedro Mountain, and adjacent plateaus in parts of Sandoval and Rio Arriba Counties, New Mexico: U.S. Geological Survey, Oil and Gas Investigations Map OM-57.
- Woodward, L. A., 1987, Geology and mineral resources of Sierra Nacimiento and vicinity, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Memoir 42, 84 p.
- Woodward, L. A., 1996, Paleotectonics of the late Paleozoic Peñasco uplift, Nacimiento region, northern New Mexico: *New Mexico Geological Society, 47th Field Conference Guidebook*, p. 107-113.
- Woodward, L. A., Hultgren, M. C., Crouse, D. L. and Merrick, M. A., 1992, Geometry of the Nacimiento-Gallina fault system, northern New Mexico: *New Mexico Geological Society, 43rd Field Conference Guidebook*, p. 103-108.
- Zeigler, K.E., 2002, A taphonomic analysis of a fire-related Upper Triassic fossil assemblage [M.S. thesis]: Albuquerque, University of New Mexico, 124 p.
- Zeigler, K.E., 2003, Taphonomic analysis of the Snyder quarry: A fire-related Upper Triassic vertebrate fossil assemblage from north-central New Mexico: *New Mexico Museum of Natural History and Science, Bulletin 24*, p. 49-62.
- Zeigler, K. E., Heckert, A. B. and Lucas, S. G., 2002a, A new species of *Desmatosuchus* (Archosauria: Aetosauria) from the Upper Triassic of the Chama basin, north-central New Mexico: *New Mexico Museum of Natural History and Science, Bulletin 21*, p. 215-219.
- Zeigler, K. E., Heckert, A. B. and Lucas, S. G., 2002b, A tale of two sites: A taphonomic comparison of two Late Triassic (Chinle Group) vertebrate fossil localities from New Mexico: *New Mexico Museum of Natural History and Science, Bulletin 21*, p. 285-290.
- Zeigler, K. E., Heckert, A. B. and Lucas, S. G., 2003a, Paleontology and geology of the Upper Triassic Snyder quarry (Revueltian), north-central New Mexico, *New Mexico Museum of Natural History and Science Bulletin: Albuquerque, New Mexico Museum of Natural History*, 132 p.
- Zeigler, K. E., Heckert, A. B. and Lucas, S. G., 2003b, The Upper Triassic (Norian: Revueltian) Snyder quarry, Chama basin, north-central New Mexico: An overview: *New Mexico Museum of Natural History and Science, Bulletin 24*, p. 1-3.
- Zeigler, K. E., Heckert, A. B. and Lucas, S. G., 2003c, The vertebrate fauna of the Upper Triassic (Revueltian) Snyder quarry: *New Mexico Museum of Natural History and Science, Bulletin 24*, p. 71-79.
- Zeigler, K. E., Heckert, A. B. and Lucas, S. G., 2003d, Phytosaur (Archosauria: Parasuchidae) cranial and mandibular material from the Upper Triassic Snyder quarry (Petrified Forest Formation, Chinle Group): *New Mexico Museum of Natural History and Science, Bulletin 24*, p. 81-88.
- Zeigler, K. E., Heckert, A. B., and Lucas, S. G., 2003e, An illustrated atlas of the phytosaur (Archosauria: Parasuchidae) postcrania from the Upper Triassic Snyder quarry (Petrified Forest Formation, Chinle Group): *New Mexico Museum of Natural History and Science, Bulletin 24*, p. 89-103.
- Zeigler, K. E., Lucas, S. G. and Heckert, A. B., 2002c, A phytosaur skull from the Upper Triassic Snyder quarry (Petrified Forest Formation, Chinle Group) of north-central New Mexico: *New Mexico Museum of Natural History and Science, Bulletin 21*, p. 171-177.
- Zeigler, K. E., Lucas, S. G. and Heckert, A. B., 2003f, Variation in the Late Triassic Canjilon quarry (Upper Chinle Group, New Mexico) phytosaur skulls: A case for sexual dimorphism: *Paläontologische Zeitschrift*, v. 77, p. 341-351.