



## ***Roadlog References***

*(Includes references for all roadlogs in this volume.)*

*in:*  
*Caves and Karst of Southeastern New Mexico*, Land, Lewis; Lueth, Virgil W.; Raatz, William; Boston, Penny; Love, David L. [eds.], New Mexico Geological Society 57<sup>th</sup> Annual Fall Field Conference Guidebook, 344 p.  
<https://doi.org/10.56577/FFC-57>

---

*This is a section from the 2006 NMGS Fall Field Conference Guidebook.*

---

## **Annual NMGS Fall Field Conference Guidebooks**

Every fall since 1950, the New Mexico Geological Society (NMGS) has held an annual [Fall Field Conference](#) that explores some region of New Mexico (or surrounding states). Always well attended, these conferences provide a guidebook to participants. Besides detailed road logs, the guidebooks contain many well written, edited, and peer-reviewed geoscience papers. These books have set the national standard for geologic guidebooks and are an essential geologic reference for anyone working in or around New Mexico.

### **Free Downloads**

NMGS has decided to make peer-reviewed papers from our Fall Field Conference guidebooks available for free download. This is in keeping with our mission of promoting interest, research, and cooperation regarding geology in New Mexico. However, guidebook sales represent a significant proportion of our operating budget. Therefore, only *research papers* are available for download. *Road logs*, *mini-papers*, and other selected content are available only in print for recent guidebooks.

### **Copyright Information**

Publications of the New Mexico Geological Society, printed and electronic, are protected by the copyright laws of the United States. No material from the NMGS website, or printed and electronic publications, may be reprinted or redistributed without NMGS permission. Contact us for permission to reprint portions of any of our publications.

One printed copy of any materials from the NMGS website or our print and electronic publications may be made for individual use without our permission. Teachers and students may make unlimited copies for educational use. Any other use of these materials requires explicit permission.

*This page is intentionally left blank to maintain order of facing pages.*

## ROAD LOG REFERENCES

- Adams, J. E., 1944, Upper Permian Ochoa series of Delaware Basin, west Texas and southeastern New Mexico: *American Association of Petroleum Geologists Bulletin*, v.28, p. 1596-1625.
- Adams, J. W., Hawley, J. W., Pray, L. C., and Love, D. W., 1993, Second-day road log, from Carlsbad to Whites City, Guadalupe Mountains National Park, Salt Flat, Washington Ranch and return to Carlsbad: *New Mexico Geological Society, 44<sup>th</sup> Field Conference Guidebook*, p. 43-67.
- Allen, M.S. and McLemore, V.T., 1991, The geology and petrogenesis of the Capitan pluton, New Mexico: *New Mexico Geological Society, 42<sup>nd</sup> Field Conference Guidebook*, p. 115-127.
- Anderson, R. Y. and Kirkland, D. W., 1987, Banded evaporites, Delaware Basin, New Mexico: *Geological Society of America, Rocky Mountain Section, Centennial Field Guide*, p. 455-458.
- Anderson, R.Y., Dean, W.E., Jr., Kirkland, D.W., and Snyder, H.I., 1972, Permian varved Castile evaporite sequence, west Texas and New Mexico: *Geological Society of America Bulletin*, v. 83, p. 59-86.
- Austin, M.H., 1991, The Lincoln County War and the legend of Billy the Kid: *New Mexico Geological Society, 42<sup>nd</sup> Field Conference Guidebook*, p. 35-36.
- Babcock, J.A., 1974, The role of algae in the formation of the Capitan Limestone (Permian, Guadalupian), Guadalupe Mountains, west Texas and New Mexico [unpublished Ph.D. thesis]: University of Wisconsin—Madison, Madison, WI, 241 p.
- Babcock, J. A., 1977, Calcareous algae, organic boundstones, and the genesis of the upper Capitan Limestone (Permian, Guadalupian), Guadalupe Mountains, west Texas and New Mexico, *in* Hileman, M. E. and Mazzullo, S. J., eds., *Upper Guadalupian facies, Permian Reef Complex, Guadalupe Mountains, New Mexico and west Texas*: Midland, Permian Basin Section-SEPM, Pub. 77-16, p. 3-44.
- Bates, R. L., 1942, Lateral gradation in the Seven Rivers Formation, Rocky Arroyo, Eddy Co., New Mexico: *American Association of Petroleum Geologists Bulletin*, v. 26, p. 80-99
- Brown, A. and Loucks, R., 1988, Castiles in the Castile Formation: *West Texas Geological Society, Pub. 88-84*, p. 114-116.
- Bureau of Economic Geology, 1983, *Geologic Atlas of Texas, Van Horn-EI Paso Sheet*: University of Texas at Austin, scale 1:250,000.
- Calzia, J. P. and Hiss, W. L., 1978, Igneous rocks in northern Delaware Basin, New Mexico and Texas: *New Mexico Bureau of Mines and Mineral Resources, Circular 159*, p. 39-45.
- Candelaria, M.P., 1989, Shallow marine sheet sandstones, upper Yates Formation, Northwest Shelf, Delaware Basin, New Mexico, *in* Harris, P.M., and Grover, G.A., eds., *Subsurface and Outcrop Examination of the Capitan Shelf Margin, Northern Delaware Basin*: Tulsa, OK, SEPM Core Workshop No. 13, p. 319-324.
- Caran, S., 1988, Bottomless Lakes, New Mexico – a model for the origin and development of ground water lakes: *Geological Society of America Abstracts with Programs*, v. 20, no. 2, p. 93.
- Cox, E. R., 1967, *Geology and Hydrology between Lake McMillan and Carlsbad Springs, Eddy Co.*, New Mexico: Washington, U.S. Government Printing Office, 48 p.
- Crandall, K. H., 1929, Permian stratigraphy of southeastern New Mexico and adjacent parts of western Texas: *American Association of Petroleum Geologists Bulletin*, v. 13, p. 927-944.
- Crawford, J.E., 1993, K Hill and Yeso Hills selenite occurrence: *New Mexico Geological Society, 44<sup>th</sup> Field Conference Guidebook*, p. 8-10.
- Davis, J. B. and Kirkland, D. W., 1970, Native sulfur deposition in the Castile Formation, Culberson Co., Texas: *Economic Geology*, v. 65, p. 107-121.
- Davis, D. G., 1973, Sulfur in Cottonwood Cave, Eddy County, New Mexico: *National Speleological Society Bulletin*, v. 35, p. 89-95.
- DeFord, R. K., 1941, Tansill Formation, West Texas and Southeastern New Mexico: *American Association of Petroleum Geologists Bulletin*, v. 29, p. 1713-1728.
- Dickey, R. I., 1940, Geologic section from Fisher Co., through Andrews Co., Texas, to Eddy Co., New Mexico: *American Association of Petroleum Geologists Bulletin*, v. 24, p. 37-51.
- DuChene, H.R., and McLean, J.S., 1989, The role of hydrogen sulfide in the evolution of caves in the Guadalupe Mountains of southeastern New Mexico, *in* Harris, P.M., and Grover, G.A., eds., *Subsurface and Outcrop Examination of the Capitan Shelf Margin, Northern Delaware Basin*: Tulsa, OK, SEPM Core Workshop No. 13, p. 475-481.
- Dunham, R. J., 1969, Vadose pisolite in the Capitan reef (Permian), New Mexico and Texas, *in* Friedman, G.M., ed., *Depositional Environments in Carbonate Rocks*: Tulsa, OK, SEPM Special Publication 14, p. 182-191.
- Dunham, R. J., 1972, Capitan Reef, New Mexico and Texas: Facts and questions to aid interpretation and group discussion: *Permian Basin Section, SEPM, Pub. 72-14*, variously paginated.
- Engwall, C., 1977, Washington Ranch Morrow (gas): The oil and gas fields of southeast New Mexico: *Roswell Geological Society*, p. 214-215.
- Esteban, M., and Pray, L. C., 1977, Carbonate shoal facies of the shelf crest, *in* Pray, L.C., and Esteban, M., eds., *Upper Guadalupian Facies, Permian Reef Complex, Guadalupe Mountains, New Mexico and West Texas – v. 2: Road logs and locality guide*: Midland, TX, Permian Basin Section-SEPM, Pub. 77-16, p. G79-G86.
- Foley, E.F., 1964, The Lincoln folds, Lincoln, New Mexico: *New Mexico Geological Society, 15<sup>th</sup> Field Conference Guidebook*, p. 134-139.
- Frenzel, H. N., 1988, The Indian Basin upper Pennsylvanian gas field, Eddy Co., New Mexico: *West Texas Geological Society, 1988 Field Seminar, WTGS Pub. 88-84*, p. 169-170.
- Gester, G. C. and Hanley, H. J., 1929, Yates Field, Pecos Co., Texas, *in* *Structure of typical American oil fields*: *American Association of Petroleum Geologists Bulletin*, v. 2, p. 480-499.
- Handford, C. R., Kendall, A. C., Prezbindowski, D. R., Durham, J. B., and Logan, B. W., 1984, Salina-margin tepees, pisoliths, and aragonite cements, Lake McLeod, Western Australia: Their significance in interpreting ancient analogs: *Geology*, v. 12, p. 523-527.
- Harris, A. H., 1970, The Dry Cave mammalian fauna and late pluvial conditions in southeastern New Mexico: *Texas Journal of Science*, v. 22, p. 3-27.
- Harris, A. H., 1985, Late Pleistocene vertebrate paleoecology of the west: *University of Texas Press, Austin*, 293 p.
- Harris, A. H. and Porter, L. S., 1980, Late Pleistocene horses of Dry Cave, Eddy Co., New Mexico: *Journal of Mammalogy*, v. 54, p. 512-513.
- Havenor, K.C., 1968, Structure, stratigraphy, and hydrogeology of the northern Roswell Artesian Basin, Chaves Co., New Mexico: *New Mexico Bureau of Mines and Mineral Resources, Circular 93*, 30 p.
- Hawley, J. W., 1993, Overview of the geomorphic history of the Carlsbad area: *New Mexico Geological Society, 44<sup>th</sup> Field Conference Guidebook*, p. 2-3.
- Hayes, P. T., 1957, *Geology of the Carlsbad Caverns East quadrangle, New Mexico*: U.S. Geological Survey, Geological Quadrangle Map GQ-98, scale 1:62,500.
- Hayes, P. T., 1964, *Geology of the Guadalupe Mountains, New Mexico*: U.S. Geological Survey, Professional Paper 446, 69 p.
- Hayes, P. T. and Bachman, G. O., 1979, Examination and reevaluation of evidence for a Barrera Fault, Guadalupe Mountains, New Mexico: *U.S. Geological Survey Open File Report 79-1520*, 9 p.
- Hayes, P. T. and Koogler, R. L., 1958, *Geology of the Carlsbad Caverns West Quadrangle, New Mexico-West Texas*: U.S. Geological Survey, Geological Quadrangle Map CG-112, scale 1:62,500.
- Heezen, B. C. and Drake, C. L., 1964, Grand Banks slump: *American Association of Petroleum Geologists Bulletin*, v. 48, p. 221-225.
- Hendrickson, G. E. and Jones, R. S., 1952, *Geology and ground-water resources of Eddy County, New Mexico*: New Mexico Bureau of Mines and Mineral Resources, Ground-Water Report 3, 169 p.
- Hill, C. A., 1987, *Geology of Carlsbad Cavern and other caves of the Guadalupe Mountains, New Mexico and Texas*: New Mexico Bureau of Mines and Mineral Resources, Bulletin 117, 150 p.
- Hill, C.A., 1990, Sulfuric acid speleogenesis of Carlsbad Cavern and its relationship to hydrocarbons, Delaware Basin, New Mexico and Texas: *American Association of Petroleum Geologists Bulletin*, v. 74, p. 1685-1694.
- Hill, C.A., 1993, *Geologic walking tour of Carlsbad Cavern*: *New Mexico Geological Society, 44<sup>th</sup> Annual Field Conference Guidebook*, p. 117-128.
- Hill, C. A., 1996, *Geology of the Delaware Basin, Guadalupe, Apache, and Glass Mountains, New Mexico and West Texas*: Permian Basin Section-SEPM Publication No. 96-39, 480 p.
- Hill, C.A., 1999, Origin of Caves in the Capitan, *in* Saller, A.H., Harris, P.M., Kirkland, B.L., and Mazzullo, S.J., eds., *Geologic Framework of the Capitan Reef*: Tulsa, OK, SEPM Special Publication No. 65, p. 211-222.

- Horberg, L. H., 1949, Geomorphic history of the Carlsbad Caverns area, New Mexico: *Journal of Geology*, v. 57, p. 464-476.
- Jacka, A. D., 1988, Contributions to the road log: Third day – Carlsbad to Dark Canyon, Sitting Bull Falls, and Rocky Arroyo: *West Texas Geological Society*, Pub. 88-84, p. 93, 94, 97-99.
- Jagnow, D. H., 1977, Geologic factors influencing speleogenesis in the Capitan Reef complex, New Mexico and Texas [M.S. Thesis]: Albuquerque, University of New Mexico, 197 p.
- Jagnow, D.H., 1979, Cavern development in the Guadalupe Mountains: Columbus, OH, Cave Research Foundation, 55 p.
- James, N.P., and Ginsburg, R.N., 1979, The seaward margin of Belize barrier and atoll reefs: Oxford, International Association of Sedimentologists Special Publication No. 3, 191 p.
- Kelley, V.C. and Thompson, T.B., 1964, Tectonics and general geology of the Ruidoso-Carrizozo region, central New Mexico: *New Mexico Geological Society*, 15<sup>th</sup> Field Conference Guidebook, p. 110-121.
- Kelley, V. C., 1971a, Geology of the Pecos Country, southeastern New Mexico: *New Mexico Bureau of Mines and Mineral Resources*, Memoir 24, 75 p.
- Kelley, V. C., 1971b, Stratigraphy and structure of the Pecos Country, southeastern New Mexico: *West Texas – Roswell Geological Societies Guidebook*, Pub. 71-58, 83 p.
- Kendall, C.G.St.C., 1969, An environmental re-interpretation of the Permian evaporite-carbonate shelf sediments of the Guadalupe Mountains: *Geological Society of America Bulletin*, v. 80, p. 2503-2526.
- Kendall, C.G.St.C. and Warren, J., 1987, A review of the origin and setting of tepees and their associated fabrics: *Sedimentology*, v. 34, p. 1007-1028.
- King, P. B., 1948, Geology of the southern Guadalupe Mountains, Texas: U.S. Geological Survey, Professional Paper 215, 183 p.
- King, P. B., 1949, Regional geologic map of parts of Culberson and Hudspeth Counties, Texas: U.S. Geological Survey, Oil and Gas Investigations Preliminary Map 90.
- Kirkland, D.W., 2003, An explanation for the varves of the Castile evaporites (Upper Permian), Texas and New Mexico, U.S.A.: *Sedimentology*, v. 50, p. 899-920.
- Kirkland, D. W. and Anderson, R. Y., 1970, Microfolding in the Castile and Todilto evaporites, Texas and New Mexico: *Geological Society of America Bulletin*, v. 81, p. 3259-3282.
- Kirkland, D. W. and Evans, R., 1980, Origin of castiles on the Gypsum Plain of Texas and New Mexico: *New Mexico Geological Society*, 31<sup>st</sup> Field Conference Guidebook, p. 173-178.
- Klemmick, G. F., 1993, Geology of the Pokorny sulfur deposit, Culberson Co., Texas: *New Mexico Geological Society*, 44<sup>th</sup> Field Conference Guidebook, p. 18-19.
- Kues, B. S. and Lucas, S. G., 1993, Stratigraphy, paleontology, and correlation of lower Cretaceous exposures in southeastern New Mexico: *New Mexico Geological Society*, 44<sup>th</sup> Field Conference Guidebook, p. 245-260.
- Land, L., 2003, Evaporite karst and regional ground-water circulation in the lower Pecos Valley of southeastern New Mexico, in Johnson, K.S. and Neal, J.T., eds., *Evaporite karst and engineering/environmental problems in the United States: Oklahoma Geological Survey Circular 109*, p. 227-232.
- Land, L., 2005, Evaluation of groundwater residence time in a karstic aquifer using environmental tracers: Roswell Artesian Basin, New Mexico, in *Proceedings of the Tenth Multidisciplinary Conference on Sinkholes and the Engineering and Environmental Impacts of Karst*, San Antonio, Texas, 2005: ASCE Geotechnical Special Publication no. 144, p. 432-440.
- Lang, W. B., 1947, Occurrence of Comanche rocks in Black River valley, New Mexico: *American Association of Petroleum Geologists Bulletin*, v. 31, p. 1472-1478.
- Lawson, E. G., 1989, Subaqueous gravity flows and associated deposits in the Rader Member, Capitan reef complex (Permian), Delaware Mountains, west Texas [M.S. thesis]: Madison, University of Wisconsin, 160 p.
- Lock, D.E., and Burne, R.V., 1986, Modern carbonate sedimentation in the coastal regions of the Coorong, Yorke Peninsula and Spencer Gulf, South Australia, including Lake Eliza and Fisherman Bay, 12th International Sedimentological Congress, Sediments Down-under, Post-Congress Field Tour 19B, Guidebook: Canberra, Bureau of Mineral Resources, Geology and Geophysics, p. 1-59.
- Logan, B.W., 1987, The MacLeod Evaporite Basin, Western Australia: Tulsa, OK, American Association of Petroleum Geologists Memoir 44, 140 p.
- Lohmann, K.C., and Meyers, W.J., 1977, Microdolomite inclusions in cloudy prismatic calcites: a proposed criterion for former high magnesium calcites: *Journal of Sedimentary Petrology*, v. 47, p. 1075-1088.
- Loucks, R.G., and Folk, R.L., 1976, Fanlike rays of former aragonite in Permian Capitan reef pisolite: *Journal of Sedimentary Petrology*, v. 46, p. 483-485.
- Lucas, S.G., 1991, Southeasternmost outcrops of the Morrison Formation, Capitan, Lincoln County, New Mexico: *New Mexico Geological Society*, 42<sup>nd</sup> Field Conference Guidebook, p. 41.
- Macintyre, I.G., 1977, Distribution of submarine cements in a modern Caribbean fringing reef, Galeta Point, Panama: *Journal of Sedimentary Petrology*, v. 47, p. 503-516.
- Macintyre, I.G., 1985, Submarine cements — the peloidal question, in Schneidermann, N., and Harris, P.M., eds., *Carbonate Cements*: Tulsa, OK, SEPM Special Publication No. 36, p. 109-116.
- McKee, E.D., Oriol, S.S., and others, 1967, Paleotectonic investigations of the Permian System in the United States: Washington, D.C., U. S. Geological Survey Professional Paper 515, 271 p.
- Martinez, J. D., Johnson, K. S., and Neal, J. T., 1998, Sinkholes in evaporite rocks: *American Scientist*, v. 86, p. 38-51.
- Mazzullo, S. J., 1999, Paleoenvironments, cyclicity, and diagenesis in the outer shelf Tansill Formation in the Carlsbad Embayment (Dark Canyon), northern Guadalupe Mountains, New Mexico, in Saller, A.H., Harris, P.M., Kirkland, B.L., and Mazzullo, S.J., eds., *Geologic framework of the Capitan Reef*: SEPM Special Publication 65, p. 107-128.
- Meinzer, D. E., Renich, B. C., and Bryan, K., 1926, Geology of No. 3 Reservoir Site of the Carlsbad Irrigation Project, New Mexico with respect to water tightness: U.S. Geological Survey Water Supply Paper 580, p. 12-13.
- Moran, W. R., 1954, Proposed type sections for the Queen and Grayburg Formations of Guadalupian age in the Guadalupe Mountains, Eddy Co., New Mexico (abs.): *Geological Society of America Bulletin*, v. 65, p. 1288.
- Motts, W. S., 1962, Geology of the West Carlsbad Quadrangle, New Mexico: U.S. Geological Survey, Geologic Quadrangle Map GQ-167.
- Motts, W. S., 1972, Geology and paleoenvironment of the northern segment, Capitan Shelf, New Mexico and West Texas: *Geological Society of America Bulletin*, v. 83, p. 701-722.
- Motts, W. S. and Cushman, R. L., 1964, An appraisal of the possibilities of artificial recharge to groundwater supplies in part of the Roswell Basin: U.S. Geological Survey Water-Supply Paper 1785, 85 p.
- Nance, R.G., 1992, Application of the Standard Tablet Method to a Study of Denudation in Gypsum Karst, Chosa Draw, Southeastern New Mexico [MS Thesis]: Greeley, University of Northern Colorado, 83 p.
- New Mexico Bureau of Geology and Mineral Resources, 2003, *Geologic Map of New Mexico*: New Mexico Institute of Mining and Technology, scale: 1:500,000.
- Newell, N.D., Rigby, J.K., Fischer, A.G., Whiteman, A.J., Hickox, J.E., and Bradley, J.S., 1953, The Permian Reef Complex of the Guadalupe Mountains Region, Texas and New Mexico: San Francisco, Freeman and Co., 236 p.
- Noe, S. U. and Mazzullo, S. J., 1994, Patch-reef dominated outer shelf facies along a non-rimmed platform, middle to upper Tansill Formation, northern Guadalupe Mountains, New Mexico: *West Texas Geological Society Bulletin*, v. 33, p. 5-11.
- Olive, W. W., 1957, Solution-subsidence troughs, Castile formation of Gypsum Plain, Texas and New Mexico: *Geological Society of America Bulletin*, v. 68, p. 351-358.
- Polyak, V. J., McIntosh, W. C., Guven, N., and Provencio, P., 1998, Age and origin of Carlsbad Cavern from <sup>40</sup>Ar/<sup>39</sup>Ar of Alunite: *Science*, v. 279, p. 1919-1922.
- Polyak, V. J. and Provencio, P., 2001, By-product minerals related to H<sub>2</sub>S-H<sub>2</sub>SO<sub>4</sub> influenced speleogenesis of Carlsbad, Lechuguilla, and other caves in the Guadalupe Mountains, New Mexico: *Journal of Cave and Karst Studies*, v. 63, p. 23-32.
- Pratt, E., 1954, Evidence of igneous activity in the northwestern part of the Delaware Basin: *New Mexico Geological Society*, 5<sup>th</sup> Field Conference Guidebook, p. 143-147.
- Pray, L.C., and Esteban, M., 1977, Upper Guadalupian Facies, Permian Reef Complex, Guadalupe Mountains, New Mexico and West Texas — Road logs and locality guides (1977 Field Conference Guidebook), in 2, ed.: Midland, TX, Permian Basin Section-SEPM Publication 77-16, p. 194.
- Queen, J. M., Palmer, A. N., and Palmer, M. V., 1977, Speleogenesis in the Guadalupe Mountains, New Mexico: Gypsum replacement of carbonate by brine mixing: *Proceedings of Seventh International Congress of Speleology*, Shef-

- field, U.K., p. 333-336.
- Rabinowitz, D., Gross, G., and Holmes, C., 1977, Environmental tritium as a hydrometeorological tool in the Roswell Basin, New Mexico, I, II, III: *Journal of Hydrology*, v. 32, p. 3-46.
- Reid, S.T., Bass, R.O., and Welch, P., 1988, Guadalupe Mountains Revisited, Texas and New Mexico: Midland, TX, West Texas Geological Society Publication 88-84, p. 200.
- Salvati, R. and Sasowsky, I. D., 2002, Development of collapse sinkholes in areas of groundwater discharge: *Journal of Hydrology*, v. 264, p. 1-11.
- Sares, S. W., 1984, Hydrologic and geomorphic development of low-relief evaporite karst drainage basin, southeastern New Mexico [M.S. Thesis]: Albuquerque, University of New Mexico, 123 p.
- Sares, S. W. and Wells, S. G., 1986, Geomorphic and hydrologic development of the Gypsum Plain karst, Delaware Basin, New Mexico, in Jagnow, D. H. and DuChene, H. R., eds., *Geology field trip guidebook: National Speleological Society Convention, Tularosa, New Mexico, June 22-28, 1986*, p. 11-31.
- Sarg, J. F., 1976, Sedimentology of the carbonate-evaporite facies transition of the Seven Rivers Formation (Guadalupian, Permian) in southeast New Mexico [Ph.D. dissertation]: Madison, University of Wisconsin, 313 p.
- Sarg, J. F., 1988, A discussion of central Rocky Arroyo: West Texas Geological Society, Pub. 88-84, p. 94-96.
- Schmidt, V., 1977, Inorganic and organic reef growth and subsequent diagenesis in the Permian Capitan reef complex, Guadalupe Mountains, Texas, New Mexico, in Hileman, M.E., and Mazzullo, S.J., eds., *Upper Guadalupian Facies, Permian Reef Complex, Guadalupe Mountains, New Mexico and West Texas (1977 Field Conference Guidebook)*: Midland, TX, Permian Basin Section-SEPM Publication 77-16, p. 93-132.
- Scholle, P. A., 2000, An introduction and virtual geologic field trip to the Permian reef complex, Guadalupe and Delaware Mountains, New Mexico – West Texas: <http://geoinfo.nmt.edu/staff/scholle/guadalupe.html#stratnom>
- Scholle, P. A., and Kinsman, D. J. J., 1974, Aragonitic and high-Mg calcite caliche from the Persian Gulf — a modern analog for the Permian of Texas and New Mexico: *Journal of Sedimentary Petrology*, v. 44, p. 904-916.
- Shinn, E.A., 1969, Submarine lithification of Holocene carbonate sediments in the Persian Gulf: *Sedimentology*, v. 12, p. 109-144.
- Smith, A. R., 1978a, Sulfur deposits in Ochoan rocks of southeast New Mexico and west Texas: New Mexico Bureau of Mines and Mineral Resources, Circular 159, p. 71-77.
- Smith, A. R., 1978b, The caves of McKittrick Hill: *Geology*, in Kunath, C. E., ed., *The caves of McKittrick Hill, Eddy County, New Mexico*: Texas Speleological Survey, p. 56-68.
- Stoudt, E.L., Trentham, R.C., and Scholle, P.A., 2004, Recent Advances in Sequence Stratigraphy and Reservoir Compartmentalization in Upper Guadalupian Carbonates — Guadalupe Mountains, West Texas and Southeastern New Mexico: West Texas Geological Society Symposium Fall Field Trip, v. #04-113: Midland, WTGS, 93 p.
- Tomlinson, S., Bass, R.O., and Welch, P., 1988, Guadalupe Mountains Revisited, v. 88-84: Midland, TX, West Texas Geological Society 202 p.
- Toomey, D. F. and Cys, J. M., 1977, Rock/biotic relationships of the Permian Tansill-Capitan facies exposed on the north side of the entrance to Dark Canyon, Guadalupe Mountains, southeastern New Mexico, in Hileman, M. E. and Mazzullo, S. J., eds., *Upper Guadalupian facies, Permian Reef Complex, Guadalupe Mountains, New Mexico and west Texas*: Midland, Permian Basin Section-SEPM, Pub. 77-16, p. 133-150.
- Tyrrell, W.W., Jr., 1969, Criteria useful in interpreting environments of unlike but time-equivalent carbonate units (Tansill-Capitan-Lamar), Capitan reef complex, west Texas and New Mexico, in Friedman, G.M., ed., *Depositional Environments in Carbonate Rocks*: Tulsa, OK, SEPM Special Publication No. 14, p. 80-97.
- Warren, J. K., 1983, Tepees, modern (South Australia) and ancient (Permian - Texas and New Mexico) - a comparison: *Sedimentary Geology*, v. 34, p. 1-19.
- Watkinson, A.J. and Alexander, J.I.D., 1993, Castile microfolding: New Mexico Geological Society, 44<sup>th</sup> Field Conference Guidebook, p. 14-15.
- Welder, G. E., 1983, Geohydrologic framework of the Roswell ground-water basin, Chaves and Eddy Counties, New Mexico: New Mexico State Engineer Technical Report 42, 28 p.
- Wilde, G. L., Rudine, S. F., and Lambert, L. L., 1999, Formal designation, Reef Trail Member, Bell Canyon Formation, and its significance for recognition of the Guadalupian-Lopingian boundary, in Saller, A.H., Harris, P.M., Kirkland, B.L., and Mazzullo, S.J., eds., *Geologic framework of the Capitan Reef*: SEPM Special Publication 65, p. 63-83.
- Williamson, C.R., 1979, Deep-sea sedimentation and stratigraphic traps, Bell Canyon Formation (Permian), Delaware Basin, in Sullivan, N.M., ed., *Guadalupian Delaware Mountain Group of West Texas and Southeast New Mexico (1979 Symposium and Field Conference Guidebook)*: Midland, TX, Permian Basin Section-SEPM Publication 79-18, p. 39-74.
- Wood, R., 1999, Paleogeology of the Capitan Reef, in Saller, A.H., Harris, P.M., Kirkland, B.L., and Mazzullo, S.J., eds., *Geologic Framework of the Capitan Reef*: Tulsa, OK, SEPM Special Publication No. 65, p. 129-137.
- Yuras, W., 1991, Origin of folds in the Permian Yeso Formation, Lincoln, New Mexico: New Mexico Geological Society, 42<sup>nd</sup> Field Conference Guidebook, p. 165-170.

