

## ROAD LOG REFERENCES

- Aby, S., Gellis, A., and Pavich, M., 2016, The Rio Puerco Arroyo cycle and the history of landscape changes, U.S. Geological Survey, <https://geochange.er.usgs.gov/sw/impacts/geology/puerco1/>, accessed January 2, 2024.
- American Indian Alaska Native Tourism Association, n.d., “Pueblo of Santa Ana Information,” [nativeamerica.travel/tribes/pueblo-of-santa-ana](https://nativeamerica.travel/tribes/pueblo-of-santa-ana), accessed February 2024.
- Armstrong, A.K., 1955, Preliminary observations on the Mississippian System of northern New Mexico: New Mexico Bureau of Mines and Mineral Resources Circular 39, 42 p., <https://doi.org/10.58799/C-39>
- Armstrong, R.L., Speed, R.C., Graustein, W.C., and Young, A.Y., 1976, K-Ar dates from Arizona, Montana, Nevada, Utah and Wyoming, Isochron/West, v. 16, p. 1–6, [https://geoinfo.nmt.edu/publications/periodicals/isochronwest/16/iw\\_v16\\_p01.pdf](https://geoinfo.nmt.edu/publications/periodicals/isochronwest/16/iw_v16_p01.pdf)
- Aronoff, R.F., Andronicos, C.L., Vervoort, J.D., and Hunter, R.A., 2016, Redefining the metamorphic history of the oldest rocks in the southern Rocky Mountains: Geological Society of America Bulletin, v. 128, no. 7–8, p. 1207–1227, <https://doi.org/10.1130/B31455.1>
- Aubéle, J.C., Crumpler, L.S., Loeber, K.N., and Kudo, A.M., 1976, Maars and tuff rings of New Mexico, in Woodward, L.A., and Northrop, S.A., eds., Tectonics and Mineral Resources of Southwestern North America: New Mexico Geological Society Special Publication No. 6, p. 109–114.
- Bachman, G.O., and Mehnert, H.H., 1978, New K-Ar dates and the late Pliocene to Holocene geomorphic history of the central Rio Grande region, New Mexico: Geological Society of America Bulletin, v. 89, no. 2, p. 283–292, [https://doi.org/10.1130/0016-7606\(1978\)89<283:NKDAT>2.0.CO;2](https://doi.org/10.1130/0016-7606(1978)89<283:NKDAT>2.0.CO;2)
- Baker, L.L., and Durand, S.R., 2003, Prehistory of the middle Rio Puerco Valley, Sandoval County, New Mexico: Archaeological Society of New Mexico Special Publication No. 3, 223 p.
- Baltz, E.H., 1967, Stratigraphy and regional tectonic implications of part of Upper Cretaceous and Tertiary rocks, east-central San Juan Basin, New Mexico: U.S. Geological Survey Professional Paper 552, 101 p., <https://doi.org/10.3133/pp552>
- Beckner, J.R., and Mozley, P.S., 1998, Origin and spatial distribution of early vadose and phreatic calcite cements in the Zia Formation, Albuquerque Basin, New Mexico, USA, in Morad, S., ed., Carbonate Cementation in Sandstones: Distribution Patterns and Geochemical Evolution: Oxford, International Association of Sedimentologists and Blackwell Science, p. 27–52, <https://doi.org/10.1002/9781444304893.ch2>
- Belew, A.S., Burck, P.W., Fassett, J.A., Gallegos, J.J., Lujan, A.L., Mattern, D.E., Mackenzie, S.B., Myers, W.C., Novosak, B.A., and Schaub, C.L., 2024, The BLM Homestake well, in Karlstrom, K.E., Koning, D.J., Lucas, S.G., Iverson, N.A., Crumpler, L.S., Aubéle, J.C., Blake, J.M., Goff, F., and Kelley, S.A., eds., Geology of the Nacimiento Mountains and Rio Puerco Valley: New Mexico Geological Society Guidebook 74 (this volume), p. 319–322.
- Berger, A., 1988, Milankovitch theory and climate: Reviews of Geophysics, v. 26, no. 4, p. 624–657, Bickford, M.E., Van Schmus, W.R., Karlstrom, K.E., Mueller, P.A., and Kamenov, G.D., 2015, Mesoproterozoic-trans-Laurentian magmatism: A synthesis of continent-wide age distributions, new SIMS U-Pb ages, zircon saturation temperatures, and Hf and Nd isotopic compositions: Precambrian Research, v. 65, p. 286–312, <https://doi.org/10.1016/j.precamres.2014.11.024>
- Black, B.A., 2023, An oil and gas play turns into a prime helium prospect: Mountain Geologist, v. 60, no. 4, p. 189–196, <https://doi.org/10.31582/rmag.mg.60.3.189>
- Blakey, R.C., and Gubitosa, R., 1983, Late Triassic paleogeography and depositional history of the Chinle Formation, southern Utah and northern Arizona, in Reynolds, M.W., and Dolly, E.D., eds., Mesozoic Paleogeography of the West-Central United States: Denver, Rocky Mountain Section, Society for Sedimentary Geology, p. 57–76.
- Blomgren, V.J., Crossey, L.J., Karlstrom, K.E., Fischer, T.P., and Darrah, T.H., 2019, Hot spring hydrochemistry of the Rio Grande rift in northern New Mexico reveals a distal geochemical connection between Valles Caldera and Ojo Caliente: Journal of Volcanology and Geothermal Research, in press. <https://doi.org/10.1016/j.jvolgeores.2019.106663>
- Bourdon, J., Wright, K., Lucas, S.G., Spielmann, J., and Pence, R., 2011, Selachians from the Upper Cretaceous (Santonian) Hosta Tongue of the Point Lookout Sandstone, central New Mexico: New Mexico Museum of Natural History and Science Bulletin 52, 54 p.
- Brown, W.T., Jr., 1969, Igneous geology of the Puerco necks, Sandoval and Valencia counties, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 89 p., [https://digitalrepository.unm.edu/eps\\_etds/310/](https://digitalrepository.unm.edu/eps_etds/310/)
- Brunton, G.D., 1952, The study of an unusual augite near Cabezon Peak, Sandoval County, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 40 p., [https://digitalrepository.unm.edu/eps\\_etds/123/](https://digitalrepository.unm.edu/eps_etds/123/)
- Bryan, K., 1928, Historic evidence on changes in the channel of the Rio Puerco, a tributary of the Rio Grande in New Mexico: The Journal of Geology, v. 36, no. 3, p. 265–282, <https://doi.org/10.1086/623512>
- Bryan, K., and McCann, F.T., 1936, Successive pediments and terraces of the upper Rio Puerco in New Mexico: The Journal of Geology, vol. 44, no. 2, Part 1, p. 145–172, <https://doi.org/10.1086/624414>
- Bryan, K., and McCann, F.T., 1938, The Ceja del Rio Puerco: A border feature of the Basin and Range province in New Mexico: Journal of Geology, v. 46, no. 1, p. 1–16, <https://doi.org/10.1086/624618>
- Burnett, B.N., Meyer, G.A., and McFadden, L.D., 2008, Aspect-related microclimatic influences on slope forms and processes, northeastern Arizona: Journal of Geophysical Research, Earth Surface, vol. 113, no. F3, F03002, <https://doi.org/10.1029/2007JF000789>
- Cather, S.M., 1983, Laramide Sierra uplift: Evidence for major pre-rift uplift in central and southern New Mexico, in Chapin, C.E., and Callender, J.F., eds., Socorro Region II: New Mexico Geological Society Guidebook 14, p. 99–101, <https://doi.org/10.56577/FFC-34.99>
- Cather, S.M., 1999, Implications of Jurassic, Cretaceous, and Proterozoic piercing lines for Laramide oblique-slip faulting in New Mexico and rotation of the Colorado Plateau: Geological Society of America Bulletin, v. 111, no. 6, p. 849–868, [https://doi.org/10.1130/0016-7606\(1999\)111<0849:IOJCAP>2.3.CO;2](https://doi.org/10.1130/0016-7606(1999)111<0849:IOJCAP>2.3.CO;2)
- Cather, S.M., 2021, Jurassic stratigraphic nomenclature for northwestern New Mexico, in Frey, B.A., Kelley, S.A., Zeigler, K.E., McLemore, V.T., Goff, F., and Ulmer-Scholle, D.S., eds., Geology of the Mount Taylor Area: New Mexico Geological Society Guidebook 71, p. 251–258, <https://doi.org/10.56577/FFC-71.251>
- Cather, S.M., Karlstrom, K.E., Timmons, J.M., and Heizler, M.T., 2006, Palinspastic reconstruction of Proterozoic basement-related aeromagnetic features in north-central New Mexico: Implications for Mesoproterozoic to late Cenozoic tectonism: Geosphere, v. 2, no. 6, p. 299–323, <https://doi.org/10.1130/GES00045.1>
- Chamberlin, R.M., and McIntosh, W.C., 2007, Chronology and structural control of late Cenozoic volcanism in the Loma Creston quadrangle, southern Jemez volcanic field, New Mexico, in Kues, B.S., Kelley, S.A., and Lueth, V.W., eds., Geology of the Jemez Region II: New Mexico Geological Society Guidebook 58, p. 248–261, <https://doi.org/10.56577/FFC-58.248>
- Chang, C., and Liu, L., 2021, Investigating the formation of the Cretaceous Western Interior Seaway using landscape evolution simulations: Geological Society of America Bulletin, v. 133, no. 1–2, p. 347–361, <https://doi.org/10.1130/B35653.1>
- Churchill, R.R., 1981, Aspect-related differences in badlands slope morphology: Annals of the Association of American Geographers, v. 71, no. 3, p. 374–388, <https://doi.org/10.1111/j.1467-8306.1981.tb01363.x>
- Churchill, R.R., 1982, Aspect-induced differences in hillslope processes: Earth Surface Processes and Landforms, v. 7, no. 2, p. 171–182, <https://doi.org/10.1002/esp.3290070209>
- Cikoski, C.T., Koning, D.J., and Connell, S.D., 2012, Geologic map of the La Mesita Negra quadrangle, Bernalillo County, New Mexico: New Mexico Bureau of Geology and Mineral Resources Open-file Geologic Map 223, scale 1:24,000, <https://doi.org/10.58799/OF-GM-223>
- Connell, S.D., 2008a, Geologic map of the Albuquerque-Rio Rancho metropolitan area and vicinity, Bernalillo and Sandoval Counties, New Mexico: New Mexico Bureau of Geology and Mineral Resources Geologic Map 78, scale 1:50,000, 2 sheets, <https://doi.org/10.58799/GM-78>

- Connell, S.D., 2008b, Refinements to the stratigraphic nomenclature of the Santa Fe Group, northwestern Albuquerque basin, New Mexico: New Mexico Geology, v. 30, no. 1, p. 14–35, <https://doi.org/10.58799/NMG-v30n1.14>
- Connell, S.D., Koning, D.J., and Cather, S.M., 1999, Revisions to the stratigraphic nomenclature of the Santa Fe Group, northwestern Albuquerque Basin, New Mexico, in Pazzaglia, F.J., and Lucas, S.G., eds., Albuquerque Geology: New Mexico Geological Society Guidebook 50, p. 337–353, <https://doi.org/10.56577/FFC-50.337>
- Connell, S.D., Smith, G.A., Geissman, J.W., and McIntosh, W.C., 2013, Climatic controls on nonmarine depositional sequences in the Albuquerque Basin, Rio Grande rift, north-central New Mexico, in Hudson, M.R., and Grauch, V.J.S., eds., New Perspectives on Rio Grande Rift Basins: From Tectonics to Groundwater: Geological Society of America Special Paper 494, p. 383–425, [https://doi.org/10.1130/2013.2494\(15\)](https://doi.org/10.1130/2013.2494(15))
- Cron, B., 2012, Geochemical characteristics and microbial diversity of CO<sub>2</sub>-rich mound springs of the Tierra Amarilla anticline, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 110 p., [https://digitalrepository.unm.edu/eps\\_etds/13/](https://digitalrepository.unm.edu/eps_etds/13/)
- Cron, B., Crossey, L.J., Karlstrom, K.E., Polyak, V., and Asmerom Y., 2024, Geochemistry and Microbial Diversity of CO<sub>2</sub>-Rich Springs and U-Series Dating of Travertine from the Tierra Amarilla Anticline, New Mexico, in Karlstrom, K.E., Koning, D.J., Lucas, S.G., Iverson, N.A., Crumpler, L.S., Aubele, J.C., Blake, J.M., Goff, F., and Kelley, S.A., eds., Geology of the Nacimiento Mountains and Río Puerco Valley: New Mexico Geological Society Guidebook 74 (this volume), p. 225–235.
- Crossey, L.J. et al., 2016, Continental smokers couple mantle degassing and distinctive microbiology within continents: Earth and Planetary Science Letters, v. 435, p. 22–30, <https://doi.org/10.1016/j.epsl.2015.11.039>
- Crossey, L.J., Love, A., Karlstrom, K.E., Hilton, D.R., and Keppel, M., 2009, Travertine-depositing mound springs of South Australia: Key for characterizing groundwater mixing and paleohydrology in the Great Artesian Basin: Geological Society of America Abstracts with Programs, v. 41, no. 7, p. 28, <https://gsa.confex.com/gsa/2009AM/webprogram/Paper163856.html>
- Crossey, L., Priestley, S., Shand, P., Karlstrom K.E., Love A.J., and Keppel, M., 2013a, Source and origin of western GAB spring water, in Love, A.J., Shand, P., Crossey, L., Harrington, G.A., and Rousseau-Gueutin, eds., Groundwater Discharge of the Western Great Artesian Basin: Allocating Water and Maintaining Springs in the Great Artesian Basin: Canberra, Australian Government National Water Commission, p. 10–33, <https://cdn.environment.sa.gov.au/landscape/docs/saal/awmsgab-volume-iii.pdf>
- Crossey, L.J., Sherson, L.S., Karlstrom, K.E., McGibbon, C., Jochems, A.P., Ali, A.-M.S., Person, M., Dahm, C.N., and Parmenter, R.R., 2013b, The water quality challenge: Using new technology to track tectonic salinity contributions that impair surface and groundwater: GSA Abstracts with Programs, v. 45, no. 7, p. 48.
- Crumpler, L.S., 1980, An alkali basalt through trachyte suite, Mesa Chivato Mount Taylor volcanic field, New Mexico, summary: Geological Society of America Bulletin, v. 91, no. 5, p. 253–255, [https://doi.org/10.1130/0016-7606\(1980\)91<253:AATTSM>2.0.CO;2](https://doi.org/10.1130/0016-7606(1980)91<253:AATTSM>2.0.CO;2)
- Crumpler, L.S., 1982, Volcanism in the Mount Taylor region: New Mexico Geological Society Guidebook 33, p. 291–298, <https://doi.org/10.56577/FFC-33.291>
- Crumpler, L.S., 2010a, Mount Taylor volcanic field, in Price, L.G., ed., The Geology of Northern New Mexico's Parks, Monuments, and Public Lands: Socorro, New Mexico Bureau Geology and Mineral Resources, p. 51–60.
- Crumpler, L.S., 2010b, Cabezon Peak and Río Puerco volcanic necks, in Price, L.G., ed., The Geology of Northern New Mexico's Parks, Monuments, and Public Lands: Socorro, New Mexico Bureau Geology and Mineral Resources, p. 61–67.
- Daniel, C.G., Pfeifer, L.S., Jones, J.V., McFarlane, C.M., 2013, Detrital zircon evidence for non-Laurentian provenance, Mesoproterozoic (ca. 1490–1450 Ma) deposition and orogenesis in a reconstructed orogenic belt, northern New Mexico, USA: Defining the Picuris orogeny: Geological Society of America Bulletin, v. 125, no. 9–10, p. 1423–1441, <https://doi.org/10.1130/B30804.1>
- Daniel, C.G., and Pyle, J.M., 2006, Monazite–xenotime thermochronometry and Al<sub>2</sub>SiO<sub>5</sub> reaction textures in the Picuris Range, northern New Mexico, USA: New evidence for a 1450–1400 Ma orogenic event: Journal of Petrology, v. 47, no. 1, p. 97–118, <https://doi.org/10.1093/petrology/egi069>
- Devine, P.E., 1991, Transgressive origin of channelled estuarine deposits in the Point Lookout Sandstone, northwestern New Mexico: A model for Upper Cretaceous, cyclic regressive parasequences of the U.S. Western Interior: American Association of Petroleum Geologists Bulletin, v. 75, no. 6, p. 1039–1063, <https://doi.org/10.1306/0C9B28C1-1710-11D7-8645000102C1865D>
- Drake, P.G., Harrington, C.D., Wells, S.G., Perry, F.V., and Laughlin, A.W., 1991, Late Cenozoic geomorphic and tectonic evolution of the Rio San Jose and tributary drainages within the Basin and Range/Colorado Plateau transition zone in west-central New Mexico, in Julian, B., and Zidek, J., eds., Field guide to Geologic Excursions in New Mexico and Adjacent Areas of Texas and Colorado: New Mexico Bureau of Mines and Mineral Resources Bulletin 137, p. 149–157, <https://doi.org/10.58799/B-137>
- Eardley, A.J., 1962, Structural geology of North America (second edition): New York, Harper and Row, 743 p., <https://doi.org/10.5962/bhl.title.62079>
- Elder, W.P., Gustason, E.R., and Sageman, B.B., 1994, Correlation of basin-al carbonates cycles to nearshore parasequences in the Late Cretaceous Greenhorn seaway, Western Interior U.S.A.: Geological Society of America Bulletin, v. 106, no. 7, p. 892–902, [https://doi.org/10.1130/0016-7606\(1994\)106<0892:COBCCT>2.3.CO;2](https://doi.org/10.1130/0016-7606(1994)106<0892:COBCCT>2.3.CO;2)
- Estrada, E., Roberts, N., Weijers, L., Riebel, T., and Logan, S., 2009, Fracture mapping in the San Juan Basin, New Mexico: SPE Annual Technical Conference and Exhibition, New Orleans, Louisiana, Paper no. SPE-124673, <https://doi.org/10.2118/124673-MS>
- Fawcett, P.J. et al., 2011, Extended megadroughts in the southwestern United States during Pleistocene interglacials: Nature, v. 470, p. 518–521, <https://doi.org/10.1038/nature09839>
- Formento-Trigilio, M.L., and Pazzaglia, F.J., 1996, Quaternary stratigraphy, tectonic geomorphology and long-term landscape evolution of the southern Sierra Nacimiento, in Goff, F., Kues, B.S., Rogers, M.A., McFadden, L.D., and Gardner, J.N., eds., Jemez Mountains Region: New Mexico Geological Society Guidebook 47, p. 335–345, <https://doi.org/10.56577/FFC-47.335>
- Formento-Trigilio, M.L., and Pazzaglia, F.J., 1998, Tectonic geomorphology of the Sierra Nacimiento: Traditional and new techniques in assessing long-term landscape evolution in the southern Rocky Mountains: Journal of Geology, v. 106, no. 4, p. 433–454, <https://doi.org/10.1086/516034>
- Friedman, J.M., Vincent, K.R., Griffin, E.R., Scott, M.L., Shafrroth, P.B., and Auble, G.T., 2015, Process of arroyo filling in northern New Mexico, USA: Geological Society of America Bulletin, v. 127, no. 3–4, p. 621–640, <https://doi.org/10.1130/B31046.1>
- Frost, C.D. and Frost, B.R., 2013, Proterozoic ferroan feldspathic magmatism: Precambrian Research, v. 228, p. 151–163, <https://doi.org/10.1016/j.precamres.2013.01.016>
- Gale, A.S., Voigt, S., Sageman, B.B., and Kennedy, W.J., 2008, Eustatic sea-level record for the Cenomanian (Late Cretaceous)—Extension to the Western Interior Basin, USA: Geology, v. 36, no. 11, p. 859–862, <https://doi.org/10.1130/G24838A.1>
- García, N. (with portraits by Rodriguez, I.A.), 1987, Recuerdos de los viejitos, Tales of the Río Puerco: Albuquerque, University of New Mexico Press, 266 p.
- García, N., 1992, Abuelitos: Stories of the Río Puerco Valley: Albuquerque, University of New Mexico Press, 310 p.
- García, N., 1994, Tata: A Voice from the Río Puerco: Albuquerque, University of New Mexico Press, 207 p.
- García, N., 2015, Hoe, Heaven, and Hell: My Boyhood in Rural New Mexico: Albuquerque, University of New Mexico Press, 207 p.
- Gellis, A.C., and Elliott, J.G., 2001, Arroyo changes in selected watersheds of New Mexico, United States, in Anthony, D.J., Harvey, M.D., Laronne, J.B., and Mosley, M.P., eds., Applying Geomorphology to Environmental Management: A Special Publication Honoring Stanley A. Schumm, Water Resources Publications: Golden, Colorado, LLC Press, p. 225–240.

- Gellis, A.C., Pavich, M.J., Ellwein, A.L., Aby, S., Clark, I., Wieczorek, M.E., and Viger, R., 2012, Erosion, storage, and transport of sediment in two subbasins of the Rio Puerco, New Mexico: Geological Society of America Bulletin, v. 124, no. 5–6, p. 817–841, <https://doi.org/10.1130/B30392.1>
- Gillette, D.D., 1991, *Seismosaurus halli*, gen. et sp. nov., a new sauropod dinosaur from the Morrison Formation (Upper Jurassic/Lower Cretaceous) of New Mexico, USA: Journal of Vertebrate Paleontology, v. 11, no. 4, p. 417–433, <https://doi.org/10.1080/02724634.1991.10011413>
- Goff, F., and Gardner, J.N., 1994, Evolution of a mineralized geothermal system, Valles Caldera, New Mexico: Economic Geology, v. 89, p. 1803–1832, <https://doi.org/10.2113/gsecongeo.89.8.1803>
- Goff, F., and Goff, C.J., 2017, Energy and Mineral Resources of New Mexico: Overview of the Valles Caldera (Baca) Geothermal System: New Mexico Bureau of Geology and Mineral Resources Memoir 50F, 80 p., <https://doi.org/10.58799/M-50F>
- Goff, F., Grigsby, C.O., Trujillo Jr., P.E., Counce, D., and Kron, A., 1981, Geology, water geochemistry, and geothermal potential of the Jemez Springs area, Cañon de San Diego, New Mexico: Journal of Volcanology and Geothermal Research, v. 10, p. 227–244, [https://doi.org/10.1016/0377-0273\(81\)90064-0](https://doi.org/10.1016/0377-0273(81)90064-0)
- Goff, F., and Janik, C.J., 2002, Gas geochemistry of the Valles Caldera region, New Mexico and comparisons with gases at Yellowstone, Long Valley and other geothermal systems: Journal of Volcanology and Geothermal Research, v. 116, no. 3–4, p. 299–323, [https://doi.org/10.1016/S0377-0273\(02\)00222-6](https://doi.org/10.1016/S0377-0273(02)00222-6)
- Goff, F., Kelley, S.A., Goff, C.J., McCraw, D.J., Osburn, G.R., Lawrence, J.R., Drakos, P.G., and Skotnicki, S.J., 2019, Geologic map of the Mount Taylor volcanic area, New Mexico: New Mexico Bureau of Geology and Mineral Resources Geologic Map 80, scale 1:36,000, <https://doi.org/10.58799/GM-80>
- Goff, F., Kelley, S.A., Osburn, G.R., Lawrence, J.R., Goff, C.J., Ferguson, C., McIntosh, W.C., Fellah, K., Dunbar, N.W., and Wolff, J.A., 2010, Evolution of Mount Taylor composite volcano, New Mexico [abstract]: New Mexico Geology, v. 32, no. 2, p. 63, <https://doi.org/10.56577/SM-2010.631>
- Goff, F., Kelley, S.A., Zeigler, K., Drakos, P., and Goff, C., 2008, Geologic map of the Lobo Springs 7.5-minute quadrangle, Cibola County, New Mexico: New Mexico Bureau of Geology and Mineral Resources Open-file Geologic Map 181, scale 1:24,000, <https://doi.org/10.58799/OF-GM-181>
- Goff, F.G., McIntosh, W., Peters, L., Wolff, J.A., Kelley, S.A., Goff, C.J., and Osburn, G.R., 2021, Volcanic evolution of Mount Taylor stratovolcano, New Mexico: Facts and misconceptions in Frey, B.A., Kelley, S.A., Zeigler, K.E., McLemore, V.T., Goff, F., and Ulmer-Scholle, D.S., eds., Geology of the Mount Taylor Area: New Mexico Geological Society Guidebook 71, p.117–128, <https://doi.org/10.56577/FFC-71.117>
- Goff, F., and Shevenell, L., 1987, Travertine deposits of Soda Dam, New Mexico, and their implications for the age and evolution of the Valles Caldera hydrothermal system: Geological Society of America Bulletin, v. 99, p. 292–302, [https://doi.org/10.1130/0016-7606\(1987\)99<292:TDOSDN>2.0.CO;2](https://doi.org/10.1130/0016-7606(1987)99<292:TDOSDN>2.0.CO;2)
- Goff, F., Shevenell, L., Gardner, J.N., Vuataz, F.-D., and Grigsby, C.O., 1988, The hydrothermal outflow plume of Valles caldera, New Mexico, and a comparison with other outflow plumes: Journal of Geophysical Research, v. 93, p. 6041–6058, <https://doi.org/10.1029/JB093iB06p06041>
- Gorham, F.D., Jr., Woodward, L.A., Callendar, J.F., and Greer, A.R., 1979, Fractures in Cretaceous rocks from selected areas of San Juan Basin, New Mexico—Exploration implications: American Association of Petroleum Geologists Bulletin, v. 63, no. 4, p. 598–607, <https://doi.org/10.1306/2F918199-16CE-11D7-8645000102C1865D>
- Grambling, T.A., Holland, M., Karlstrom, K.E., Gehrels, G.E., and Pecha, M., 2015, Revised location for the Yavapai-Mazatzal crustal province boundary in New Mexico: Hf isotopic data from Proterozoic rocks of the Nacimiento Mountains, in Lindline, J., Petronis, M., and Zebrowski, J., eds., Geology of the Las Vegas Area: New Mexico Geological Society Guidebook 66, p. 175–184, <https://doi.org/10.56577/FFC-66.175>
- Grauch, V.J.S., and Connell, S.D., 2013, New perspectives on the geometry of the Albuquerque Basin, Rio Grande rift, New Mexico: Insights from geophysical models of rift-fill thickness, in Hudson, M.R., and Grauch, V.J.S., eds., New Perspectives on Rio Grande Rift Basins: From Tectonics to Groundwater: Geological Society of America Special Paper 494, p. 427–462, [https://doi.org/10.1130/2013.2494\(16\)](https://doi.org/10.1130/2013.2494(16))
- Hajek, E.A., and Straub, K.M., 2017, Autogenic sedimentation in clastic stratigraphy: Annual Review of Earth and Planetary Sciences, v. 45, p. 681–709, <https://doi.org/10.1146/annurev-earth-063016-015935>
- Hallett, R.B., 1992, Volcanic geology of the Rio Puerco necks, in Lucas, S.G., Kues, B.S., Williamson, T.E., and Hunt, A.P., eds., San Juan Basin IV: New Mexico Geological Society Guidebook 43, p. 135–144, <https://doi.org/10.56577/FFC-43.135>
- Hallett, R.B., 1994, Volcanic geology, paleomagnetism, geochronology, and geochemistry of the Rio Puerco necks, west-central New Mexico [Ph.D. dissertation]: Socorro, New Mexico Institute of Mining and Technology, 340 p.
- Hallett, R.B., Kyle, P.R., and McIntosh, W.C., 1997, Paleomagnetic and  $^{40}\text{Ar}/^{39}\text{Ar}$  age constraints on the chronologic evolution of the Rio Puerco volcanic necks and Mesa Prieta, west-central New Mexico: Implications for transition zone magmatism: Geological Society of America Bulletin, v. 109, no. 1, p. 95–106, [https://doi.org/10.1130/0016-7606\(1997\)109<0095:PAAAAC>2.3.CO;2](https://doi.org/10.1130/0016-7606(1997)109<0095:PAAAAC>2.3.CO;2)
- Hancock, P.L., Chalmers, R.M.L., Altunel, E., and Çakir, Z., 1999, Travertines: Using travertines in active fault studies: Journal of Structural Geology, v. 21, no. 8–9, p. 903–916, [https://doi.org/10.1016/S0191-8141\(99\)00061-9](https://doi.org/10.1016/S0191-8141(99)00061-9)
- Haq, B.U., 2014, Cretaceous eustasy revisited: Global and Planetary Change, v. 113, p. 44–58, <https://doi.org/10.1016/j.gloplacha.2013.12.007>
- Harris, L.G., 2003, Ghost Towns Alive: Trips to New Mexico's Past: Albuquerque, University of New Mexico Press, 242 p.
- Haszeldine, R.S., Quinn, O., England, G., Wilkinson, M., Shipton, Z.K., Evans, J.P., Heath, J., Crossey, L., Ballantine, C.J., and Graham, C.M., 2005, Natural geochemical analogues for carbon dioxide storage in deep geological porous reservoirs, a United Kingdom perspective: Oil and Gas Science and Technology, v. 60, no. 1, p. 33–49, <https://doi.org/10.2516/ogst:2005004>
- Hay, W. W., 2008, Evolving ideas about the Cretaceous climate and ocean circulation: Cretaceous Research, v. 29, no. 5–6, p. 725–753, <https://doi.org/10.1016/j.cretres.2008.05.025>
- Heede, B.H., 1971, Characteristics and processes of soil piping in gullies: U.S. Department of Agriculture Forest Service Research Paper RM-68, 15 p., <https://doi.org/10.5962/bhl.title.98930>
- Hillenbrand, I.W., Gilmer, A.K., Williams, M.L., Karlstrom, K.E., Souders, A.K., Jercinovic, M.J., Vazquez, J., and Premo, W.R., 2024, Heterogeneous multi-stage accretionary orogenesis: Evidence from the Gunnison block in the Yavapai province, southwest USA: Precambrian Research, v. 401, 107256, <https://doi.org/10.1016/j.precamres.2023.107256>
- Hillenbrand, I.W., Karlstrom, K.E., Williams, M.L., Gilmer, A., Premo, W., and Davis, P., 2023a, Geochemical evidence for evolving Proterozoic crustal thickness and orogenic styles in southwestern Laurentia: Earth and Planetary Science Letters, v. 622, 118417, <https://doi.org/10.1016/j.epsl.2023.118417>
- Hillenbrand, I.W., Williams, M.L., Karlstrom, K.E., Gilmer, A.K., Lowers, H.A., Jercinovic, M.J., Suarez, K.A., and Souders, A.K., 2023b, Monazite and xenotime petrochronologic constraints on four Proterozoic tectonic episodes and ca. 1705 Ma age of the Uncompahgre Formation, southwestern Colorado, USA: Geosphere, v. 19, no. 4, 1057–1079, <https://doi.org/10.1130/GES02631.1>
- Hunt, C.B., 1936, Geology and fuel resources of the southern part of the San Juan basin, New Mexico, Part 2: The Mount Taylor coal field: U.S. Geological Survey Bulletin 860-B, 80 p., <https://doi.org/10.3133/b860B>
- Jean, A., Crossey, L.J., Karlstrom, K.E., Polyak, V., and Asmerom, Y., 2024, Uranium-series geochronology of travertine from Soda Dam, New Mexico: A Quaternary record of episodic spring discharge and river incision in the Jemez Mountains, in Karlstrom, K.E., Koning, D.J., Lucas, S.G., Iverson, N.A., Crumpler, L.S., Aubele, J.C., Blake, J.M., Goff, F., and Kelley, S.A., eds., Geology of the Nacimiento Mountains and Río Puerco Valley: New Mexico Geological Society Guidebook 74 (this volume), p. 257–270.

- Jeffries, S.M., 2024, Guadalupe Ruin: Background, overview, and archaeological and administrative history, in Karlstrom, K.E., Koning, D.J., Lucas, S.G., Iverson, N.A., Crumpler, L.S., Aubele, J.C., Blake, J.M., Goff, F., and Kelley, S.A., eds., Geology of the Nacimiento Mountains and Río Puerco Valley: New Mexico Geological Society Guidebook 74 (this volume), p. 323–332.
- Jochems, A.P., Sherson, L.R., Crossey, L.J., and Karlstrom, K.E., 2010, Predictive analysis of geochemical controls in an alpine stream: American Geophysical Union, Fall Meeting 2010, abstract id. H31D-1041, <https://ui.adsabs.harvard.edu/abs/2010AGUFM.H31D1041J/abstract>
- Johnson, S.C., and Lucas, S.G., 2003, Selachian fauna from the Upper Cretaceous Dalton Sandstone, middle Río Puerco Valley, New Mexico, in Lucas, S.G., Semken, S.C., Berglof, W., and Ulmer-Scholle, D., eds., Geology of the Zuni Plateau: New Mexico Geological Society Guidebook 54, p. 353–358, <https://doi.org/10.56577/FFC-54.353>
- Julyan, R., 1998, The Place Names of New Mexico (revised edition): Albuquerque, University of New Mexico Press, 385 p.
- Karlstrom, K.E., Amato, J.M., Williams, M.L., Heizler, M., Shaw, C.A., Read, A.S., and Bauer, P., 2004, Proterozoic tectonic evolution of the New Mexico region: A synthesis, in Mack, G.H., and Giles, K.A., eds., The Geology of New Mexico: A Geologic History: New Mexico Geological Society Special Publication 11, p. 1–34.
- Karlstrom, K.E. et al., 2011, Mantle-driven dynamic uplift of the Rocky Mountains and Colorado Plateau and its surface response: Toward a unified hypothesis: *Lithosphere*, v. 4, no. 1, p. 3–22, <https://doi.org/10.1130/L150.1>
- Karlstrom, K.E., Koning, D., Lucas, S.G., Crumpler, L.S., Goff, F., Kelley, S., Iverson, N., Reed, C., and Crossey, L.J., 2024, Synopsis of the Nacimiento geologic nexus, in Karlstrom, K.E., Koning, D.J., Lucas, S.G., Iverson, N.A., Crumpler, L.S., Aubele, J.C., Blake, J.M., Goff, F., and Kelley, S.A., eds., Geology of the Nacimiento Mountains and Río Puerco Valley: New Mexico Geological Society Guidebook 74 (this volume), p. 105–126.
- Karlstrom, K.E., Wilgus, J., Thacker, J.O., Schmandt, B., Coblenz, D., and Albonico, M., 2022, Tectonics of the Colorado Plateau and its margins: Annual Reviews of Earth and Planetary Sciences, v. 50, p. 295–322, <https://doi.org/10.1146/annurev-earth-032320-111432>
- Karlstrom, K.E., Williams, M.L., Heizler, M.T., Holland, M.E., Grambling, T.A., and Amato, J.M., 2016, U-Pb monazite and  $^{40}\text{Ar}/^{39}\text{Ar}$  data supporting polyphase tectonism in the Manzano Mountains: A record of both the Mazatzal (1.66–1.60 Ga) and Picuris (1.45 Ga) orogenies, in Frey, B.A., Karlstrom, K.E., Lucas, S.G., Williams, S., Zeigler, K., McLemore, V., and Ulmer-Scholle, D.S., eds., Geology of the Belen Area: New Mexico Geological Society Guidebook 67, p. 177–184, <https://doi.org/10.56577/FFC-67.177>
- Katzman, D.R., and Wright-Dunbar, R., 1992, Parasequence geometry and facies architecture in the Upper Cretaceous Point Lookout Sandstone, Four Corners platform, southwestern Colorado, in Lucas, S.G., Kues, B.S., Williamson, T.E., and Hunt, A.P., eds., San Juan Basin IV: New Mexico Geological Society Guidebook 43, p. 187–197, <https://doi.org/10.56577/FFC-43.187>
- Kelley, S., Kemper, K.A., Goff, F., Rampey, M., Osburn, G.R., and Ferguson, C.A., 2003, Geologic map of the Jemez Springs 7.5-minute quadrangle, Sandoval County, New Mexico: New Mexico Bureau of Geology and Mineral Resources Open-file Geologic Map 73, scale 1:24,000, 1 sheet, <https://doi.org/10.58799/OF-GM-73>
- Kelley, V.C., 1977, Geology of Albuquerque Basin, New Mexico: New Mexico Bureau of Mines and Mineral Resources Memoir 33, 59 p., <https://doi.org/10.58799/M-33>
- Kelson, K.I., Personius, S.F., Haller, K.M., Koning, D.J., and Jochems, A.P., compilers, 2015, Fault number 2029b, Jemez-San Ysidro fault, San Ysidro section, in Quaternary Fault and Fold Database of the United States: U.S. Geological Survey, [https://earthquake.usgs.gov/eqcusion/qfault/show\\_report\\_AB\\_archive.cfm?fault\\_id=2029&section\\_id=b](https://earthquake.usgs.gov/eqcusion/qfault/show_report_AB_archive.cfm?fault_id=2029&section_id=b)
- Kernodle, J.M., Levings, G.W., Craig, S.D., and Dam, W.L., 1989, Hydrogeology of the Gallup Sandstone in the San Juan structural basin, New Mexico, Colorado, Arizona, and Utah: U.S. Geological Survey Hydrologic Atlas 720H, <https://doi.org/10.3133/ha720H>
- Kirkby, M.J., Atkinson, K., and Lockwood, J., 1990, Aspect, vegetation cover, and erosion on semi-arid hillslopes, in Thornes, J.B., ed., Vegetation and Erosion: Processes and Environments: New York, Jon Wiley, p. 25–39.
- Koning, D.J., 2024, Comparison of the sedimentologic and stratigraphic characteristics of the Point Lookout vs. Gallup sandstones near Cabezon, New Mexico, in Karlstrom, K.E., Koning, D.J., Lucas, S.G., Iverson, N.A., Crumpler, L.S., Aubele, J.C., Blake, J.M., Goff, F., and Kelley, S.A., eds., Geology of the Nacimiento Mountains and Río Puerco Valley: New Mexico Geological Society Guidebook 74 (this volume), p. 201–217.
- Koning, D.J., Cikoski, C., and Dunbar, N., 2013, Deciphering local landscape stability and surficial processes at a paleovalley margin during a pluvial-interpluvial transition, central New Mexico, in Ziegler, K., Timmons, J.M., Timmons, S., and Semken, S., eds., Geology of Route 66 Region: Flagstaff to Grants: New Mexico Geological Society Guidebook 64, p. 181–198, <https://doi.org/10.56577/FFC-64.181>
- Koning, D.J., and Jochems, A.P., 2014, Geologic map of the Benavidez Ranch 7.5-minute quadrangle, Bernalillo and Sandoval Counties, New Mexico: New Mexico Bureau of Geology and Mineral Resources Open-file Geologic Map 234, scale 1:24,000, <https://doi.org/10.58799/OF-GM-234>
- Koning, D.J., Martin, L., Zimmerer, M., Mamer, E., Doherty, A., and Sturgis, L., 2024, Investigation of hydrostratigraphic units of the Santa Fe Group aquifer in the northwestern Albuquerque Basin, New Mexico: New Mexico Bureau of Geology and Mineral Resources Open-file Report, forthcoming.
- Koning, D.J., and Personius, S.F., 2002, Geologic map of the Bernalillo NW quadrangle, Sandoval County, New Mexico: U.S. Geological Survey Miscellaneous Field Studies Map 2404, scale 1:24,000, <https://pubs.usgs.gov/mf/2002/mf-2404/>
- Koning, D.J., and Rawling, G.C., 2017, Geologic map of the San Felipe Mesa 7.5-minute quadrangle, Sandoval County, New Mexico: New Mexico Bureau of Geology and Mineral Resources Open-file Geologic Map 266, scale 1:24,000, <https://doi.org/10.58799/OF-GM-266>
- Kudo, A.M., Aoki, K.-I., and Brookins, D.G., 1971, The origin of Pliocene-Holocene basalts of New Mexico in the light of strontium-isotopic and major-element abundances: *Earth and Planetary Science Letters*, v. 13, no. 1, p. 200–204, [https://doi.org/10.1016/0012-821X\(71\)90124-5](https://doi.org/10.1016/0012-821X(71)90124-5)
- Kurtz, D.D., 1978, Sedimentology and stratigraphy of the Triassic Chinle Formation, Eastern San Juan Basin, New Mexico [M.S. thesis]: Houston, Rice University, 177 p., <https://repository.rice.edu/server/api/core/bitstreams/f9aa4375-cdbe-4137-9fb-14928cf8020d/content>
- Le Bas, M.J., Le Maitre, R.W., Streckeisen, A., and Zanettin, B., 1986, A chemical classification of volcanic rocks based on the total alkali-silica diagram: *Journal of Petrology*, v. 27, no. 3, p. 745–750, <https://doi.org/10.1093/petrology/27.3.745>
- Lin, W., Bhattacharya, J.P., and Stockford, A., 2019, High-resolution sequence stratigraphy and implications for Cretaceous glacioeustacy of the Late Cretaceous Gallup System, New Mexico, U.S.A.: *Journal of Sedimentary Research*, v. 89, no. 6, p. 552–575, <https://doi.org/10.2110/jsr.2019.32>
- Liu, S., and Nummedal, D., 2004, Late Cretaceous subsidence in Wyoming: Quantifying the dynamic component: *Geology*, v. 32, no. 5, p. 397–400, <https://doi.org/10.1130/G20318.1>
- Love, D.W., 1986, A geological perspective of sediment storage and delivery along the Río Puerco, central New Mexico, in Hadley, R.F., ed., Drainage basin and sediment delivery: International Association of Hydrological Sciences Publication 159, p. 305–322.
- Lucas, S.G., 1982, Vertebrate paleontology, stratigraphy, and biostratigraphy of Eocene Galisteo Formation, north-central New Mexico: New Mexico Bureau of Mines and Mineral Resources Circular 186, 34 p., <https://doi.org/10.58799/C-186>
- Lucas, S.G., 1991, Correlation of Triassic strata of the Colorado Plateau and southern High Plains, New Mexico, in Julian, B., and Zidek, J., eds., Field guide to geologic excursions in New Mexico and adjacent areas of Texas and Colorado: New Mexico Bureau of Geology and Mineral Resources Bulletin 137, p. 47–56, <https://doi.org/10.58799/B-137>
- Lucas, S.G., 2021, Jurassic stratigraphy of the southeastern Colorado Plateau, west-central New Mexico: 2020 synthesis, in Frey, B.A., Kelley, S.A., Zeigler, K.E., McLemore, V.T., Goff, F., and Ulmer-Scholle, D.S., eds., Geology of the Mount Taylor Area: New Mexico Geological Society Guidebook 71, p. 241–250, <https://doi.org/10.56577/FFC-71.241>

- Lucas, S.G., 2024, Triassic-Jurassic stratigraphy, San Ysidro area, Sandoval County, New Mexico, in Karlstrom, K.E., Koning, D.J., Lucas, S.G., Iverson, N.A., Crumpler, L.S., Aubele, J.C., Blake, J.M., Goff, F., and Kelley, S.A., eds., Geology of the Nacimiento Mountains and Rio Puerco Valley: New Mexico Geological Society Guidebook 74 (this volume), p. 193–195.
- Lucas, S.G., Allen, B.D., and Hayden, S.N., 1987, Type section of the Triassic Correo Sandstone Bed, Chinle Formation, Cibola County, New Mexico: New Mexico Journal of Science, v. 27, p. 87–93.
- Lucas, S.G., and Heckert, A.B., 1996, Stratigraphy and correlation of Triassic strata around the Nacimiento and Jemez uplifts, New Mexico, in Goff, F., Kues, B.S., Rogers, M.A., McFadden, L.D., and Gardner, J.N., eds., Jemez Mountains Region: New Mexico Geological Society Guidebook 47, p. 199–204, <https://doi.org/10.56577/FFC-47.199>
- Lucas, S.G., and Heckert, A.B., 2003, Jurassic stratigraphy in west-central New Mexico, in Lucas, S.G., Semken, S.C., Berglof, W., and Ulmer-Scholle, D., eds., Geology of the Zuni Plateau: New Mexico Geological Society Guidebook 54, p. 289–301, <https://doi.org/10.56577/FFC-54.289>
- Lucas, S.G., and Krainer, K., 2024, Upper Paleozoic stratigraphy around the Sierra Nacimiento, San Pedro Mountains and Jemez Mountains, northern New Mexico, in Karlstrom, K.E., Koning, D.J., Lucas, S.G., Iverson, N.A., Crumpler, L.S., Aubele, J.C., Blake, J.M., Goff, F., and Kelley, S.A., eds., Geology of the Nacimiento Mountains and Rio Puerco Valley: New Mexico Geological Society Guidebook 74 (this volume), p. 141–156.
- Lucas, S.G., Spielmann, J.A., Rinehart, L.F., Heckert, A.B., Herne, M.C., Hunt, A.P., Foster, J.R., and Sullivan, R.M., 2006, Taxonomic status of *Seismosaurus hallorum*, a Late Jurassic sauropod dinosaur from New Mexico, in Foster, J.R., and Lucas, S.G., eds., Paleontology and Geology of the Upper Jurassic Morrison Formation: New Mexico Museum of Natural History and Science Bulletin 36, p. 149–162.
- Lucas, S.G., Williamson, T.E., Smith, L.N., Wright-Dunbar, R., Hallett, B., Kues, B.S., Hoffman, G., Hunt, A.P., Love, D.W., McLemore, V.T., and Hadley, R.F., 1992, First-day road log, from Cuba to La Ventana, San Luis, Cabezon, Mesa Portales, Mesa de Cuba, and return to Cuba, in Lucas, S.G., Kues, B.S., Williamson, T.E., and Hunt, A.P., eds., San Juan Basin IV: New Mexico Geological Society, Guidebook 43, p. 1–32, <https://doi.org/10.56577/FFC-43.1>
- Luffi, P., and Ducea, M.N., 2022, Chemical mohometry: Assessing crustal thickness of ancient orogens using geochemical and isotopic data: Reviews of Geophysics, v. 60, no. 2, e2021RG000753, <https://doi.org/10.1029/2021RG000753>
- Masannat, Y.M., 1980, Development of piping erosion conditions in the Benson area, Arizona, U.S.A.: Quarterly Journal of Engineering Geology and Hydrogeology, v. 13, p. 53–61, <https://doi.org/10.1144/GSL.QJEG.1980.013.01.04>
- McAuliffe, J.R., McFadden, L.D., Roberts, L.M., Wawrzyniec, T.F., Scuderi, L.A., Meyer, G.A., and King, M.P., 2014, Non-equilibrium hillslope dynamics and irreversible landscape changes at a shifting pinyon-juniper woodland ecotone: Global and Planetary Change, v. 122, p. 1–13, <https://doi.org/10.1016/j.gloplacha.2014.07.008>
- McFadden, L.D., Gosse, J., McAuliffe, J.R., Scuderi, L., Meyer, G., and Burnett, B.N., 2005, Determination of hillslope erosion rates during the late Holocene based on cosmogenic surface age dating of hoodoos, northeastern Arizona [abstract]: Geological Society of America Abstracts with Programs, vol. 37, no. 7, p. 232
- McGibbon, C., Crossey, L.J., Karlstrom, K.E., and Grulke, T., 2018, Carbonic springs as distal manifestations of geothermal systems, highlighting the importance of fault pathways and hydrochemical mixing: Example from the Jemez Mountains, New Mexico: Applied Geochemistry, v. 98, p. 45–57, <https://doi.org/10.1016/j.apgeochem.2018.08.015>
- Melton, M.A., 1960, Intravalley variation in slope angles related to microclimate and erosional environment: Geological Society of America Bulletin, v. 71, no. 2, p. 133–144, [https://doi.org/10.1130/0016-7606\(1960\)71\[133:IVISAR\]2.0.CO;2](https://doi.org/10.1130/0016-7606(1960)71[133:IVISAR]2.0.CO;2)
- Miall, A.D., Catuneanu, O., Vakarelov, B.K., and Post, R., 2008, The Western Interior Basin: Sedimentary Basins of the World, v. 5, p. 329–362, [https://doi.org/10.1016/S1874-5997\(08\)00009-9](https://doi.org/10.1016/S1874-5997(08)00009-9)
- Moats, W., 2004, Geology of the Soda Dam travertine deposits, Sandoval County, New Mexico: New Mexico Geological Society Annual Spring Meeting Abstracts, <https://doi.org/10.56577/SM-2004.711>
- Molenaar C.M., 1983, Principal reference section and correlation of the Gallup Sandstone, northwestern New Mexico, in Hook, S.C., compiler, Contributions to mid-Cretaceous paleontology and stratigraphy of New Mexico, part II: New Mexico Bureau of Mines and Mineral Resources Circular 185, p. 29–40.
- Morgan, G.S., and Rinehart, L.F., 2007, Late Pleistocene (Rancholabrean) mammals from fissure deposits in the Jurassic Todilto formation, White Mesa mine, Sandoval County, north-central New Mexico: New Mexico Geology, v. 29, no. 2, p. 39–51, <https://doi.org/10.58799/NMG-v29n2.39>
- Mooley, P.S., Beckner, J., and Whitworth, T.M., 1995, Spatial distribution of calcite cement in the Santa Fe Group, Albuquerque Basin, New Mexico: Implications for groundwater resources: New Mexico Geology, v. 17, no. 4, p. 88–93, <https://doi.org/10.58799/NMG-v17n4.88>
- Mulhouse, J.M., 2020, Abandoned New Mexico: Ghost towns, Endangered Architecture, and Hidden History: Arcadia Publishing, 160 p.
- Muto, T., and Steel, R.J., 1992, Retreat of the front in a prograding delta: Geology, v. 20, no. 11, p. 967–970, [https://doi.org/10.1130/0091-7613\(1992\)020<0967:ROTFIA>2.3.CO;2](https://doi.org/10.1130/0091-7613(1992)020<0967:ROTFIA>2.3.CO;2)
- Nasholds M.W.M., and Zimmerer, M.J., 2022, High-precision <sup>40</sup>Ar/<sup>39</sup>Ar geochronology and volumetric investigation of volcanism and resurgence following eruption of the Tshirege Member, Bandelier Tuff, at the Valles Caldera: Journal of Volcanology and Geothermal Research, v. 431, 107624, <https://doi.org/10.1016/j.jvolgeores.2022.107624>
- Nelson, W.W., 2019, Sequence stratigraphy and geologic reservoir characterization of the Niobrara-equivalent section: Northern San Juan Basin [M.S. thesis]: Golden, Colorado School of Mines, 259 p.
- New Mexico Bureau of Geology and Mineral Resources, 2003, Geologic map of New Mexico, scale 1:500,000, 2 sheets, <https://doi.org/10.58799/116894>
- New Mexico Historic Sites, 2024, “Coronado Historic Site,” <https://nmhistoricsites.org/coronado>, accessed February 2024.
- Niels, F.L., 2003, Geology and geomorphology of the middle Rio Puerco valley, in Baker, L.L., and Durand, S.R., 2003, Prehistory of the middle Rio Puerco Valley, Sandoval County, New Mexico: Archaeological Society of New Mexico Special Publication No. 3, p. 21–34.
- Nordin, C.F., Jr., 1963, A preliminary study of sediment transport parameters, Rio Puerco near Bernardo, New Mexico: U.S. Geological Survey Professional Paper 462-C, p. C1–C21, <https://doi.org/10.3133/pp462C>
- Nummedal, D., 2004, Tectonic and eustatic controls on Upper Cretaceous stratigraphy of northern New Mexico, in Mack, G.H., and Giles, K.A., The Geology of New Mexico, A geologic history: New Mexico Geological Society Special Publication 11, p. 169–182.
- Nyman, M.W., Karlstrom, K.E., Kirby, E., and Graubard, C.M., 1994, Mesoproterozoic contractional orogeny in western North America: Evidence from ca. 1.4 Ga plutons: Geology, v. 22, no. 10, p. 901–904, [https://doi.org/10.1130/0091-7613\(1994\)022<0901:MCOIWN>2.3.CO;2](https://doi.org/10.1130/0091-7613(1994)022<0901:MCOIWN>2.3.CO;2)
- Osburn, G.R., Kelley, S., Rampey, M., Ferguson, C., Frankel, K., and Pazzaglia, F., 2002, Geologic map of the Ponderosa quadrangle, Sandoval County, New Mexico: New Mexico Bureau of Geology and Mineral Resources Open-file Geologic Map 57, scale 1:24,000, <https://doi.org/10.58799/OF-GM-57>
- Pang, M., and Nummedal, D., 1995, Flexural subsidence and basement tectonics of the Cretaceous Western Interior basin, United States: Geology, v. 23, no. 2, p. 173–176, [https://doi.org/10.1130/0091-7613\(1995\)023<0173:FSABTO>2.3.CO;2](https://doi.org/10.1130/0091-7613(1995)023<0173:FSABTO>2.3.CO;2)
- Parker, G.G., 1964, Piping: A geomorphic agent in landform development of the drylands: International Association of Scientific Hydrology, p. 103–113, <https://iahs.info/uploads/dms/065008.pdf>
- Parker, G.G., Sr., Higgins, C.G., and Wood, W.W., 1990, Piping and pseudokarst in drylands, in Higgins, C.G., and Coates, D.R., eds., Groundwater geomorphology: The role in subsurface water in Earth-surface processes and landforms: Geological Society of America Special Paper 252, p. 77–110, <https://doi.org/10.1130/SPE252-p77>
- Pazzaglia, F.J., Gardner, T.W., and Merritts, D.J., 1998, Bedrock fluvial incision and longitudinal profile development over geologic time scales determined by fluvial terraces, in Tinkler, K.J., and Wohl, E.E., Rivers over rock: Fluvial processes in bedrock channels: American Geophysical Union Geophysical Monograph 107, p. 207–236, <https://doi.org/10.1029/GM107p0207>

- Pazzaglia, F.J., Pederson, J.L., Garcia, A.F., Koning, D.J., Formento-Trigilio, M.L., and Toya, C., 1997, Geologic map and report of the Jemez Pueblo 7.5-minute quadrangle, Sandoval County, New Mexico: New Mexico Bureau of Mines and Mineral Resources Open-file Geologic Map 14, scale 1:24,000, <https://doi.org/10.58799/OF-GM-14>
- Pentecost, A., 2005, Travertine: Berlin, Springer.
- Perkins, G.B., Sharp, Z.D., Selverstone, J., 2006, Oxygen isotope evidence for subduction and rift-related mantle metasomatism beneath the Colorado Plateau–Rio Grande rift transition: Contributions to Mineralogy and Petrology, v. 151, 633–650, <https://doi.org/10.1007/s00410-006-0075-6>
- Personius, S.F., Kelson, K.I., and Jochems, A.P., compilers, 2016, Fault number 2030b, San Felipe fault zone, Algodones section, in Quaternary Fault and Fold Database of the United States: U.S. Geological Survey, <https://landslides.usgs.gov/static/lfs/nshm/qfaults/Reports/2030b.pdf>
- Pippin, L.C., 1979, The prehistory and paleoecology of Guadalupe Ruin, Sandoval County, New Mexico [Ph.D. dissertation]: Pullman, Washington State University, 435 p.
- Pollock, C.J., Stewart, K.G., Hibbard, J.P., Wallace, L., and Giral, R.A., 2004, Thrust wedge tectonics and strike-slip faulting in the Sierra Nacimiento, New Mexico: New Mexico Bureau of Geology and Mineral Resources Bulletin 160, p. 97–111, <https://geoinfo.nmt.edu/publications/monographs/bulletins/downloads/160/papers/05polck.pdf>
- Porreca, C., Selverstone, J., and Samuels, K., 2006, Pyroxenite xenoliths from the Rio Puerco volcanic field, New Mexico: Melt metasomatism at the margin of the Rio Grande rift: Geosphere v. 2, no. 7, p. 333–351, <https://doi.org/10.1130/GES00058.1>
- Posamentier, H.W., Jersey, M.T., and Vail, P.R., 1988, Eustatic controls on clastic deposition I—Conceptual framework, in Wilgus, C.K., Hastings, B.S., Posamentier, H., Van Wagoner, J., Ross, C.A., and Kendall, C.G.St.C., eds., Sea-level changes: An integrated approach: SEPM Special Publication 42, p. 109–124, <https://doi.org/10.2110/pec.88.01.0109>
- Premo, W.R., Moscati, R.J., DeWitt, E.H., Gilmer, A.K., Hillenbrand, I.W., 2023, Data release of geochemical, geochronologic, and isotopic data for Precambrian to Cenozoic rocks from Colorado, New Mexico, Utah, and Wyoming, U.S. Geological Survey data release: <https://doi.org/10.5066/P9ZD6DFW>
- Priewisch, A., Crossey, L.J., and Karlstrom, K.E., 2013, U-series ages and morphology of a Quaternary large-volume travertine deposit at Mesa del Oro, NM: Implications for paleohydrology, paleoclimate, and neotectonic processes, in Ziegler, K., Timmons, J.M., Timmons, S., and Semken, S., eds., Geology of Route 66 Region: Flagstaff to Grants: New Mexico Geological Society Guidebook 64, p. 229–237, <https://doi.org/10.58577/FFC-64.229>
- Rawling, G.C., and Koning, D.J., 2019, Geologic map of the Herrera 7.5-minute quadrangle, Sandoval and Bernalillo Counties, New Mexico: New Mexico Bureau of Geology and Mineral Resources Open-file Geologic Map 273, scale 1:24,000, <https://doi.org/10.58799/OF-GM-273>
- Ray, D.C., van Buchem, F.S.P., Bains, G., Davies, A., Gréselle, B., Simmons, M.D., and Robson, C., 2019, The magnitude and cause of short-term eustatic sea-level change: a synthesis: Earth-Science Reviews, v. 197, 102901, <https://doi.org/10.1016/j.earscirev.2019.102901>
- Reed, C.C., Karlstrom, K., Heizler, M., Rodriguez, B., Ricci, J., and Crossey, L., 2023, Tectonic geomorphology of the Jemez System: Resolving quaternary river response to dynamic landscapes using  $^{40}\text{Ar}/^{39}\text{Ar}$  geochronology: Geological Society of America Abstracts with Programs, v. 55, no. 6, <https://doi.org/10.1130/abs/2023AM-394729>
- Reed, C., Karlstrom K.E., Rodriguez, B., Iverson, N., Heizler, M., Rose-Coss, D., Crossey, L.J., Cox, C., Jean, A., Polyak, V., and Asmerom, Y., 2024, Differential river incision due to Quaternary faulting on the Río Salado-Jemez system at the million-year timescale, in Karlstrom, K.E., Koning, D.J., Lucas, S.G., Iverson, N.A., Crumpler, L.S., Aubele, J.C., Blake, J.M., Goff, F., and Kelley, S.A., eds., Geology of the Nacimiento Mountains and Río Puerco Valley: New Mexico Geological Society Guidebook 74 (this volume), p. 237–256.
- Reiche, P., 1937, The Toreva-block: A distinctive landslide type: The Journal of Geology, v. 45, no. 5, p. 538–548, <https://doi.org/10.1086/624563>
- Reid, K.D., Goff, F., and Counce, D.A., 2003, Arsenic concentration and mass flow rate in natural waters of the Valles Caldera and Jemez Mountains region, New Mexico: New Mexico Geology, v. 25, no. 3, p. 75–82, <https://doi.org/10.58799/NMG-v25n3.75>
- Ricketts, J., Karlstrom, K.E., Priewisch, A., Crossey, L.J., Polyak, V.J., and Asmerom, Y., 2014, Quaternary extension in the Río Grande rift at elevated strain rates recorded in travertine deposits, central New Mexico: Lithosphere, v. 6, no. 1, p. 3–16, <https://doi.org/10.1130/L278.1>
- Rogers, J.B., 1996, The fluvial landscape evolution of San Diego Canyon, Jemez Mountains, New Mexico [M.S. thesis]: Albuquerque, University of New Mexico, 123 p.
- Rogers, J.B., and Smartt, R.A., 1996, Climatic influences on Quaternary alluvial stratigraphy and terrace formation in the Jemez River valley, New Mexico, in Goff, F., Kues, B.S., Rogers, M.A., McFadden, L.D., and Gardner, J.N., eds., The Jemez Mountains Region: New Mexico Geological Society Guidebook 47, p. 347–356, <https://doi.org/10.56577/FFC-47.347>
- Ryan, M.P., and Sammis, C.G., 1978, Cyclic fracture mechanisms in cooling basalt: Geological Society of America Bulletin, v. 89, no. 9, p. 1295–1308, [https://doi.org/10.1130/0016-7606\(1978\)89<1295:CFMICB>2.0.CO;2](https://doi.org/10.1130/0016-7606(1978)89<1295:CFMICB>2.0.CO;2)
- Sagstetter, M., and Sagstetter, W.E., 1998, The Mining Camps Speak: A New Way to Explore the Ghost Towns of the American West: Denver, Benchmark Publishing of Colorado, 283 p.
- Santa Ana Pueblo, 2024, “About Us: The Pueblo of Santa Ana - Tamaya,” <https://santaana-nsn.gov/about>, accessed February 2024.
- Schmidt, M.E., Schrader, C.M., Crumpler, L.S., Rowe, M.C., Wolff, J.A., and Boroughs, S.P., 2016, Megacrystic pyroxene basalts sample deep crustal gabbroic cumulates beneath the Mount Taylor volcanic field, New Mexico: Journal of Volcanology and Geothermal Research, v. 316, p. 1–11, <https://doi.org/10.1016/j.jvolgeores.2016.02.020>
- Schrader, C.M., Schmidt, M.E., Crumpler, L.S., and Wolff, J.A., 2012, Partial melting and fractionation in the Mesa Chivato alkali basalt-trachyte series, Mount Taylor Volcanic Field, New Mexico: American Geophysical Union Fall Meeting, abstract V43D-2884.
- Sealey, P.L., and Lucas, S.G., 2019, Late Cretaceous (Cenomanian-Campanian) ammonite systematic paleontology and biostratigraphy, southeastern San Juan Basin, Sandoval County, New Mexico: New Mexico Museum of Natural History and Science Bulletin 80, 245 p.
- Sears, J.D., 1925, Geology and coal resources of the Gallup-Zuni basin, New Mexico: U.S. Geological Survey Bulletin 767, 138 p.
- Shaw, C.A., Heizler, M.T., and Karlstrom, K.E., 2005,  $^{40}\text{Ar}/^{39}\text{Ar}$  thermochronologic record of 1.45–1.35 Ga intracontinental tectonism in the southern Rocky Mountains: Interplay of conductive and advective heating with intracontinental deformation, in Karlstrom, K.E., and Keller, G.R., eds., The Rocky Mountain Region: An Evolving Lithosphere: Tectonics, Geochemistry, and Geophysics, American Geophysical Union Geophysical Monograph 154, p. 163–184, <https://doi.org/10.1029/154GM12>
- Sherman, J.E., and Sherman, B.H., 1975, Ghost Towns and Mining Camps of New Mexico: Norman, University of Oklahoma Press, 270 p.
- Shetiyw, M.M., 1978, Sedimentologic and stratigraphic analysis of the Point Lookout Sandstone, southeast San Juan basin, New Mexico [Ph.D. dissertation]: Socorro, New Mexico Institute of Mining and Technology, 262 p.
- Slavin, P.J., 1991a, Geomorphic history of the Río Puerco across the Jemez Lineament, Río Grande rift boundary zone [M.S. thesis]: University of New Mexico, 111 p.
- Slavin, P.J., 1991b, Summary of recent work on the geomorphology of the upper Río Puerco, in Julian, B., and Zidek, J., eds., Field guide to geologic excursions in New Mexico and adjacent areas of Texas and Colorado: New Mexico Bureau of Mines and Mineral Resources Bulletin 137, p. 171–172, <https://doi.org/10.58799/B-137>
- Smith, G.A., and Kuhle, A.J., 1998, Geologic map of the Santo Domingo Pueblo and Santo Domingo SW quadrangles, Sandoval County, New Mexico: New Mexico Bureau of Mines and Mineral Resources Open-File Geologic Map 26, scale 1:24,000, 1 sheet, <https://doi.org/10.58799/OF-GM-26>
- Society of Sedimentary Geology, 2023, SEPM STRATA, SEPM Stratigraphy Web, <http://www.sepstrata.org/page.aspx?pageid=229>, accessed January 8, 2023.
- Spry, A., 1962, The origin of columnar jointing, particularly in basalt flows: Journal of the Geological Society of Australia, v. 8, no. 2, p. 191–216, <https://doi.org/10.1080/14400956208527873>

- Stewart, J.H., Poole, F.G., Wilson, R.F., Cadigan, R.A., Thordarson, W., and Albee, H.F., 1972, Stratigraphy and origin of the Chinle Formation and related Upper Triassic strata in the Colorado Plateau region, with a section on sedimentary petrology and a section on conglomerate studies: U.S. Geological Survey Professional Paper 690, 336 p., <https://doi.org/10.3133/pp690>
- Stone, W.J., 1981, Hydrogeology of the Gallup Sandstone, San Juan Basin, Northwest New Mexico: Groundwater, v. 19, no. 1, p. 4–11, <https://doi.org/10.1111/j.1745-6584.1981.tb03431.x>
- Szynkiewicz, A., Goff, F., Vaniman, D., and Pribil, M.J., 2019, Sulfur cycle in the Valles Caldera volcanic complex—Letter 1: Sulfate sources in aqueous system, and implications for S isotope record in Gale Crater on Mars: Earth and Planetary Science Letters, v. 506, p. 540–551, <https://doi.org/10.1016/j.epsl.2018.10.036>
- Tedford, R.H., and Barghoorn, S.F., 1999, Santa Fe Group (Neogene), Ceja del Rio Puerco, northwestern Albuquerque basin, Sandoval County, New Mexico, in Pazzaglia, F.J., Lucas, S.G., and Austin, G.S., eds., Albuquerque Country: New Mexico Geological Society Guidebook 50, p. 327–335, -50.327
- U.S. Geological Survey, 2024, “USGS 08330000 Rio Grande at Albuquerque, NM,” National Water Information System, [https://waterdata.usgs.gov/nwis/inventory?agency\\_code=USGS&site\\_no=08330000](https://waterdata.usgs.gov/nwis/inventory?agency_code=USGS&site_no=08330000), accessed February 20, 2024.
- Van Hart, D., 2013, Old Forty-Four: A Historical and Geological Excursion over New Mexico’s Old Route 44 (Now Part of US-550): Santa Fe, Sunstone Press, 353 p.
- Van Wagoner, J.C., Mitchum, R.M., Jr., Posamentier, H.W., and Vail, P.R., 1987, Seismic stratigraphy interpretation using sequence stratigraphy, part 2: Key definitions of sequence stratigraphy, in Bally, A.W., ed., Atlas of Seismic Stratigraphy: American Association of Petroleum Geologists Studies in Geology 27, p. 11–14.
- Van Wagoner, J.C., Posamentier, H.W., Mitchum, R.M., Jr., Vail, P.R., Sarg, J.F., Loutit, T.S., and Hardenbol, J., 1988, An overview of the fundamentals of sequence stratigraphy and key definitions, in Wilgus, C.K., Hastings, B.S., Posamentier, H., Van Wagoner, J., Ross, C.A., and Kendall, C.G.St.C., eds., Sea-level changes: an integrated approach: SEPM Special Publication 42, p. 39–45, <https://doi.org/10.2110/pec.88.01.0039>
- Varney, P., 1981, Best Ghost Towns of New Mexico: Flagstaff, Northland Press, 190 p.
- Wells, S.G., Bullard, T.F., Condit, C.D., Jercinovic, M., Jercinovic, D.E., and Lozinsky, R.P., 1983, Geomorphic processes on the alluvial valley floor of the Rio Puerco, in Wells, S.G., Love, D.W., and Gardner, T.W., eds., Chaco Canyon Country: American Geomorphological Field Group Field Trip Guidebook, p. 38–39.
- Whitmeyer, S.J., and Karlstrom, K.E., 2007, Tectonic model for the Proterozoic growth of North America: Geosphere, v. 3, no. 4, p. 220–259, <https://doi.org/10.1130/GES00055.1>
- Widdison, J.G., 1959, Historical geography of the middle Rio Puerco Valley, New Mexico: New Mexico Historical Review, v. 34, no. 4, p. 248–284.
- Wilgus, J., Schmandt, B., Maguire, R., Jiang, C., and Chaput, J., 2023, Shear velocity evidence of upper crustal magma storage beneath Valles Caldera: Geophysical Research Letters, v. 50, no. 5, e2022GL101520, <https://doi.org/10.1029/2022GL101520>
- Williams, P.L., and Cole, J.C., 2007, Geologic map of the Albuquerque 30' x 60' quadrangle, north-central New Mexico: U.S. Geological Survey Scientific Investigations Map 2946, 31 p., scale 1:100,000, <https://doi.org/10.3133/sim2946>
- Williams, M.L., and Karlstrom, K.E., 1996, Looping P-T paths and high-T, low-P middle crustal metamorphism: Proterozoic evolution of the southwestern United States: Geology v. 24, no. 12, p. 1119–1122, [https://doi.org/10.1130/0091-7613\(1996\)024<1119:LPTPAH>2.3.CO;2](https://doi.org/10.1130/0091-7613(1996)024<1119:LPTPAH>2.3.CO;2)
- Williams, M.L., Karlstrom, K.E., Lanzirotti, A., Read, A.S., Bishop, J.L., Lombardi, C.E., Pedrick, J.N., and Wingsted, M.B., 1999, New Mexico middle-crustal cross sections: 1.65-Ga macroscopic geometry, 1.4-Ga thermal structure, and continued problems in understanding crustal evolution: Rocky Mountain Geology, v. 34, no. 1, p. 53–66, <https://doi.org/10.2113/34.1.53>
- Williamson, T.E., and Lucas, S.G., 1992, Selachian fauna from the Upper Cretaceous (Coniacian) El Vado Sandstone Member of the Mancos Shale, San Juan Basin, New Mexico, in Lucas, S.G., Kues, B.S., Williamson, T.E., and Hunt, A.P., eds., San Juan Basin IV: New Mexico Geological Society Guidebook 43, p. 17–19, <https://doi.org/10.56577/FFC-43>
- Wilshire, H.G., Meyer, C.E., Nakata, J.K., Calk, L.C., Shervais, J.W., Nielson, J.E., and Schwarzman, E.C., 1988, Mafic and ultramafic xenoliths from volcanic rocks of the western United States: U.S. Geological Survey Professional Paper 1443, 179 p., <https://doi.org/10.3133/pp1443>
- Woodward, L.A., 1987, Geology and mineral resources of Sierra Nacimiento and vicinity, New Mexico: New Mexico Bureau of Mines and Mineral Resources Memoir 42, 84 p., <https://doi.org/10.58799/M-42>
- Woodward, L.A., Anderson, O.J., and Lucas, S.G., 1997, Mesozoic stratigraphic constraints on Laramide right slip on the east side of the Colorado Plateau: Geology, v. 25, no. 9, p. 843–846, [https://doi.org/10.1130/0091-7613\(1997\)025<0843:MSCOLR>2.3.CO;2](https://doi.org/10.1130/0091-7613(1997)025<0843:MSCOLR>2.3.CO;2)
- Woodward, L.A., DuChene, H.R., and Martinez, R., 1977, Geology of Gilman quadrangle, New Mexico: New Mexico Bureau of Mines and Mineral Resources Geologic Map 45, scale 1:24,000, <https://doi.org/10.58799/GM-45>
- Woodward, L.A., and Martinez, R., 1974, Geologic map and sections of Holy Ghost Spring quadrangle, New Mexico: New Mexico Bureau of Geology and Mineral Resources Geologic Map 33, scale 1:24,000, <https://doi.org/10.58799/GM-33>
- Woodward, L.A., and Ruetschilling, R.L., 1976, Geology of San Ysidro quadrangle, New Mexico: New Mexico Bureau of Mines and Mineral Resources Geologic Map 37, scale 1:24,000, <https://doi.org/10.58799/GM-37>
- Wright, H.E., Jr., 1946, Tertiary and Quaternary geology of the lower Rio Puerco area, New Mexico: Geological Society of America Bulletin, v. 57, no. 5, p. 383–456, [https://doi.org/10.1130/0016-7606\(1946\)57\[383:TAQGOT\]2.0.CO;2](https://doi.org/10.1130/0016-7606(1946)57[383:TAQGOT]2.0.CO;2)
- Wright, R., 1986, Cycle stratigraphy as a paleogeographic tool: Point Lookout Sandstone, southeastern San Juan basin, New Mexico: Geological Society of America Bulletin, v. 97, no. 6, p. 661–673, [https://doi.org/10.1130/0016-7606\(1986\)97<661:CSAAPT>2.0.CO;2](https://doi.org/10.1130/0016-7606(1986)97<661:CSAAPT>2.0.CO;2)
- Wright, R., 1988, Cycle stratigraphy, in Nummedal, D., Wright, R., and Swift, D.J.P., eds., Sequence stratigraphy of Upper Cretaceous strata of San Juan Basin, New Mexico: Tulsa, Society of Economic Paleontologists’ and Mineralogists, p. 109–117.
- Wright, R., and Hayden, S., 1988, Stop 9. Arroyo Balcon, Point Lookout Sandstone depositional systems, in Nummedal, D., Wright, R., and Swift, D.J.P., Sequence stratigraphy of Upper Cretaceous strata of the San Juan Basin, New Mexico:, A field guide prepared for the 73rd AAPG/SEPM Annual Meeting, Houston, TX, p. 116–125.
- Wright-Dunbar, R., 1992a, The Point Lookout delta at La Ventana, New Mexico, in Lucas, S.G., Kues, B.S., Williamson, T.E., and Hunt, A.P., eds., San Juan Basin IV: New Mexico Geological Society Guidebook 43, p. 4–7, <https://doi.org/10.56577/FFC-43>
- Wright-Dunbar, R., 1992b, Shoreline cyclicity and the transgressive record: A model based on Point Lookout Sandstone exposures at San Luis, New Mexico, in Lucas, S.G., Kues, B.S., Williamson, T.E., and Hunt, A.P., eds., San Juan Basin IV: New Mexico Geological Society Guidebook 43, p. 12–14, <https://doi.org/10.56577/FFC-43>
- Wright-Dunbar, R., Zech, R.S., Crandall, G.A., and Katzman, D., 1992, Strandplain and deltaic depositional models for the Point Lookout Sandstone, San Juan basin and Four Corners platform, New Mexico and Colorado, in Lucas, S.G., Kues, B.S., Williamson, T.E., and Hunt, A.P., eds., San Juan Basin IV: New Mexico Geological Society Guidebook 43, p. 199–206, <https://doi.org/10.56577/FFC-43.199>
- Zech, R.S., 1982, Paleoshorelines in the Upper Cretaceous Point Lookout Sandstone, southern San Juan basin, New Mexico: U.S. Geological Survey Open-file Report 82-135, 18 p., <https://doi.org/10.3133/ofr82135>